






RECOMMENDED PCB LAYOUT COMPONENT SIDE



WITH MOUNTING CLIPS



NOTES:

- MATERIALS: THERMOPLASTIC POLYESTER, GLASS FILLED.
UL94V-0, COLOUR: PEBBLE GREY RAL 7032
TERMINAL - PHOSPHOR BRONZE
MOUNTING CLIP: STEEL
- FINISH: TERMINAL:-
CONTACT AREA
A. PERFORMANCE LEVEL 1: SELECTIVE GOLD (Au),
THICKNESS = 1.27 MICROMETER OVER NICKEL
THICKNESS = 1.8 MICROMETER
B. PERFORMANCE LEVEL 2: SELECTIVE GOLD (Au),
THICKNESS = 0.8 MICROMETER OVER NICKEL
THICKNESS = 1.8 MICROMETER
C. PERFORMANCE LEVEL 3: SELECTIVE GOLD (Au),
THICKNESS = 0.3 MICROMETER OVER NICKEL.
THICKNESS = 1.8 MICROMETER
TERMINATION AREA:
SELECTIVE TIN, THICKNESS = 5 MICROMETER
OVER NICKEL, THICKNESS 1.8 MICROMETER OVERALL.
- MOUNTING CLIP:
TIN (Sn), THICKNESS = 5-10 MICROMETER OVER NICKEL (Ni)
THICKNESS = 2.5 MICROMETER
- FOR NON MOUNTING CLIP OPTION, CONNECTOR TO BE SECURED WITH
RIVETS: 2 TABULAR RIVETS 2.5×0.3 ..DIN 7340
SCREWS: 2 CHEESEHEAD SCREWS $M2.5 \times \dots$ DIN 84 AND
2 HEXAGONAL NUTS $M2.5$ DIN 934.
- MATERIAL No, BATCH CODE, UL AND CSA MARKING TO BE PRINTED
ON THE CONNECTOR.
- CUT FACES OF TIP WITHOUT PLATING PERMITTED.

EC NO: 12010-0265 2009/12/11 DRWNS01 CHKD:KPRASAD APPR:KPRASAD 2009/12/28 2010/01/06	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
			mm	INCH	DRAWN BY PRASHANT	DATE 2004/12/07	TITLE ASSEMBLY, DIN 41612 C FEMALE, 96 POS					
			4 PLACES	± ---	± ---	CHECKED BY SSUDHIR	DATE 2004/12/07	MOLEX INCORPORATED				
			3 PLACES	± 0.005	± ---							
			2 PLACES	± 0.1	± ---	APPROVED BY SSUDHIR		DATE 2004/12/07				
REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	ANGULAR ± 2 °		MATERIAL NO.		DOCUMENT NO. SD-85042-001		SHEET NO. 1 OF 2			
			SEE CHART		SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	13	12	11	10	9	8	7	6	5	4	3	2	1	
J	MATERIAL No	PERF LEVEL	PLATING	CONTACT SEQUENCE/ROW	DIM "L" mm	MOUNTING CLIP NO.	FLUX PROOF							J
	850421249	1	Au+Ni	1,2,3....32 a+c	4.5	NO	NO							
	850420385	2	Au+Ni	1,2,3....32 a+b+c	2.9	NO	NO							
	850420191	2	Au+Ni	1,2,3....32 a+c	4.5	NO	NO							
	850420270	2	Au+Ni	1,2,3....32 a+b+c	4.5	NO	NO							
	850420397	2	Au+Ni	2,4,6....32 a+c	4.5	NO	NO							
I	850421043	1	Au+Ni	1,2,3....32 a+b+c	4.5	NO	NO							I
	850421079	2	Au+Ni	1,2,3....32 a+b+c	2.9	YES	NO							
	850421213	2	Au+Ni	1,2,3....32 a+b+c	4.5	YES	NO							
	850421304	1	Au+Ni	1,2,3....32 a+b+c	2.9	NO	NO							
	850422347	2	Au+Ni	1,2,3....32 a+b+c	2.9	NO	YES							
	850422529	2	Au+Ni	1,2,3....32 a+c	2.9	YES	NO							
H	850423316	2	Au+Ni	2,4,6....32 a+c	2.9	YES	YES							H
	850424696	2	Au+Ni	1,2,3....32 a+c	4.5	YES	NO							
	850424763	2	Au+Ni	2,4,6....32 a+c	2.9	NO	NO							
	850426232	2	Au+Ni	1,2,3....32 a+b+c	4.5	YES	NO							
	850429017	3	Au+Ni	1,2,3....32 a+b+c	4.5	YES	NO							
G														G
F														F
E														E
D														D
C														C
B														B
A														A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru