

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20





© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	17JUN2015	DL	CW



TYPE I: BODY + PLASTIC PROTECITON COVER



NOTES:

1. TECHNICAL CHARACTERISTICS:  
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE TREATMENT: POWDER-COATED, GRAY  
OPERATION TEMPERATURE: -40-+125°C  
DEGREE OF PROTECTION: IP65 (MATED)

注释:

1. 技术参数:  
主体材料: 铝合金  
表面处理: 粉末喷涂, 灰色  
工作温度: -40-+125°C  
防护等级: IP65(配合)

TI460240121-000	TYPE I	H24B-SDR-BO-PG21	PG21	-
TI460240125-000		H24B-SDR-BO-M25	M25	-
TI460240221-000		H24B-SDR-BO-2PG21	PG21	PG21
TI460240225-000		H24B-SDR-BO-2M25	M25	M25
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 17JUN2015	<div>TE</div> TE Connectivity				
DIMENSIONS: mm		CHK CHRIS WANG 17JUN2015					
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD XU XIANG 17JUN2015					
		PRODUCT SPEC 108-137013	NAME H24B-SDR-BO-PG/M				
		APPLICATION SPEC 114-137013					
		WEIGHT -					
MATERIAL - -	FINISH - -	CUSTOMER DRAWING		SIZE A3	CAGE CODE -	DRAWING NO C-TI46024XXXX000	RESTRICTED TO -
				SCALE 3:5	SHEET 1	OF 2	REV A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20






© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.



REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 2: BODY + METAL PROTECITON COVER  
OTHER SPEC REFER TO TYPE 1

TI460241121-000	TYPE 2	H24B-SGRM-BO-PG21	PG21	-
TI460241125-000		H24B-SGRM-BO-M25	M25	-
TI460241221-000		H24B-SGRM-BO-2PG21	PG21	PG21
TI460241225-000		H24B-SGRM-BO-2M25	M25	M25
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 17JUN2015	 TE Connectivity	
DIMENSIONS: mm		CHK CHRIS WANG 17JUN2015		
		APVD XU XIANG 17JUN2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-137013		
MATERIAL		APPLICATION SPEC 114-137013	NAME H24B-SGRM-BO-PG/M	
FINISH		WEIGHT	SIZE A3	CAGE CODE -
CUSTOMER DRAWING		SCALE 3:5	DRAWING NO C-TI46024XXXX000	RESTRICTED TO -
		SHEET 2 OF 2	REV A	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)