








Copyright FCI.

PRODUCT NUMBER SEE SHEET 2




spec ref *		dr Peng-Bing Fu		2012/09/19		projection 	MM 	size A3	scale 3:2
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Peng-Bing Fu	2013/04/27			ecn no ELX-DG-14306-1	
				chr -	-				
		appr Pei-Ming Zheng	2013/05/20		product family PwrBlade+		rel level Released		
surface 	linear	0.X	±0.5		title 8HP + 20S RA STB RECEPTACLE			dwg no 10106126-8005001	rev B
		0.XX	±0.25						
		0.XXX	±0.10						
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw		sheet 1 of 3




Copyright FCI.

PRODUCT NO.	ROW S	SIGNAL						HIGH POWER									
		E1	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1		E2
10106126-8005001LF	D C B A		H	H	H	H	H										
			U	U	U	U	U	U	U	U	U	U	U	U	U	U	U

CODE	DESCRIPTION
E	STD SIGNAL CONTACT, ROW A
F	STD SIGNAL CONTACT, ROW B
G	STD SIGNAL CONTACT, ROW C
H	STD SIGNAL CONTACT, ROW D
HI	MFBL HIGH POWER CONTACT(3.43)



dr	Peng-Bing Fu	2012/09/19		projection		size	A3	scale	3:2	
eng	Peng-Bing Fu	2013/04/27					ecn no	ELX-DG-14306-1		
chr	-	-					rel level	Released		
appr	Pei-Ming Zheng	2013/05/20	product family			PwrBlade+				
	title		8HP + 20S RA STB RECEPTACLE			dwg no	10106126-8005001		rev	
www.fci.com	cat. no.		Product - Customer Drw				sheet 2 of 3		B	

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.



Copyright FCI.

dr	Peng-Bing Fu	2012/09/19	projection	MM	size	scale
eng	Peng-Bing Fu	2013/04/27			A3	3:2
chr	-	-			ecn no	ELX-DG-14306-1
appr	Pei-Ming Zheng	2013/05/20	product family	PwrBlade+	rel level	Released
www.fci.com		title			dwg no	rev
		8HP + 20S RA STB RECEPTACLE			10106126-8005001	B
cat. no.		Product - Customer Drw			sheet 3 of 3	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru