


REVISIONS				
REV	DESCRIPTION	DATE	BY	APPV
E	REV PER ECO 17-007041	5-16-17	CT	EO



- CONNECTOR DIMENSIONS ARE PER ARINC 600 SPECIFICATION
- FOLLOWING CONTACTS AND FILLER PLUGS ARE LOADED:  
 SIZE 22 SOCKET CONTACT (POSTED): TE P/N 211431-4; QTY: 600  
 SIZE 12 PIN CONTACT (POSTED): TE P/N 1-448140-8; QTY: 12  
 SIZE 16 PIN CONTACT (POSTED): TE P/N 1-448139-4; QTY: 6  
 SIZE 20 PIN CONTACT (POSTED): TE P/N 1-448138-2; QTY: 8
- KEYING SHOWN IN POSITION "01" FOR REFERENCE ONLY. SEE TABLE FOR KEYING POSITION. FOR POSITION "00" KEYING SHIPPED UNASSEMBLED.
- WITH CONTACTS FULLY SEATED TO THE REAR OF INSERT.
- CONTACTS NOT SHOWN IN FRONT & REAR VIEWS FOR CLARITY.
- DUST COVERS ARE INSTALLED FOR SHIPPING.
- TE LOGO APPEARS IN THIS APPROXIMATE LOCATION ON MACHINED FROM BILLET SHELLS.
- ASSEMBLY SHOWN WITH DIE CAST SHELL. ASSEMBLIES WITH MACHINED SHELLS MAY VARY SLIGHTLY IN APPEARANCE.

COMPONENT	MATERIAL	FINISH
SHELL	DIE CAST ALUMINUM PER ASTM-B-85 OR ASTM B211 6061-T6 OR ASTM B209 2024-T4	ELECTROLESS NICKEL PER MIL-C-26074 CLASS 4, GRADE B
RETENTION PLATES	ALUMINUM ALLOY PER ASTM-B-209	ELECTROLESS NICKEL PER MIL-C-26074 CLASS 4, GRADE B
FLATHEAD SCREWS	STEEL OR STAINLESS STEEL	CHROMATE OVER ZINC OR PASSIVATED
POLARIZING KEYS	ZINC ALLOY PER ASTM-B-86	-
POLARIZING KEY RETAINING PLATE	ALUMINUM ALLOY PER ASTM-B-209	BLUE ANODIZED PER MIL-A-8625
ALL INSERTS	THERMOSET	-
FILLER PLUGS	TEFLON	-

"01"	2101252-1
KEYING POSITION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

APPROVED: C.C. THOMAS 6-2-09  
 CHK: K. THACKSTON 6-2-09  
 NAME: K. THACKSTON 6-2-09


TE Connectivity

RCPT ASSY, SIZE 3, ARINC 600 (150/150/13C2/150/150/13C2)

SIZE: A1 00779 ©=2101252  
 WEIGHT: 0  
 CUSTOMER DRAWING

SCALE: 3:2 SHEET: 1 OF 2 REV: E

REVISIONS					
P	LTR	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENED P.C.BOARD LAYOUT  
SCALE 2:1  
(BACK VIEW)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN C.C.THOMAS 6-2-09		TE Connectivity	
DIMENSIONS: INCHES [mm]		TOLERANCES UNLESS OTHERWISE SPECIFIED:			
		0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		NAME RCPT ASSY, SIZE 3, ARINC 600 (150/150/13C2/150/150/13C2) PRODUCT SPEC - APPLICATION SPEC - SIZE A1 CAGE CODE 00779 DRAWING NO. 2101252 WEIGHT - CUSTOMER DRAWING	
MATERIAL SEE TABLE		FINISH SEE TABLE		RESTRICTED TO - SCALE 3:2 SHEET 2 OF 2 REV E	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)