

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS |     |                           |         |     |      |
|-----|------|-----------|-----|---------------------------|---------|-----|------|
|     |      | P         | LTR | DESCRIPTION               | DATE    | DWN | APVD |
| FT  | 0    | K18       |     | REVISED PER ECO-11-004587 | 11MAR11 | RK  | HMR  |

**PHYSICAL PROPERTIES:**  
 HOUSING MATERIAL: THERMOPLASTIC, PC  
 FLAMABILITY: UL94V-0  
 COLOR: BLACK


**TERMINAL:**  
 TERMINALS: BRASS, TIN PLATED  
 SCREWS: 6-32 STEEL, NICKEL PLATED

**MECHANICAL:**  
 PITCH: .437  
 WIRE RANGE: 14-22 AWG  
 RECOMMENDED TIGHTENING TORQUE: 12IN-LB

**ELECTRICAL PROPERTIES:**  
 MAX CURRENT: 25A  
 OPERATING VOLTAGE: 300V

**ENVIRONMENTAL PROPERTIES:**  
 OPERATING TEMP: -40°C TO 120°C

- 1 SEE FIGURE.
- 2 PRELIMINARY PART NUMBER.
- 3 STAINLESS STEEL SCREWS.
- 4 WHITE INK STAMP.
- 5 TE CONNECTIVITY LOGO LOCATED APPROXIMATE AREA.



|   |       |       |           |             |
|---|-------|-------|-----------|-------------|
|   | 5.646 | 5.992 | 12        | 4-1546670-2 |
|   | 9.142 | 9.488 | 20        | 2-1546670-0 |
|   | 8.705 | 9.051 | 19        | 1-1546670-9 |
| 2 | 8.268 | 8.614 | 18        | 3-1546670-0 |
|   | 8.268 | 8.614 | 18        | 1-1546670-8 |
|   | 7.831 | 8.177 | 17        | 1-1546670-7 |
|   | 7.394 | 7.740 | 16        | 1-1546670-6 |
|   | 6.957 | 7.303 | 15        | 1-1546670-5 |
|   | 6.520 | 6.866 | 14        | 1-1546670-4 |
|   | 6.083 | 6.429 | 13        | 1-1546670-3 |
|   | 5.646 | 5.992 | 12        | 1-1546670-2 |
|   | 5.209 | 5.555 | 11        | 1-1546670-1 |
| 4 | 4.772 | 5.118 | 10        | 4-1546670-3 |
| 2 | 4.772 | 5.118 | 10        | 3-1546670-8 |
|   | 4.772 | 5.118 | 10        | 1-1546670-0 |
| 2 | 4.335 | 4.681 | 9         | 3-1546670-5 |
| 2 | 4.335 | 4.681 | 9         | 3-1546670-2 |
|   | 4.335 | 4.681 | 9         | 1546670-9   |
| 1 | 3.898 | 4.244 | 8         | 4-1546670-1 |
| 3 | 3.898 | 4.244 | 8         | 3-1546670-6 |
| 2 | 3.898 | 4.244 | 8         | 3-1546670-4 |
| 2 | 3.898 | 4.244 | 8         | 3-1546670-3 |
|   | 3.898 | 4.244 | 8         | 1546670-8   |
|   | 3.461 | 3.807 | 7         | 1546670-7   |
| 1 | 3.024 | 3.370 | 6         | 3-1546670-1 |
|   | 3.024 | 3.370 | 6         | 1546670-6   |
| 1 | 2.587 | 2.933 | 5         | 2-1546670-8 |
| 1 | 2.587 | 2.933 | 5         | 2-1546670-7 |
|   | 2.587 | 2.933 | 5         | 1546670-5   |
| 2 | 2.496 | 2.933 | 4         | 3-1546670-9 |
| 1 | 2.150 | 2.496 | 4         | 2-1546670-9 |
|   | 2.150 | 2.496 | 4         | 1546670-4   |
|   | 1.713 | 2.059 | 3         | 1546670-3   |
|   | 1.276 | 1.622 | 2         | 1546670-2   |
|   | DIM B | DIM A | NO OF POS | PART NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

|      |           |        |
|------|-----------|--------|
| DWN  | S SCHEGEL | 4/4/03 |
| CHK  | C RICHARD | 4/4/03 |
| APVD | C RICHARD | 4/4/03 |

**STE** TE Connectivity

NAME: DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING


|      |           |            |               |
|------|-----------|------------|---------------|
| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
| A2   | 00779     | C=1546670  | -             |

CUSTOMER DRAWING SCALE: NTS SHEET: 1 of 3 REV: K18


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC |     | DIST        |      | REVISIONS |      |  |  |
|-----|-----|-------------|------|-----------|------|--|--|
| P   | LTR | DESCRIPTION | DATE | DWN       | APVD |  |  |
| FT  | 0   | SEE SHEET 1 | -    | -         | -    |  |  |


DOUBLE SIDED, DOUBLE HOLE  
QC TAB, QTY 5



DOUBLE SIDED, DOUBLE HOLE  
QC TAB, QTY 5




JUMPER, QTY 1



DOUBLE SIDED, DOUBLE HOLE  
45° QC TAB, QTY 9

DOUBLE SIDED, DOUBLE HOLE  
90° QC TAB, QTY 9




2-1546670-7


2-1546670-8

3-1546670-2

DOUBLE SIDED, DOUBLE HOLE  
QC TAB, QTY 5




SINGLE SIDED, DOUBLE HOLE  
QC TAB, QTY 6




DOUBLE SIDED, DOUBLE HOLE  
FLAT QC TAB, QTY 8.

JUMPER, QTY 2



DOUBLE SIDED, DOUBLE HOLE  
45° QC TAB, QTY 6

DOUBLE SIDED, DOUBLE HOLE  
90° QC TAB, QTY 4




2-1546670-9



3-1546670-1

3-1546670-3

SINGLE SIDED, DOUBLE HOLE  
QC TAB, QTY 18



DOUBLE SIDED, DOUBLE HOLE  
FLAT QC TAB, QTY 8.



3-1546670-0

3-1546670-4

|        |        |           |             |
|--------|--------|-----------|-------------|
| 11.764 | 12.110 | 26        | 2-1546670-6 |
| 11.327 | 11.673 | 25        | 2-1546670-5 |
| 10.90  | 11.236 | 24        | 2-1546670-4 |
| 10.453 | 10.799 | 23        | 2-1546670-3 |
| 10.016 | 10.362 | 22        | 2-1546670-2 |
| 9.579  | 9.925  | 21        | 2-1546670-1 |
| 9.142  | 9.488  | 20        | 3-1546670-7 |
| DIM B  | DIM A  | NO OF POS | PART NUMBER |

|  |          |                                |           |        |
|--|----------|--------------------------------|-----------|--------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |          | DWN                            | S SCHEGEL | 4/4/03 |
| DIMENSIONS: INCHES                     |          | CHK                            | C RICHARD | 4/4/03 |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |          | APVD                           | C RICHARD | 4/4/03 |
| 0 PLC                                  | ± -      | PRODUCT SPEC                   |           |        |
| 1 PLC                                  | ± -      | APPLICATION SPEC               |           |        |
| 2 PLC                                  | ± .01    | WEIGHT -                       |           |        |
| 3 PLC                                  | ± .005   | SIZE A2                        |           |        |
| 4 PLC                                  | ± -      | CAGE CODE 00779                |           |        |
| ANGLES                                 | ± 3'     | DRAWING NO C=1546670           |           |        |
| MATERIAL -                             | FINISH - | RESTRICTED TO -                |           |        |
| CUSTOMER DRAWING                       |          | SCALE NTS SHEET 2 OF 3 REV K18 |           |        |

|  |           |                 |               |
|--|-----------|-----------------|---------------|
|  |           | TE Connectivity |               |
| NAME   |           |                 |               |
| DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING |           |                 |               |
| SIZE   | CAGE CODE | DRAWING NO      | RESTRICTED TO |
| A2   | 00779     | C=1546670       | -             |
| SCALE NTS  |           | SHEET 2 OF 3    | REV K18       |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC |     | DIST        |      | REVISIONS |      |  |  |
|-----|-----|-------------|------|-----------|------|--|--|
| P   | LTR | DESCRIPTION | DATE | DWN       | APVD |  |  |
| FT  | 0   | SEE SHEET 1 | -    | -         | -    |  |  |




3-1546670-5



4-1546670-3

SINGLE SIDED, DOUBLE HOLE  
 45° QC TAB, QTY 10

SINGLE SIDED, DOUBLE HOLE  
 90° QC TAB, QTY 10




SINGLE SIDED, DOUBLE HOLE  
 FLAT QC TAB, QTY 10




3-1546670-7




3-1546670-8



3-1546670-9



4-1546670-1



|  |              |                       |  |               |
|--|--------------|-----------------------|--|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |              | DWN S SCHEGEL 4/4/03  | TE Connectivity  |               |
| DIMENSIONS: INCHES                     |              | CHK C RICHARD 4/4/03  |  |               |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |              | APVD C RICHARD 4/4/03 | NAME   |               |
| 0 PLC ± -                              | 1 PLC ± -    | PRODUCT SPEC          | DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 SPACING |               |
| 2 PLC ± .01                            | 3 PLC ± .005 | APPLICATION SPEC      | SIZE   | CAGE CODE     |
| 4 PLC ± -                              | ANGLES ± 3'  | WEIGHT                | A2   | 00779         |
| MATERIAL                               | FINISH       | CUSTOMER DRAWING      | DRAWING NO   | RESTRICTED TO |
|  |              |                       | C=1546670  |               |
|  |              | SCALE NTS             | SHEET 3 of 3   | REV K18       |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)  
Email: org@lifeelectronics.ru