







- | | | |
|---|---------------------|-------------|
|  | LEFT INDICATOR DOWN | 2214593-6 |
|  | LEFT INDICATOR UP | 2214593-5 |
|  | NO LIGHTPIPE | 2214593-4 |
|  | LEFT INDICATOR DOWN | 2214593-3 |
|  | LEFT INDICATOR UP | 2214593-2 |
|  | NO LIGHTPIPE | 2214593-1 |
| CONTACT
FINISH | DESCRIPTION | PART NUMBER |

4805 (3/11)


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		-		SEE SHEET 1	-	-




2214593-1 / 2214593-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2214593-2 / 2214593-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2214593-3 / 2214593-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD


SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY 24FEB2012	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SIZE A100779	
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	DRAWING NO C=2214593	
MATERIAL SEE NOTE 1		WEIGHT -	RESTRICTED TO -	
SEE NOTE 2		CUSTOMER DRAWING	SCALE 4:1 SHEET 2 OF 4 REV A	

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



RECOMMENDED PC BOARD LAYOUT
COMPONENT SIDE OF BOARD
(PCB TOLERANCE ± 0.05)
SCALE 5:1



THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	CHK D. SZCZESNY 24FEB2012	APVD	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
0 PLC $\pm$		1 PLC ± 0.25		PRODUCT SPEC	
2 PLC ± 0.15		3 PLC $\pm$		108-60102	
4 PLC $\pm$		ANGLES		APPLICATION SPEC	
FINISH		114-60015		SIZE	
MATERIAL		WEIGHT		CAGE CODE	
SEE NOTE 1		SEE NOTE 2		DRAWING NO.	
		CUSTOMER DRAWING		A100779C=2214593	
				RESTRICTED TO	
				SCALE 4:1	
				SHEET 3 OF 4	
				REV A	

D

C

B


A

D


C

B


A




KEEPOUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1




DETAIL H
SCALE 10:1



DETAIL J
LED PADS
SCALE 10:1



DETAIL K
SCALE 10:1



DETAIL L
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012 CHK D. SZCZESNY 24FEB2012 APVD	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.25 1 PLC ±0.15 2 PLC ±. 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH	PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015 WEIGHT	SIZE A100779C=2214593	RESTRICTED TO -
MATERIAL SEE NOTE 1	SEE NOTE 2	CUSTOMER DRAWING	SCALE 4:1	SHEET 4 OF 4 REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru