




LOC	DIST	REVISONS				
		IF	LTR	DESCRIPTION	DATE	DWN APVD
AD	00	C	REV	PER ECR-11-003871	22FEB11	RC CW

CONNECTOR ASSEMBLY
EXAMPLARY LOADED



CONTACT DIMENSIONS




CONTACT LAYOUT

	z	a	b	c	d	e	f	g	h	i
1		A	A	A	A	A	A	A		
2		A	A	A	A	A	A	A		
3		A	A	A	A	A	A	A		
4		A	A	A	A	A	A	A		
5		A	A	A	A	A	A	A		
6		A	A	A	A	A	A	A		
7		A	A	A	A	A	A	A		
8		A	A	A	A	A	A	A		
9		A	A	A	A	A	A	A		
10		A	A	A	A	A	A	A		
11		A	A	A	A	A	A	A		
	MULTI PURPOSE CENTER									
15		A	A	A	A	A	A	A		
16		A	A	A	A	A	A	A		
17		A	A	A	A	A	A	A		
18		A	A	A	A	A	A	A		
19		A	A	A	A	A	A	A		
20		A	A	A	A	A	A	A		
21		A	A	A	A	A	A	A		
22		A	A	A	A	A	A	A		
23		A	A	A	A	A	A	A		
24		A	A	A	A	A	A	A		
25		A	A	A	A	A	A	A		

RECOMMENDED PCB-HOLE LAYOUT
COMPONENT SIDE SHOWN

PLATED THRU HOLES PARAMETERS
REFERENCE APPLICATION SPECIFICATION




OBSOLETE	2 3 16	3-5646346-0
	2 6 14	1-5646346-9
	2 5 14	5646346-9
	2 4	-5646346-4-
	2 3	5646346-1
FINISH		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN: B CARBO 07JAN05	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
CHK: G SKIPPER 07JAN05		APVD: G SKIPPER 07JAN05	NAME: MALE ASSEMBLY, Z-PACK 2mm HM, TYPE D	
DIMENSIONS: mm		PRODUCT SPEC: 108-1622		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC: 114-19029		
		SIZE: A1 CAGE CODE: 00779 DRAWING NO: 5646346		
MATERIAL: 1		RESTRICTED TO: -		
SEE TABLE		WEIGHT: -		
CUSTOMER DRAWING		SCALE: 4:1 SHEET 1 OF 2 REV C		

LOC		DIST		REVISIONS					
AD		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1			—	—	—

- 1
- MATERIAL:
CONTACT: PHOSPHOR BRONZE.
HOUSING: GLASS-FILLED POLYESTER.
- 2
- GENERAL PLATING SPECIFICATION: UNDERPLATING
(ENTIRE CONTACT): 1.27µm MIN NICKEL AND ACTION
PIN: 0.5µm MIN TIN.
FOR PLATING OF MATING SURFACES SEE APPLICABLE
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3
- CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 2.
- 4
- CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 1.
- 5
- CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,
CENTRAL OFFICE APPLICATIONS.
- 6
- CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,
UNCONTROLLED ENVIROMENT APPLICATIONS.
- 7
- CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.
ADDITIONAL CHARACTERS OR MARKINGS, AS WELL AS THE LOCATION OF THE MARKINGS,
MAY BE ADDED FOR TRACEABILITY BASED UPON MANUFACTURERS DISCRETION.
- 8
- PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID
PATTERN DEFINED BY CONTACT LAYOUT.
- 9
- FOR ACTUAL PIN LOADING SEE "CONTACT LAYOUT".
- 10
- FOR ACTUAL PIN DIMENSIONS SEE "CONTACT DIMENSIONS".
- 11
- TO BE MEASURED AT BOTTOM OF SHROUD.
- 12
- POLARIZATION FEATURE.
- 13
- AREA RESERVED FOR KEYING PART (BASIC P/N 100525)
- 14
- CONNECTOR LUBRICATED WITH BELCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: TR-NWT-001217 ISSUE 1, SEP 1992.
- 15
- OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 16
- 0.76um MIN GOLD PLATING ON MATING SURFACES

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B CARBO 07JAN05	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
		CHK G SKIPPER 07JAN05		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0-PLG ± 1-PLG ±0.1 2-PLG ± 3-PLG ± 4-PLG ± ANGLES ±	APVD G SKIPPER 07JAN05	NAME MALE ASSEMBLY, Z-PACK 2mm HM, TYPE D	
		PRODUCT SPEC 108-1622	SIZE A1 CAGE CODE 00779 DRAWING NO 5646346	
		APPLICATION SPEC 114-19029		
MATERIAL SEE SHEET 1	FINISH SEE SHEET 1	WEIGHT —	RESTRICTED TO —	
CUSTOMER DRAWING			SCALE 4:1	SHEET 2 OF 2 REV C

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru