

CATALOG LISTING

2TP19 SERIES CHART 1

PAGE 1 OF 1

ISSUE

5

REVISIONS

A

CO-94413

J J A

8 OCT 99

B

CO-200003

J J A

9 DEC 99

C

202714

CSL

3 APR 01

D

203709

CSL

10 SEP 01

CHECK

7JUL94

9 JUN 94

RASTER

DRAWN

TSM

MICRO SWITCH

FREEPORT ILLINOIS U S A

A DIVISION OF HONEYWELL

FED MFG CODE 91929

SWITCH-TOGGLE

FLUSH KEY

CATALOG LISTING

2TP19 SERIES

CHART 1

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH A DIVISION OF HONEYWELL THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

3

CIRCUIT MADE WITH

BUTTON DEPRESSED ON

CATALOG LISTING

LUG SIDE (1-2,4-5)

CENTER (1-2,4-5)

OPPOSITE LUG (2-3,5-6)

RESISTIVE LOAD DC VOLTS

28

125

250

LAMP LOAD AC VOLTS

125

250

INDUCTIVE LOAD

28 VDC

125 VAC

28 VDC

125 VAC

2TP19-1

ON

OFF

ON

20

.75

.5

15

6

7

4

15

15

2TP19-2

OFF

NONE

ON

18

.75

.5

11

6

5

2

10

8

2TP19-21

NONE

OFF

ON

2TP19-31

NONE

ON

ON

2TP19-4

MOM OFF

NONE

ON

2TP19-5

MOM ON

OFF

ON

2TP19-6

MOM ON

NONE

OFF

2TP19-7

MOM ON

OFF

MOM ON

2TP19-8

MOM ON

NONE

ON

2TP19-51

NONE

ON

MOM ON

2TP19-61

MOM ON

OFF

NONE

.020±.010 R TYP

.87

.43

1.46

.73

.18

.906

1.812±.010

2.17

32°±6° TOTAL TRAVEL

16°±3°

IDENTIFICATION LUG

REMOVABLE CLEAR PLASTIC ACTUATOR BUTTON

6-32 UNC-2B THREAD WITH LOCKING FEATURE (2)

BUSHING AND COVER SEALED TO PREVENT ENTRANCE OF LIQUIDS OR DUST

6-32 UNC-2 THREAD .200 MIN DEPTH IN INSERTS FOR TERMINAL CONNECTION

1.64

.3

.395

.536±.030

.130 MIN

.250

.130 MIN

1.32

.28

.75

.38

.26

.38

.89

A

B

THIRD ANGLE PROJECTION

SCALE FULL

DO NOT SCALE PRINT

TOLERANCES

APPLY TO DIMENSION UNITS. CONVERSIONS ARE ONLY FOR REFERENCE UNLESS NOTED TOLERANCES ARE 3.

DIM.

TOL.

DIM.

TOL.

NO PLACES

1/04

ONE PLACE

0.01/010

TWO PLACES

0.01/010

THREE PLACES

0.01/010

SI METRIC

US CUSTOMARY

RAW MATERIAL-COMMERCIAL STANDARD

MICRO SWITCH STANDARDS APPLY

DIMENSIONS ARE TO BE MET BEFORE PROTECTIVE COATINGS ARE APPLIED

WEIGHT

NOTES

1 - TERMINAL DESIGNATION AND MICRO SWITCH CATALOG LISTING MARKED ON SIDE OF SWITCH

2 - THESE SWITCHES WILL WITHSTAND TEMPERATURE OF 160°F

3 - APPLIES ONLY TO "ON" AND "MOMENTARY ON" POSITIONS

4 - 6-32 UNC-2 X .280 REF STEEL PAN HEAD TERMINAL SCREWS, SPRING LOCKWASHERS, AND WASHER (SEMS) FURNISHED UNASSEMBLED. ONE PER TERMINAL

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru