






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 (C) COPYRIGHT - By TE CONNECTIVITY ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
C1		CHANGE THE WIDTH OF THE TERMINAL FROM 0.6MM TO 0.8MM		ECD-14-011875	08-AUG-14	Q.L	B.F

Diagram dimension	Tolerance
0.99mm max.	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm



(C) NOTE:

1. LOT NO. SYSTEM AS FOLLOWING;



- (A) 2. ONE CHARACTER DISTINGUISH THE LINE IDENTITY, SUCH AS: A, B...
- (B) 3. TERMINAL DIMENSION IS BEFORE SOLDER DIP.
- (B) 4. FOR THE TIN-PLATING OF THE PINS:
 +0.1mm FOR WIDTH, THICKNESS AND DIAMETER.
 +0.5mm FOR LENGTH.
- (B) 5. MARKING FROM INK CHANGE TO LASER
- (C) 6. ADD LOT NO. SYSTEM AS FOLLOWING;



- I. DIGITS FOR DAY OF THE WEEK
 1...MONDAY IN THIS WEEK;
 2...TUESDAY IN THIS WEEK;

 7...SUNDAY IN THIS WEEK
- II. DIGITS FOR SHIFT OF THE DAY
 1...DAY SHIFT IN THIS DAY;
 2...NIGHT SHIFT IN THIS DAY;
- III. ONE CHARACTER DISTINGUISH THE LINE IDENTITY,
 SUCH AS: A,B,.....Z

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
mm			
0 PLC	±	1 PLC	±
2 PLC	±	3 PLC	±
4 PLC	±	4 R/C	±
ANGLES	±	FINISH	±
MATERIAL	-		-

DWN	ZHENXING.FU
CHK	N.FUNAYAMA
APVD	HSU,CHIEN-HUI
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-
CUSTOMER DRAWING	

TE Connectivity			
NAME		PCJ-WG SPEC ,000	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1721348	-
SCALE		SHEET	REV
5:1		1 OF 2	C1

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC
HB

DIST
—

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—	SEE SHEET 1	—	—	—

D

C

B

A

N	PCJ-12402MH-WG, 000	1-1721348-4	SEAL UP INSPECTION ON EVERY PRODUCT	24V	PCJ-12402MH-WG
M	PCJ-11802MH-WG, 000	1-1721348-3	SEAL UP INSPECTION ON EVERY PRODUCT	18V	PCJ-11802MH-WG
I	PCJ-11202MH-WG, 000	1-1721348-2	SEAL UP INSPECTION ON EVERY PRODUCT	12V	PCJ-11202MH-WG
k	PCJ-10902MH-WG, 000	1-1721348-1	SEAL UP INSPECTION ON EVERY PRODUCT	9V	PCJ-10902MH-WG
j	PCJ-10602MH-WG, 000	1-1721348-0	SEAL UP INSPECTION ON EVERY PRODUCT	6V	PCJ-10602MH-WG
i	PCJ-10502MH-WG, 000	1721348-9	SEAL UP INSPECTION ON EVERY PRODUCT	5V	PCJ-10502MH-WG
h	PCJ-10302MH-WG, 000	1721348-8	SEAL UP INSPECTION ON EVERY PRODUCT	3V	PCJ-10302MH-WG
g	PCJ-12402M-WG, 000	1721348-7		24V	PCJ-12402M-WG
f	PCJ-11802M-WG, 000	1721348-6		18V	PCJ-11802M-WG
e	PCJ-11202M-WG, 000	1721348-5		12V	PCJ-11202M-WG
d	PCJ-10902M-WG, 000	1721348-4		9V	PCJ-10902M-WG
c	PCJ-10602M-WG, 000	1721348-3		6V	PCJ-10602M-WG
b	PCJ-10502M-WG, 000	1721348-2		5V	PCJ-10502M-WG
a	PCJ-10302M-WG, 000	1721348-1		3V	PCJ-10302M-WG
No.	EC TYPE NAME	TE PART NO	DESCRIPTION	PART B	PART A

RELAY TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 RVC	±

ANGLES ±

FINISH

MATERIAL

DWN
ZHENXING.FU

CHK
N.FUNAYAMA

APVD
HSU,CHIEN-HUI

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME

PCJ-WG SPEC ,000

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1721348	—

SCALE	SHEET	REV
5:1	2 OF 2	C1

94V-0

Sn-Ag-Cu

SOLDER

18

94V-0

PBT

CASE

17

UV

SEAL(CASE) JUST FOR WASH TIGHT

16

EPOXY

SEAL(CASE AND BASE)

15

3UEW

MAGNETIC WIRE

14

94V-0

PBT

CARD

13

Ag ALLOY

STATIONARY CONTACT

12

SOLDER DIP

Cu ALLOY

STATIONARY TERMINAL

11

Ag ALLOY

MOVABLE CONTACT

10

SOLDER DIP

Cu ALLOY

MOVABLE SPRING

9

94V-0

PBT

BASE

8

STAINLESS

HINGE SPRING

7

NIP

ARMATURE

6

NIP

STEEL

CORE

5

NIP

STEEL

YOKE

4

SOLDER DIP

Cu ALLOY

COIL TERMINAL B

3

SOLDER DIP

Cu ALLOY

COIL TERMINAL A

2

94V-0

PBT

BOBBIN

1

INCOMBUSTIBILITY

TREATMENT

MATERIAL

DESCRIPTION

ITEM

1470-19 (3/11)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru