



RECOMMENDED P.C. BOARD HOLE LAYOUT

- 1 "AMP", "CSA", "▲", AND "DATE CODE" WITH .062±.015 HIGH CHARACTERS WHERE SIZE PERMITS.
- 2 HOUSING: 1-70 POSITION SIZES MAY BE PPS, GLASS-FILLED OR PCT, GLASS-FILLED. POSITION SIZES GREATER THAN 70 WILL BE PPS, GLASS-FILLED.
- 3 CONTACT: PHOSPHOR BRONZE.
- 4 CONTACT FINISH: DUPLEX PLATED 0.00076 [.000030] GOLD IN CONTACT AREA, 0.00127-0.00254 [.000050-.000100] BRIGHT TIN-LEAD ON SOLDER TAILS, ALL OVER 0.00127 [.000050] NICKEL.
- 5 THESE DIMENSIONS PERTAIN TO CAVITY C'S ONLY, NOT TO CONTACT LOCATIONS.
- 6 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE CONTACT BEAMS).
- 7 CSA LOGO INK STAMPED WHITE ON HOUSING.
- 8 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION.
- 9 CONTACT FINISH: DUPLEX PLATED 0.00076 [.000030] GOLD IN CONTACT AREA, 0.00127-0.00254 [.000050-.000100] MATTE TIN ON SOLDER TAILS, ALL OVER 0.00127 [.000050] NICKEL.
- 10 ROHS 2002/95/EC COMPLIANT.
- 11 RECESSED AREA AROUND MOLD GATE IS OPTIONAL. THIS FEATURE IS ALLOWABLE ON EITHER SIDE OF HOUSING OR MAY NOT BE PRESENT AT ALL.
- 12 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

| FINISH | B | A | NO OF POSN | PART NUMBER | FINISH | B | A | NO OF POSN | PART NUMBER |
|----------|-----------------|----|------------|-------------|--------------------------|-----------------|----|------------|-------------|
| OBSOLETE | 34.49 [1.358] | 10 | 22 | 8-532956-0 | OBSOLETE | 34.49 [1.358] | 10 | 22 | 3-532956-0 |
| OBSOLETE | 39.57 [1.558] | 12 | 26 | 7-532956-9 | OBSOLETE | 39.57 [1.558] | 12 | 26 | 2-532956-9 |
| OBSOLETE | 62.43 [2.458] | 21 | 44 | 7-532956-8 | OBSOLETE | 62.43 [2.458] | 21 | 44 | 2-532956-8 |
| OBSOLETE | | 79 | 160 | 7-532956-7 | OBSOLETE | | | | 2-532956-7 |
| OBSOLETE | 24.33 [.958] | 6 | 14 | 7-532956-6 | OBSOLETE | 24.33 [.958] | 6 | 14 | 2-532956-6 |
| OBSOLETE | 24.33 [.958] | 6 | 14 | 7-532956-5 | OBSOLETE | 24.33 [.958] | 6 | 14 | 2-532956-5 |
| OBSOLETE | 235.15 [9.258] | 89 | 180 | 7-532956-4 | OBSOLETE | 235.15 [9.258] | 89 | 180 | 2-532956-4 |
| OBSOLETE | 260.55 [10.258] | 99 | 200 | 7-532956-3 | OBSOLETE | 260.55 [10.258] | 99 | 200 | 2-532956-3 |
| OBSOLETE | 194.51 [7.658] | 73 | 148 | 7-532956-2 | OBSOLETE | 194.51 [7.658] | 73 | 148 | 2-532956-2 |
| OBSOLETE | 184.35 [7.258] | 69 | 140 | 7-532956-1 | OBSOLETE | 184.35 [7.258] | 69 | 140 | 2-532956-1 |
| OBSOLETE | 171.65 [6.758] | 64 | 130 | 7-532956-0 | OBSOLETE | 171.65 [6.758] | 64 | 130 | 2-532956-0 |
| OBSOLETE | 169.11 [6.658] | 63 | 128 | 6-532956-9 | OBSOLETE | 169.11 [6.658] | 63 | 128 | 1-532956-9 |
| OBSOLETE | 158.95 [6.258] | 59 | 120 | 6-532956-8 | OBSOLETE | 158.95 [6.258] | 59 | 120 | 1-532956-8 |
| OBSOLETE | 146.25 [5.758] | 54 | 110 | 6-532956-7 | OBSOLETE | 146.25 [5.758] | 54 | 110 | 1-532956-7 |
| OBSOLETE | 133.55 [5.258] | 49 | 100 | 6-532956-6 | OBSOLETE | 133.55 [5.258] | 49 | 100 | 1-532956-6 |
| OBSOLETE | 128.47 [5.058] | 47 | 96 | 6-532956-5 | OBSOLETE | 128.47 [5.058] | 47 | 96 | 1-532956-5 |
| OBSOLETE | 120.85 [4.758] | 44 | 90 | 6-532956-4 | OBSOLETE | 120.85 [4.758] | 44 | 90 | 1-532956-4 |
| OBSOLETE | 113.23 [4.558] | 42 | 86 | 6-532956-3 | OBSOLETE | 113.23 [4.558] | 42 | 86 | 1-532956-3 |
| OBSOLETE | 108.15 [4.258] | 39 | 80 | 6-532956-2 | OBSOLETE | 108.15 [4.258] | 39 | 80 | 1-532956-2 |
| OBSOLETE | 97.99 [3.858] | 35 | 72 | 6-532956-1 | OBSOLETE | 97.99 [3.858] | 35 | 72 | 1-532956-1 |
| OBSOLETE | 95.45 [3.758] | 34 | 70 | 6-532956-0 | SUPERSEDED BY 6-532956-0 | 95.45 [3.758] | 34 | 70 | 1-532956-0 |
| OBSOLETE | 82.75 [3.258] | 29 | 60 | 5-532956-9 | | 82.75 [3.258] | 29 | 60 | 532956-9 |
| OBSOLETE | 70.05 [2.758] | 24 | 50 | 5-532956-8 | | 70.05 [2.758] | 24 | 50 | 532956-8 |
| OBSOLETE | 57.35 [2.258] | 19 | 40 | 5-532956-7 | | 57.35 [2.258] | 19 | 40 | 532956-7 |
| OBSOLETE | 52.27 [2.058] | 17 | 36 | 5-532956-6 | | 52.27 [2.058] | 17 | 36 | 532956-6 |
| OBSOLETE | 44.65 [1.758] | 14 | 30 | 5-532956-5 | | 44.65 [1.758] | 14 | 30 | 532956-5 |
| OBSOLETE | 37.03 [1.458] | 11 | 24 | 5-532956-4 | | 37.03 [1.458] | 11 | 24 | 532956-4 |
| OBSOLETE | 31.95 [1.258] | 9 | 20 | 5-532956-3 | | 31.95 [1.258] | 9 | 20 | 532956-3 |
| OBSOLETE | 26.87 [1.058] | 7 | 16 | 5-532956-2 | | 26.87 [1.058] | 7 | 16 | 532956-2 |
| OBSOLETE | 21.79 [.858] | 5 | 12 | 5-532956-1 | | 21.79 [.858] | 5 | 12 | 532956-1 |

THIS DRAWING IS A CONTROLLED DOCUMENT. 17JAN01

DIMENSIONS: mm [INCHES] TOLERANCES UNLESS OTHERWISE SPECIFIED:

| | | |
|--------|---|------------|
| 0 PLC | ± | - |
| 1 PLC | ± | - |
| 2 PLC | ± | 0.13 [005] |
| 3 PLC | ± | - |
| 4 PLC | ± | - |
| ANGLES | ± | - |

MATERIAL: HOUSING: 2 CONTACT: 3 SEE TABLE

APPROVED: DON FORKER 05/15/91 NAME: RECEPTACLE ASSY, MOD II, DBL ROW, 2.54 X 2.54 [.100 X .100] CL, GUIDE PIN EARS, CLOSED ENTRY, SHORT-POINT-OF-CONTACT

SIZE: A1 CAGE CODE: 00779 DRAWING NO: 532956 RESTRICTED TO: CUSTOMER DRAWING

SCALE: 6:1 SHEET: 1 OF 1 REV: AF3

STE TE Connectivity

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru