

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION – .– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

| LOC | DIST |
|---|---|
| — | — |


REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | D2 | SHEET 2 DRAFTING ERROR CORRECTION | 10NOV2011 | A.S | M.W |




SECTION A–A



NOTES:

1. DRAWING SHOWS CODING KEY 6–100525–3 WITH CODE NUMBER 3568 AS AN EXAMPLE. REINFORCED CODING KEYS ARE DESIGNED FOR THE 8 ROW CONNECTOR SYSTEM, BUT FIT THE 5 ROW CONNECTOR SYSTEM AS WELL.
2. DRAWING SHOWS CODING KEY 2–100525–4 WITH CODE NUMBER 1368 AS AN EXAMPLE.
3. MATERIAL: GLASSFILLED POLYAMIDE 6.6.;
   COLOUR: SEE TABLE.
4. EACH CODING KEY HAS FOUR BLOCKING PINS AND FOUR CAVITIES.
   THE NUMBERS ON TOP OF THE BLOCKING PINS FORM THE FOUR–FIGURE IDENTIFICATION NUMBER (ASCENDING).
5. PARTNUMBER MATCHING FEMALE CODING KEY, FOR REFERNCE ONLY.

6 1 INSERTION TOOL INCLUDED PER 500 CODING KEYS.

| | | | | |
|---|---|---|---|---|
| 6–100526–3 | PASTEL ORANGE | 2003 | 3568 (1) | 6–100525–3 |
| 6–100526–1 | STEEL BLUE | 5011 | 3478 | 6–100525–1 |
| 5–100526–9 | SLATE GREY | 7015 | 3467 | 5–100525–9 |
| 5–100526–6 | CADMIUM YELLOW | 1021 | 3456 | 5–100525–6 |
| 5–100526–4 | RESADA GREEN | 6011 | 2578 | 5–100525–4 |
| 3–100526–2 | BRILLIANT BLUE | 5007 | 1567 | 3–100525–2 |
| 100526–9 | STRAWBERRY RED | 3018 | 1248 | 100525–9 |
| 100526–3 | NUT BROWN | 8011 | 1236 | 100525–3 |
| FEMALE KEY (5) | COLOUR (3) | RAL NR. (3) | ID. NUMBER (4) | PARTNUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± –

MATERIAL –

FINISH –

DWN D.TRUREN 03–FEB–98
CHK D.TRUREN 03–FEB–98
APVD F.v. KONINGSBRUGGE –
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME
Z–PACK 2mm HM
MALE CODING KEY
–

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C–100525 | — |

CUSTOMER DRAWING | SCALE 1:1 | SHEET 1 OF 2 | REV D2


100525


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –.–.
© COPYRIGHT – By – ALL RIGHTS RESERVED.

| LOC | DIST |
|---|---|
| — | — |


REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | – | SEE SHEET 1 | – | — | — |




SECTION A–A



| – | – | – | – | – |
|---|---|---|---|---|
| 6–100526–9 | OCHER YELLOW | 1024 | 4678 | 6–100525–9 |
| 6–100526–4 | RASPBERRY RED | 3027 | 3578 | 6–100525–4 |
| 5–100526–3 | OCEAN BLUE | 5020 | 2568 | 5–100525–3 |
| 5–100526–2 | EMERALD GREEN | 6001 | 2567 | 5–100525–2 |
| 4–100526–9 | YELLOW ORANGE | 2000 | 2467 | 4–100525–9 |
| 4–100526–8 | HEATHER VIOLET | 4003 | 2458 | 4–100525–8 |
| 4–100526–4 | COPPER BROWN | 8004 | 2368 | 4–100525–4 |
| 4–100526–3 | STONE GREY | 7030 | 2367 | 4–100525–3 |
| 3–100526–7 | PURPLE RED | 3004 | 2346 | 3–100525–7 |
| 3–100526–5 | SALMON PINK | 3022 | 1678 | 3–100525–5 |
| 3–100526–4 | RED LILAC | 4001 | 1578 | 3–100525–4 |
| 2–100526–7 | LIGHT IVORY | 1015 | 1457 | 2–100525–7 |
| 2–100526–6 | PASTEL GREEN | 6019 | 1456 | 2–100525–6 |
| 2–100526–4 | YELLOW GREEN | 6018 | 1368 △2 | 2–100525–4 |
| 2–100526–0 | BLUE LILAC | 4005 | 1356 | 2–100525–0 |
| 1–100526–8 | PIGEON BLUE | 5014 | 1347 | 1–100525–8 |
| 1–100526–4 | OLIVE YELLOW | 1020 | 1268 | 1–100525–4 |
| 1–100526–3 | CEMENT GREY | 7033 | 1267 | 1–100525–3 |
| 1–100526–2 | LIGHT GREEN | 6027 | 1258 | 1–100525–2 |
| 100526–8 | PURE ORANGE | 2004 | 1247 | 100525–8 |
| 100526–5 | ULTRAMARINE BLUE | 5002 | 1238 | 100525–5 |
| 100526–2 | GREEN BROWN | 8000 | 1235 | 100525–2 |
| FEMALE KEY △5 | COLOUR △3 | RAL NR. △3 | ID. NUMBER △4 | PARTNUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± –

MATERIAL –

FINISH –

DWN D.TRUREN 03–FEB–98
CHK D.TRUREN 03–FEB–98
APVD F.v. KONINGSBRUGGE –
PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

TE Connectivity

NAME
Z–PACK 2mm HM
MALE CODING KEY
–

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C–100525 | — |

CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV D2

100525

LifeElectronics
Живое партнерство

**ООО «ЛайфЭлектроникс»** **“LifeElectronics” LLC**

*ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703*

*Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.*

*С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров*

*Мы предлагаем:*

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

*В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.*

*Конструкторский отдел помогает осуществить:*

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

*Тел: +7 (812) 336 43 04 (многоканальный)*
*Email: org@lifeelectronics.ru*

***www.lifeelectronics.ru***