




⚠ MATERIAL:
CAGE ASSEMBLY - 0.25mm THICK NICKEL SILVER ALLOY
EMI SPRING - PHOSPHOR BRONZE
LIGHT PIPE BRACKET - STAINLESS STEEL
LIGHT PIPE - POLYCARBONATE, CLEAR

△₂ MINIMUM PC BOARD THICKNESS = 1.50mm.

△ 3 PADS AND VIAS CHASSIS GROUND.

△ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.

5. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.

6. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.


7 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

8 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

9 HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.

△ LIGHT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY TO BE
PRESSED INTO THE PCB PRIOR TO ATTACHING THE LIGHT PIPE ASSEMBLY TO THE CAGE.

II. PRODUCT HAS NOT COMPLETED QUALIFICATION TESTING.




2170066-1
FINISHED ASSEMBLY
SCALE 3:1

2170066-1


PART
NUMBER

[illegible]


LOC		DIST		REVISONS			
GP		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



RECOMMENDED BEZEL CUT-OUT
SINGLE SIDIED APPLICATIONS



2170066-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL
SECTION



2170066-1
MOUNTED ON PC BOARD, SHOWN
THRU RECOMMENDED BEZEL

1. THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND SHOULD BE CONTROLLED BY THE ISSUING ORGANIZATION. SHOULD BE CONTACTED FOR THE LATEST VERSION.				DWN TIM XUE 09MAR2011	Tyco Electronics Shanghai, PRC 200233		
DIMENSIONS: mm				CHK MANQIAN WANG 09MAR2011	NAME SFP+ ENHANCED 1X4 CAGE ASSEMBLY, PRESS-FIT, EMI GASKET, LOW PROFILE LIGHT PIPES		
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD MANQIAN WANG 09MAR2011			
0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±0.1 FINISH ±1.0				PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120	SIZE A100779C=2170066		
MATERIAL -				WEIGHT -			
Customer Drawing				SCALE 2:1			SHEET 2 OF 3
							REV A



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru