

PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION

**Part Number:** [73944-4001](#)  
**Status:** **Active**  
**Overview:** [HDM® Backplane Connector System](#)  
**Description:** HDM® Board-to-Board Backplane Header, Vertical, SMC, Solder Tail, Guide Pin Option, 72 Circuits

**Documents:**

|                               |                                                           |
|-------------------------------|-----------------------------------------------------------|
| <a href="#">3D Model</a>      | <a href="#">Product Specification PS-73670-9999 (PDF)</a> |
| <a href="#">Drawing (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>      |

**Agency Certification**

|     |         |
|-----|---------|
| CSA | LR19980 |
| UL  | E29179  |


**General**

|                |                                                 |
|----------------|-------------------------------------------------|
| Product Family | Backplane Connectors                            |
| Series         | <a href="#">73944</a>                           |
| Application    | Backplane                                       |
| Component Type | PCB Header                                      |
| Overview       | <a href="#">HDM® Backplane Connector System</a> |
| Product Name   | HDM®                                            |
| UPC            | 800755950953                                    |

**Physical**

|                                |                                  |
|--------------------------------|----------------------------------|
| Circuits (Loaded)              | 72                               |
| Circuits (maximum)             | 72                               |
| Color - Resin                  | Black, Natural                   |
| Durability (mating cycles max) | 250                              |
| First Mate / Last Break        | No                               |
| Flammability                   | 94V-0                            |
| Guide to Mating Part           | Yes                              |
| Keying to Mating Part          | Yes                              |
| Material - Metal               | Phosphor Bronze, Stainless Steel |
| Material - Plating Mating      | Gold                             |
| Material - Plating Termination | Tin                              |
| Material - Resin               | High Temperature Thermoplastic   |
| Number of Columns              | 12                               |
| Number of Pairs                | Open Pin Field                   |
| Number of Rows                 | 6                                |
| Orientation                    | Vertical                         |
| PC Tail Length                 | 3.00mm                           |
| PCB Locator                    | No                               |
| PCB Retention                  | None                             |
| PCB Thickness - Recommended    | 2.50mm                           |
| Packaging Type                 | Tube                             |
| Pitch - Mating Interface       | 2.00mm                           |
| Pitch - Termination Interface  | 2.00mm                           |
| Plating min - Mating           | 0.762µm                          |
| Plating min - Termination      | 2.540µm                          |
| Polarized to PCB               | No                               |
| Stackable                      | Yes                              |
| Surface Mount Compatible (SMC) | Yes                              |
| Temperature Range - Operating  | -55°C to +105°C                  |
| Termination Interface: Style   | Through Hole                     |

**Electrical**



Series

image - Reference only

**EU RoHS**

**ELV and RoHS  
Compliant**  
**REACH SVHC  
Not Reviewed**  
**Low-Halogen Status  
Not Reviewed**

**China RoHS**



**Need more information on product  
environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
For a multiple part number RoHS Certificate of  
Compliance, [click here](#)

Please visit the [Contact Us](#) section for any  
non-product compliance questions.

**Search Parts in this Series**

[73944Series](#)

**Mates With**

73632 HDM PLUS® Board-to-Board  
Daughtercard Receptacle. 73780 HDM®  
Board-to-Board Daughtercard Receptacle

**Application Tooling | FAQ**

*Tooling specifications and manuals are  
found by selecting the products below.  
Crimp Height Specifications are then  
contained in the Application Tooling  
Specification document.*

**Global**

| Description         | Product #                  |
|---------------------|----------------------------|
| Extraction Tool     | <a href="#">0621001000</a> |
| Backplane Insertion | <a href="#">0621001400</a> |
| Signal Contact Tool |                            |

|                               |          |
|-------------------------------|----------|
| Current - Maximum per Contact | 1.0A     |
| Data Rate                     | 1.0 Gbps |
| Real Signals (per 25mm)       | 75       |
| Shielded                      | No       |
| Voltage - Maximum             | 250V AC  |

**Material Info**

**Reference - Drawing Numbers**

|                       |               |
|-----------------------|---------------|
| Product Specification | PS-73670-9999 |
| Sales Drawing         | SD-73944-001  |

HDM and High Density Metric are trademarks of Amphenol Corporation

This document was generated on 04/20/2015

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)