




2		1					
LOC	DIST	REVISIONS 変更					
J	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
			C	REVISED	15APR2014	H.O	N.Y
			D	REVISED	17JUN2014	H.O	N.Y

AS SHOWN : 1-2013522-0 (10POS,X-KEY)



10	Y	9	67.5	75.7	73.3	BLACK	2-2013522-0
10	X	9	67.5	75.7	73.3	BLACK	1-2013522-0
7/10	Z	9	67.9	75.7	73.3	BLACK	9-2013522-0
3	Y	2	15.0	23.2	20.4	NATURAL	4-2013522-3
3	X	2	15.0	23.2	20.4	BLACK	1-2013522-3
POS	KEY	n	A	B	C	COLOR	PART NO

1. 材料:ハウジング:熱可塑性ポリエステル樹脂
コンタクト:銅合金
スプリング:ステンレス
2. めっき:(コンタクト接触部):ニッケル下地めっきの上に金めっき0.38μm以上
3. 取扱説明書411-78272参照
- 1.MATERIAL HOUSING:THERMO PLASTIC POLYESTER
CONTACT:COPPER ALLOY
SPRING:SUS
- 2.FINISH(CONTACT AREA):0.38μmMIN GOLD PLATED OVER NICKEL
- 3.SEE INSTRUCTION SHEET 411-78272

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

MATERIAL
材料

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

一般公差 ±0.3, ±5°
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

FINISH
仕上

DWN
T. KUDO
21APR2008

CHK
S. MANABE
21APR2008

APVD
S. MANABE
21APR2008

PRODUCT SPEC
製品規格
108-78400

APPLICATION SPEC
取付適用規格
-

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
名称
DYNAMIC D3900S 7.5mmPITCH
REC ASSY (SPRING CLAMP TYPE)
3-10POS TYPE-A

SIZE
A3

CAGE CODE
00779

DRAWING NO
番号
C-2013522

RESTRICTED TO
-


SCALE
尺度
2:1

SHEET
1


OF
3

REV
D





LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
J	-			SEE SHEET 1		



10POS(Y-KEY):2-2013522-0




7/10POS(Z-KEY)
CIRCUIT 1~7:9-2013522-0




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. KUDO	21APR2008	TE Connectivity			
DIMENSIONS: mm		CHK S. MANABE	21APR2008				
		APVD S. MANABE	21APR2008	NAME DYNAMIC D3900S 7.5mmPITCH REC ASSY (SPRING CLAMP TYPE) 3-10POS TYPE-A			
		PRODUCT SPEC 108-78400					
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		APPLICATION SPEC -		SIZE A3	CAGE CODE 00779	DRAWING NO C-2013522	
MATERIAL -		WEIGHT -		RESTRICTED TO -			
SEE SHEET 1 OF 3		CUSTOMER DRAWING			SCALE 2:1	SHEET 2 OF 3	REV D


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
J	-			SEE SHEET 1		




3POS(X-KEY): 1-2013522-3





3POS(Y-KEY): 4-2013522-3



9.4 7.5



7.5 9.4



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. KUDO	21APR2008	 TE Connectivity		
DIMENSIONS: mm		CHK S. MANABE	21APR2008			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH -		APVD S. MANABE	21APR2008	NAME DYNAMIC D3900S 7.5mmPITCH REC ASSY (SPRING CLAMP TYPE) 3-10POS TYPE-A		
		PRODUCT SPEC 108-78400				
MATERIAL		APPLICATION SPEC -		SIZE A300779	CAGE CODE C-2013522	DRAWING NO C-2013522
		WEIGHT -		SCALE 2:1	SHEET 3	OF 3
		CUSTOMER DRAWING		RESTRICTED TO -	REV D	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru