



## PRODUCT BRIEF

# SanDisk® Write-Intensive Flash Devices

### Product Highlights

- Available in SD™, USB and industry's first microSD™ formats
- Broad portfolio: 8GB to 128GB capacity
- Extreme write durability supporting strong endurance requirements

### Business Benefits

- Reduces TCO of system and network architecture
- Reduces costs arising from connectivity limitations by enabling local data caching and processing
- Improves user experience by reducing latencies and allowing upgradability
- Enables local computational analysis in real time, without the need for constant connectivity

### Applications:

- IoT / Industrial Gateways
- Surveillance and Camera Systems
- Access Control Systems
- Networking and Communications
- Offline Data Collection Systems

### Smart Features:

- Health Status Monitor: Track the health and life of your critical storage
- Host Lock: Storage attaches to a single device and thereafter be used only with that device
- Programmable Identifier String: Program a unique identifier on the card for remote traceability
- Secure Firmware Update: Enables remote maintenance of the storage solution

### Reliable Storage at the Edge of a Connected World

The rapid evolution of cloud computing and the Internet of Things (IoT) is creating new opportunities and business models around the world. Technology innovators are imagining everything from smart cities, smart homes, and connected classrooms to energy optimization systems, autonomous cars, personalized medical devices, and more. Millions of new connected devices with their multiple sensors will inevitably unleash a tidal wave of data flowing through the IoT, raising issues such as network congestion, bandwidth prioritization, data resilience, and cost. This is why Edge and Fog computing are gaining momentum. With reliable and always-available local storage, Edge and Fog computing have the unequivocal advantage of being able to analyze data locally, which resolves many of these critical issues. The benefits of Edge and Fog computing include:

**Reduce bandwidth and power requirements** – Utilizing storage at the edge of the cloud eliminates the need for constant connectivity to the cloud. This reduces network congestion and the need to power always-on connectivity components.

**Reduce connectivity expenses** – Data flow to and from the cloud can be throttled to occur only when necessary or most economical to do so.

**Real-time analytics** – The ability to interact with edge storage eliminates the latency that may occur when retrieving data from remote sources, enabling the true real-time analysis and processing that is key to many mission-critical applications.

**Enhance operational reliability** – Edge storage can be configured for redundancy, ensuring access to critical data even when communication channels to the cloud or IoT are compromised.

### The SanDisk® write-intensive flash solutions are proven to deliver a set of distinct benefits:

**High endurance** – Our write-intensive NAND flash technologies are built for the rigors of interaction at the edge, supporting far higher numbers of write cycles than commodity flash technologies. This level of endurance is crucial to ensuring data integrity and a low cost of ownership over the lifetime of a system.

**Future proof** – A wide range of dependable storage solutions can be incorporated into a single technical architecture to support diverse use cases; for example, the same IoT gateway, with differing storage configurations, could be deployed in environments ranging from home to factory to a smart city infrastructure.

**Cost effective** – Vertically-integrated manufacturing process enable us to create flash solutions that are cost effective and optimized for write-intensive applications.

**Longevity** – Having the peace of mind that your data, whether being recorded on or off-line, will be kept intact until it is retrieved or transmitted to the cloud.



## SanDisk Write-Intensive Flash Devices

| Specifications                                   | Constant Video Buffering     |                | Data Logging/Repository | Industrial Applications |
|--|------------------------------|----------------|-------------------------|-------------------------|
| <b>Capacity<sup>1</sup></b>                      | 8GB, 16GB                    | 4GB - 32GB     | 32GB - 128GB            | 8GB - 64GB              |
| <b>Interface</b>                                 | USB and SD                   | SD and microSD | SD                      | SD and microSD          |
| <b>NAND Flash Technology</b>                     | X2 (MLC)                     | X1 (SLC)       | X2 (MLC)                | X2 (MLC)                |
| <b>Operating Temp</b>                            | 0°C to 55°C<br>-25°C to 85°C |                | -25°C to 85°C           |                         |
| <b>Operating Voltage</b>                         | Core: 3.3V; IO: 3.3V, 1.8V   |                |                         |                         |
| <b>Terabytes Written<sup>2</sup> (Endurance)</b> | Up to 160TBW                 | Up to 800TBW   | Up to 896TBW            | Up to 192TBW            |
| <b>Smart Features Support</b>                    | Yes                          | Yes            | Yes                     | Yes                     |
| <b>Performance</b>                               |                              |                |                         |                         |
| <b>Sequential Write/Read (MB/s)<sup>3</sup></b>  | Up to 10/40                  | Up to 50/50    | Up to 30/50             | Up to 20/20             |

## Ordering Information

|                |                              |                              |   |  |
|----------------|------------------------------|------------------------------|---|--|
| <b>USB</b>     | SDUFDEC-008G<br>SDUFDEC-016G | N/A                          | N/A                                       | N/A  |
| <b>SD</b>      | SDSDEC-008G<br>SDSDEC-016G   | SDSDEC-004G<br>SDSDEC-032G   | SDSDEB-032G<br>SDSDEB-064G<br>SDSDEB-128G | SDSDAF2-008G,<br>SDSDAF2-016G,<br>SDSDAF2-032G,<br>SDSDAF2-064G                              |
| <b>microSD</b> | N/A                          | SDSDQEC-004G<br>SDSDQEC-008G | N/A                                       | SDSDQAF-008GB <sup>4</sup><br>SDSDQAF-016GB <sup>4</sup><br>SDSDQAF2-032GB<br>SDSDQAF2-064GB |

<sup>1</sup> 1GB=1,000,000,000 bytes. Actual user storage less.

<sup>2</sup> Approximations based on SanDisk internal metrics that quantifies how much data can be written to a card in its lifespan expressed in Terabytes Written (TBW), with Write Amplification of 1.

<sup>3</sup> Based on internal testing; performance may be lower depending on host device, usage and other factors. 1MB=1,000,000 bytes.

<sup>4</sup> Smart Features Support is not available.

### Contact information

For all inquiries, please email:  
OEMProducts@SanDisk.com

For more information, please visit:  
www.SanDisk.com

### The SanDisk Advantage

SanDisk, a Western Digital brand, has more than 27 years of expertise in NAND flash development and system design. With a vertically integrated business model, SanDisk products come with world-class technical and design support, as well as BOM control with PCN support.

**SanDisk**<sup>®</sup>  
a Western Digital brand

Western Digital Technologies, Inc. is the seller of record and licensee in the Americas of SanDisk<sup>®</sup> products.

© 2016 Western Digital Corporation or its affiliates. All rights reserved. SanDisk is a trademark of Western Digital Corporation or its affiliates, registered in the United States and other countries. The SD, microSD, microSDHC and microSDXC marks and logos are trademarks of SD-3C, LLC. Other brand names mentioned herein are for identification purposes only and may be the trademark(s) of their respective holder(s).

SanDisk<sup>®</sup>, a Western Digital brand, is expanding the possibilities of storage. Our products are in the world's leading-edge data centers, advanced mobile devices and laptops, and trusted by consumers worldwide.

WRITEINTENSIVE\_2PG\_092016

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)