







3D VIEW

REV
NC

SRK13-MD*-32A-001

REVISIONS

SYM	DESCRIPTION	DATE	APPROVED
NC	NEW RELEASE PER E.O. P20484	6-7-10	RDR

6 "A" KEY POSITION SHOWN FOR REFERENCE.
SEE SHEETS 3, 4 & 5 FOR OTHER KEY ARRANGEMENTS.

- THIS RECEPTACLE MATES WITH SRK06-MD*-32A-0** PLUG
(* = A THRU J KEYS; ** = ALL MODIFICATIONS).
- CONTACT PLATING - MATING & PCB SIDE: TIN.
- MATERIAL - PLASTIC (HOUSING: BLACK); SEALS: RUBBER.
- DIMENSION TOLERANCE: $\pm .025$ [.64]; PANEL CUTOUT: $\pm .010$ [.25].
- DIMENSIONS ARE IN INCHES [mm].

NOTES: UNLESS OTHERWISE SPECIFIED

9 SURFACE FINISH: 32 RMS OR BETTER; $\square$.005 [.12] .
RECOMMENDED PANEL THICKNESS: .125 [.318].

8 RECOMMENDED MOUNTING SCREWS: CAMCAR PT THREAD FORMING FASTENER #K40.
TORQUE: 10-20 IN-LB [1.13-2.26 N-M]

7 RECOMMENDED MOUNTING SCREWS: CAMCAR PT THREAD FORMING FASTENER #K50.
TORQUE: 10-20 IN-LB [1.13-2.26 N-M].

SIGNATURE & DATE	
DR	J. APOSTOL 01 APR 2010
CHK	Paula Carmel 5/10/10
PE	Paula Carmel 5/10/10
APPD	D. Meyer 5/31/10
SCALE	NONE

90° PCB RECEPTACLE
32 PIN
SRK SERIES

ENVELOPE

EP 194	MATL. CODE
3850 INDUSTRIAL AVE. HEMET, CA 92545	
DEUTSCH INDUSTRIAL	
B	SRK13-MD*-32A-001
DWG SIZE	CODE 11139 SHEET 1 OF 5



Technical drawing of a rectangular plate with a central rounded rectangle and four mounting holes. The drawing includes dimensions in inches and millimeters, a surface texture symbol, and a hole feature control frame.


Dimensions (inches in parentheses, millimeters in brackets):

- Overall width: 2.582 (65.58)
- Overall height: 1.160 (29.46)
- Distance from top edge to center of holes: 1.042 (26.47)
- Distance from bottom edge to center of holes: 1.042 (26.47)
- Distance from left edge to center of holes: 2.471 (62.76)
- Distance from right edge to center of holes: 2.471 (62.76)
- Radius of rounded corners: 4X R.459 (11.65)

Surface texture symbol: 9

Hole feature control frame: 4X Ø.200 (5.08)









PANEL CUTOUT



NOTES:

SIGNATURE & DATE		90° PCB RECEPTACLE 32 PIN SRK SERIES	EP 194	MATL. CODE
DR	J. APOSTOL 01 APR 2010		 3850 INDUSTRIAL AVE. HEMET, CA 92545 DEUSCH INDUSTRIAL	
CHK	Paula Carnah 5/10/10			
PE	Paula Carnah 5/10/10			
APPD	D Meyer 5/31/10	B SRK13-MD*-32A-001		
SCALE	NONE (WT)		DWG SIZE	CODE 11139
		ENVELOPE		

REV NC	SRK13-MD*-32A-001	REVISIONS			
		SYM	DESCRIPTION	DATE	APPROVED
		NC	SEE SHEET 1	6-7-10	RDR



KEY ARRANGEMENT -A-
SRK13-MDA-32A-001

KEY ARRANGEMENT -B-
SRK13-MDB-32A-001


KEY ARRANGEMENT -C-
SRK13-MDC-32A-001

KEY ARRANGEMENT -D-
SRK13-MDD-32A-001

NOTES:

SIGNATURE & DATE		90° PCB RECEPTACLE 32 PIN SRK SERIES	EP 194	MATL. CODE
DR	J. APOSTOL 01APR2010		3850 INDUSTRIAL AVE. HEMET, CA 92545	SRK13-MD*-32A-001
CHK	Paula Lamm 5/10/10			
PE	Paula Lamm 5/10/10			
APPD	D. Meyer 5/31/10	ENVELOPE	DWG SIZE	CODE 11139
SCALE	NONE WT			SHEET 3 OF 5

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
NC	SEE SHEET 1	6-7-10	RDR




NOTES:

SIGNATURE & DATE		90° PCB RECEPTACLE 32 PIN SRK SERIES ENVELOPE	EP 194	MATL. CODE
DR	J. APOSTOL 01 APR 2010			3850 INDUSTRIAL AVE. HEMET, CA 92545
CHK	Paula Arnold 5/10/10			
PE	Paula Arnold 5/10/10			
APPD	D. Meyer 5/10/10			
SCALE	NONE	WT	B	SRK13-MD*-32A-001
			DWG SIZE	CODE 11139
				SHEET 4 OF 5

REV	
NC	SRK13-MD*-32A-001

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
NC	SEE SHEET 1	6-7-10	MDR



KEY ARRANGEMENT -I-
SRK13-MDI-32A-001

KEY ARRANGEMENT -J-
SRK13-MDJ-32A-001

NOTES:

SIGNATURE & DATE		90° PCB RECEPTACLE 32 PIN SRK SERIES ENVELOPE	EP 194	MATL. CODE
DR	J. APOSTOL 01APR2010		 3850 INDUSTRIAL AVE. HEMET, CA 92545	DEUTSCH INDUSTRIAL
CHK	Paula Gammal 5/10/10			
PE	Paula Gammal 5/10/10			
APPD	D. Meyers 5/31/10		B	SRK13-MD*-32A-001
SCALE	NONE WT			
			DWG SIZE	CODE 11139 SHEET 5 OF 5

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru