









mat'l. code				surface			tolerance			projection		product family			
				ISO 1302			ISO 406			ISO 1101		CONAN®			
ltr	ecp no	dr	date	tolerances unless otherwise specified						INCH/MM		title			
AG	ELX-N-14208	GM	03/07/13	angles			linear			scale 1:1		CONAN® CONNECTOR ASSEMBLY			
AH	ELX-N-22454	EH	10/11/15	0°±x'			.0±.30					dwg no			
AJ	-	EH	12/12/15				.00±.20					sheet 1 of 7			
AK	ELX-N-26578	TONY	04/07/17	dr			Eric Huang			10/11/15		size			
AL	ELX-N-26810	TONY	04/26/17	engr			Eric Huang			10/11/15		91900			
				chr								type			
AF	M08-0287	MHT	10/02/08	appd			Tim Yao			10/11/15		Product Customer Drawing			
sheet	revision	AL	AL	AL	AL	AL	AL	AL	AL						
index	sheet	1	2	3	4	5	6	7							

PRODUCT NUMBER
SEE TABLE



mat'l. code				surface ISO 1302 ✓			tolerance ISO 406 ISO 1101			projection 1:1			product family CONAN®		
ltr	ecn	no	dr	date			tolerances unless otherwise specified			INCH/MM			title		
AL							angles linear			.0±.30			CONAN® CONNECTOR ASSEMBLY		
							0°±x°			.00±.20					
										.000±.10					
							dr Eric Huang			10/11/15			dwg no sheet2 of 7 size 91900 A3		
							engr Eric Huang			10/11/15					
							chr								
							appd Tim Yao			10/11/15			scale 1:1		
sheet index		revision sheet										type Product Customer Drawing			



© 2016 AFCI





A

B

C

D

PRODUCT NUMBER
SEE TABLE



A


B

C


D

mat'l. code				surface	tolerance	projection	product family			
ltr				ISO 1302	ISO 406	ISO 1101	CONAN®			
ecn no				tolerances unless otherwise specified			title			
AL				angles	linear	INCH/MM	CONAN® CONNECTOR ASSEMBLY			
				0°±x'		scale 1:1	dwg no			
				dr	Eric Huang	10/11/15	sheet 3 of 7			
				engr	Eric Huang	10/11/15	size			
				chr			91900			
				appd	Tim Yao	10/11/15	type			
sheet index				revision	sheet					

PRODUCT NUMBER
SEE TABLE




0.004 [.10]
SEE NOTE 3




0.016 [0.41] ± .001 [.03]
0.008 [.20] (M)

0.0394



mat'l. code				surface	tolerance	projection	product family			
				ISO 1302	ISO 406	ISO 1101	CONAN®			
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title			
AL					angles	linear	CONAN® CONNECTOR ASSEMBLY			
					0°±x'		dwg no			
							sheet 4 of 7			
					dr	Eric Huang	size			
					engr	Eric Huang	A3			
					chr		91900			
					appd	Tim Yao	type			
							Product Customer Drawing			
sheet index	revision sheet									




A

B


C

D

PRODUCT NUMBER
SEE TABLE



RECOMMENDED
PAD LAYOUT



RECOMMENDED
STENCIL LAYOUT
FOR HEADER

mat'l. code				surface	tolerance	projection	product family			
litr				ISO 1302	ISO 406	ISO 1101	CONAN®			
ecn no				tolerances unless otherwise specified			title			
AL				angles	linear	INCH/MM	CONAN® CONNECTOR ASSEMBLY			
				0°±x'		scale 1:1	dwg no			
				dr	Eric Huang	10/11/15	sheet 5 of 7			
				engr	Eric Huang	10/11/15	size			
				chr			91900			
				appd	Tim Yao	10/11/15	type			
sheet index				revision	sheet		Product Customer Drawing			

A

B

C

D



Amphenol
FCI

© 2016 APCI

D

PRODUCT NUMBER	POS	DIM "A"	DIM "C"	DIM "D"	DIM "E"
919TC-WXY09	9	.366 [9.30]	.157 [4.00]	.118 [3.00]	.1990 [5.055]
↑ -WXY09LF					
-WXY11	11	.406 [10.30]	.197 [5.00]	.157 [4.00]	.2380 [6.045]
-WXY11LF					
-WXY15	15	.484 [12.30]	.276 [7.00]	.236 [6.00]	.3170 [8.052]
-WXY15LF					
-WXY21	21	.602 [15.30]	.394 [10.00]	.354 [9.00]	.4350 [11.049]
-WXY21LF					
-WXY25	25	.681 [17.30]	.472 [12.00]	.433 [11.00]	.5140 [13.056]
-WXY25LF					
-WXY31	31	.800 [20.30]	.591 [15.00]	.551 [14.00]	.6320 [16.053]
-WXY31LF					
-WXY41	41	.996 [25.30]	.787 [20.00]	.748 [19.00]	.8290 [21.057]
-WXY41LF					
-WXY51	51	1.193 [30.30]	.984 [25.00]	.945 [24.00]	1.0260 [26.060]
-WXY51LF					
-WXY69	69	1.547 [39.30]	1.339 [34.00]	1.299 [33.00]	1.3800 [35.052]
↓ -WXY69LF					

NOTES:

1. MATERIALS:

RECEPTACLE HOUSING - LCP, UL-94V-0. COLOR: NATURAL.

RECEPTACLE TERMINALS - COPPER ALLOY,
PLATED WITH 15u"/.38u GXT™ IN CONTACT AREA
AND 100u"/2.54u Sn ON SOLDER LEGS WITH
AN OVERALL 50u"/1.27u Ni UNDERPLATE.

HEADER HOUSING - LCP, UL-94V-0. COLOR: NATURAL.

HEADER TERMINALS - COPPER ALLOY,
PLATED WITH 15u"/.38u GXT™ IN CONTACT AREA
AND 100u"/2.54u Sn ON SOLDER LEGS WITH
AN OVERALL 50u"/1.27u Ni UNDERPLATE.

RETENTION DEVICE - BRASS,
PLATED WITH 100u"/2.54u Sn OVER NICKEL.

2. REFERENCE GS-12-006 FOR PRODUCT PERFORMANCE DATA.

3. SEE TA-774 FOR FURTHER DESCRIPTION OF
HOW THIS DIMENSION IS APPLIED.

4. PICK AND PLACE CAP OR TAPE IS ONLY AVAILABLE WITH
OPTION 3 PACKAGING. (PSA ADHESIVE SEALED).
ALSO, PSA PACKAGING REQUIRES A PICK AND
PLACE CAP.

5. RECOMMENDED SOLDER PASTE THICKNESS IS
.006 TO .008 INCHES THICK.

6. THE TOE HEIGHT OF THE SOLDER TAIL SHALL BE
MEASURED FROM THE LOWEST POINT OF THE .004
CO-PLANARITY GRAVITY PLANE. THIS MEASUREMENT
IS NOT TO EXCEED A WINDOW OF .000 TO .007 INCHES.

7. THREE SLOTS MAY BE LOCATED AT EITHER END OF
HOUSING.

8. 5.50mm MATED HEIGHT IS ONLY AVAILABLE
IN 9, 15 AND 31 POS.

9. 7.50mm MATED HEIGHT IS ONLY AVAILABLE
IN 9 POS.

10. APPLIES TO 91921-3XYZZ AND
91931- 3XYZZ OPTIONS ONLY.

11. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 30 SECONDS IN A CONVECTION INFRA RED OR VAPOR PHASE
REFLOW OVEN. SEE APPLICATION/PROCEDURES IF THEY ARE AVAILABLE

13. PRODUCT WITH "LF" AT THE END MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

mat'l. code					surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family CONAN®				
litr	ecn	no	dr	date	tolerances unless otherwise specified					title CONAN® CONNECTOR ASSEMBLY					
AL					angles		.0±.30		INCH/MM		dwg no 91900				
					linear		.00±.20								
					0°±x'		.000±.10								
					dr	Eric Huang	10/11/15		Amphenol FCI		sheet6 of 7				
					engr	Eric Huang	10/11/15				size A3				
					chr										
					appd	Tim Yao	10/11/15				type Product Customer Drawing				
sheet index		revision sheet													

CONAN® ASSEMBLY PART NUMBER

LEAD FREE OPTION
SEE NOTE 12

919 T C - W X Y ZZ LF

TYPE	T
HEADER WITH NO PEGS	0
HEADER WITH PEGS	1
RECEPTACLE WITH NO PEGS	2
RECEPTACLE WITH PEGS	3

PICK AND PLACE CAP OR TAPE (NOTE 4)	C
WITHOUT CAP OR TAPE	0
WITH CAP	1
WITH TAPE (RECEPTACLE ONLY)	2

PACKAGING	W
TUBE	2
PRESSURE SEALED TAPE & REEL	3

NOTE 4

Y	HEADER HEIGHT	RECEPTACLE HEIGHT	MATED HEIGHT $\begin{matrix} +.010 \\ -.008 \\ [+ .25] \\ [- .20] \end{matrix}$
1	.034 [.86]	.129 [3.28]	.163 [4.15]
2	.048 [1.23]	SEE Y=1 FOR ALL RECEPTACLES	.177 [4.50]
3	.068 [1.73]		.197 [5.00]
4	.107 [2.72]		.236 [6.00]
5	.1465 [3.721]		.276 [7.00]
6	.088 [2.23]		.216 [5.50]
7	.1665 [4.229]		.296 [7.52]

*
* *
* NOTE 8
* * NOTE 9

X	PLATING
1	15u"/.38u GXT™
2	30u"/.76u GXT™

ZZ	NUMBER OF POSITIONS
09	9
11	11
15	15
21	21
25	25
31	31
41	41
51	51
69	69

EXAMPLE: 91921-31125LF
IS A CONAN® RECEPTACLE ASSEMBLY,
HAVING NO PEGS AND WITH A PICK AND PLACE CAP.
IT ALSO HAS GXT™ PLATING, IS .13 [3.2] HIGH AND 25
POSITIONS AND IS PACKAGED IN PRESSURE SEALED TAPE,
REEL AND LEAD FREE.

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 1101	product family CONAN®			
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM	title CONAN® CONNECTOR ASSEMBLY			
AL				angles	.0±.30		dwg no sheet 7 of 7 size 91900 A3			
				linear	.00±.20					
				0°±x°	.000±.10	scale 1:1	Amphenol FCI type Product Customer Drawing			
				dr	Eric Huang	10/11/15				
				engr	Eric Huang	10/11/15				
				chr						
				appd	Tim Yao	10/11/15				
sheet index	revision sheet									

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru