






LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		A	INITIAL RELEASE	21MAY2014	CW	SH
			A1	REVISED PER ECO-15-001812	4-FEB-2015	JW	SH




ISOMETRIC VIEW
2227317-1
SCALE 6:1


- ⚠ MATERIAL: 0.25mm THICK STAINLESS STEEL.
- ⚠ FINISH: NICKEL, NON PLATED EDGES PERMISSIBLE.
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- ⚠ PADS AND VIAS CHASSIS GROUND.
- ⚠ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
6. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.50 mm
- ⚠ REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS(EXCEPT IMMERSION SILVER PLATING).
- ⚠ REFERENCE APPLICATION SPEC. 114-13120, HOLE C, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS(EXCEPT IMMERSION SILVER PLATING).
- 9.THE RECOMMENDED DIMENSIONS FOR HOLES ON PAGE 2/2 ARE NOT COMPATIBLE WITH IMMERSION SILVER PLATING HOLES
BECAUSE OF OVERLARGE INSERTION FORCE.



2227317-1
PART
NUMBER






THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN C. VALENTINE	07NOV2012	 TE Connectivity	
		CHK M. SCHMITT	07NOV2012		
DIMENSIONS:		APVD M. SCHMITT	07NOV2012	NAME	
mm		PRODUCT SPEC		SFP, 1X1 SINGLE PIECE CAGE, W/ LIGHT PIPES, PRESS FIT	
		108-1950			
0 PLC ±0.2		APPLICATION SPEC		SIZE	
1 PLC ±0.1		114-13120			
2 PLC ±0.1		WEIGHT		CAGE CODE	
3 PLC ±0.1		Customer Drawing			
4 PLC ±0.1		SCALE		SHEET	
ANGLES		3:1			
FINISH		REV		A1	
-		A1			

LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	



ISOMETRIC VIEW
SCALE 6:1


NO LATCH



DIMENSIONS SAME AS 2227317-1

2227317-3
PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009				DWN C. VALENTINE CHK M. SCHMITT APVD M. SCHMITT	07NOV2012 07NOV2012 07NOV2012	 TE Connectivity			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		SFP, 1X1 SINGLE PIECE CAGE, W/ LIGHT PIPES, PRESS FIT			
mm		0 PLC ±.2 1 PLC ±0.2 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±.1 ANGLES ±.1 FINISH -		PRODUCT SPEC 108-1950 APPLICATION SPEC 114-13120					

4805 (3/11)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru