







PRODUCT NUMBER	TAIL TYPE	PLATING
10133694-101LF	PIP	SEE NOTES




- NOTES:
1. MATERIAL: COPPER ALLOY, THICKNESS=0.25MM
 2. OPERATING TEMPERATURE RANGE : -40/+105°C
 3. FINISH: Sn UPON Ni
 4. PACKING- TRAY

PRODUCT NUMBER	TAIL TYPE	PLATING
10133694-102LF	PRESSFIT	SEE NOTES




OTHER DIMENSIONS ARE SAME AS THAT OF 10133694-101LF


spec ref				dr		Jibin John	2016/11/10		projection				MM		size		A3	scale		3:1				
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Alosius, Stali		2018/11/07						ecn no		ELX-I-31808-1						
ISO 406						chr		-		-						rel level		Released						
ISO 1101						appr		K-Paul Biju		2018/11/07										product family		OCTIS		
surface		linear		0.X		±0.3		Amphenol FCI		title		SFP SHIELDING CAGE		dwg no		10133694		rev		G				
																					0.XX		±0.13	
																					0.XXX		±0.05	
ISO 1302		angular		0°		±2°				cat. no.		-		Product - Customer Drw		sheet 1 of 3								





RECOMMENDED PCB LAYOUT
(THICKNESS=1.60)




CAGE AND CONNECTOR MOUNTED ON THE PCB

spec ref				dr		Jibin John	2016/11/10		projection		MM		size		A3		scale		1:1										
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Alosius, Stali		2018/11/07						ecn no		ELX-I-31808-1											
ISO 406						chr		-		-																			
ISO 1101						appr		K-Paul Biju		2018/11/07		product family						OCTIS		rel level		Released							
surface		linear angular		0.X		±0.3		Amphenol FCi		title		SFP SHIELDING CAGE						dwg no		10133694						rev		G	
				0.XX		±0.13																							
				0.XXX		±0.05																							
ISO 1302																													

PACKAGING
PACKAGING IN HOT FORMED TRAY





TRAY INFORMATION:
44 PCS BY TRAY
COLOR: TRAY A IN BLACK AND TRAY B IN TRANSLUCENT
YYYY: MANUFACTURING YEAR
WW: MANUFACTURING WEEK




ESD SYMBOL

NOTE: HANDLING ONLY WITH GLOVES

PACKAGING:
PACKAGING IN THE BOX




SHIPPABLE CARTON
(DIMENSION: 350x350x350)



SEALED CARTON

PACKAGING INFORMATION:
1584 PCS BY BOX
X PITCH = 26.6 MM
Y PITCH = 26.6 MM
Z DIMENSION = 18 MM
TRAY A AND TRAY B STOCKED ALTERNATIVELY
HOT FORMED TRAYS FITTED IN A ESD BAG AND IN CARD BOARD BOX

spec ref				dr	Jibin John	2016/11/10	projection 	MM 	size	A3	scale	1:1	
tolerance std ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Alosius, Stali	2018/11/07			ecn no	ELX-I-31808-1			
				chr	-	-			rel level			Released	
				appr		K-Paul Biju			2018/11/07	product family		OCTIS	
surface ISO 1302	linear	0.X	±0.3	Amphenol FCi	title	SFP SHIELDING CAGE			dwg no	10133694		rev	G
		0.XX	±0.13										
		0.XXX	±0.05										
	angular	0°	±2°		cat. no.	-	Product - Customer Drw			sheet 3 of 3			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru