




PRODUCT NUMBER  
SEE TABLE




SECTION A-A  
ROTATED 90°  
N.T.S.

|             |             |          |            |                                       |        |                                  |   |                                                                                                     |   |                                                                                                  |  |                                       |  |      |  |
|-------------|-------------|----------|------------|---------------------------------------|--------|----------------------------------|---|-----------------------------------------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------|--|---------------------------------------|--|------|--|
| mat'l. code |             |          |            | surface<br>ISO 1302                   |        | tolerance<br>ISO 406<br>ISO 1101 |   | projection<br> |   | product family<br>CONAN®                                                                         |  |                                       |  |      |  |
| ltr         | ecn no      | dr       | date       | tolerances unless otherwise specified |        |                                  |   |                                                                                                     |   | <br>INCH/MM |  | title<br>CONAN® CONNECTOR<br>ASSEMBLY |  |      |  |
| A           | N11-0214    | J.Z      | 2011-07-20 | angles                                | linear | XX±.01/XX±0.3                    |   |                                                                                                     |   |                                                                                                  |  |                                       |  |      |  |
| B           | ELX-N-05460 | J.Z      | 2011-08-23 |                                       |        | XXX±.005/XXX±0.13                |   |                                                                                                     |   |                                                                                                  |  |                                       |  |      |  |
| C           | ELX-N-14210 | GM       | 2013-03-07 |                                       |        | 0°±2°<br>XXXX±.0020/XXXX±0.051   |   |                                                                                                     |   |                                                                                                  |  |                                       |  |      |  |
| — — — —     |             |          |            | dr                                    | J.ZHOU | 2011-07-20                       |   |                |   | dwg no                                                                                           |  | sheet 1 of 7                          |  | size |  |
| — — — —     |             |          |            | engr                                  | J.ZHOU | 2011-07-20                       |   |                                                                                                     |   | 10118744                                                                                         |  | A3                                    |  |      |  |
| — — — —     |             |          |            | chr                                   | J.ZHOU | 2011-07-20                       |   |                                                                                                     |   |                                                                                                  |  |                                       |  |      |  |
| — — — —     |             |          |            | appd                                  | R.BIAN | 2011-07-20                       |   |                                                                                                     |   |                                                                                                  |  |                                       |  |      |  |
| sheet       |             | revision |            | C                                     | C      | C                                | C | C                                                                                                   | C |                                                                                                  |  |                                       |  |      |  |
| index       |             | sheet    |            | 1                                     | 2      | 3                                | 4 | 5                                                                                                   | 6 | 7                                                                                                |  |                                       |  |      |  |


PRODUCT NUMBER  
SEE TABLE



RECEPTACLE




SEE NOTE 3




|             |                |      |        |                                       |                                  |                       |                                    |
|-------------|----------------|------|--------|---------------------------------------|----------------------------------|-----------------------|------------------------------------|
| mat'l. code |                |      |        | surface<br>ISO 1302                   | tolerance<br>ISO 406<br>ISO 1101 | projection<br>INCH/MM | product family<br>CONAN®           |
| ltr         | ecn no         | dr   | date   | tolerances unless otherwise specified |                                  | scale 5:1             | title<br>CONAN® CONNECTOR ASSEMBLY |
| c           |                |      |        | angles                                | linear                           |                       |                                    |
|             |                |      |        | 0°±2'                                 |                                  |                       |                                    |
|             |                | dr   | J.ZHOU | 2011-07-20                            |                                  |                       | dwg no                             |
|             |                | enr  | J.ZHOU | 2011-07-20                            |                                  |                       | sheet 2 of 7                       |
|             |                | chr  | J.ZHOU | 2011-07-20                            |                                  |                       | size                               |
|             |                | appd | R.BIAN | 2011-07-20                            |                                  |                       | 10118744                           |
| sheet index | revision sheet |      |        |                                       |                                  |                       | type                               |
|             |                |      |        |                                       |                                  |                       | Product Customer Drawing           |

PRODUCT NUMBER  
SEE TABLE






RECOMMENDED  
PAD LAYOUT  
FOR RECEPTACLE




RECOMMENDED  
STENCIL LAYOUT  
FOR RECEPTACLE

|             |                |    |      |                                       |                                  |                        |                                    |  |  |  |
|-------------|----------------|----|------|---------------------------------------|----------------------------------|------------------------|------------------------------------|--|--|--|
| mat'l. code |                |    |      | surface<br>ISO 1302                   | tolerance<br>ISO 406<br>ISO 1101 | projection<br>ISO 1101 | product family<br>CONAN®           |  |  |  |
| ltr         | ecn no         | dr | date | tolerances unless otherwise specified |                                  | INCH/MM                | title<br>CONAN® CONNECTOR ASSEMBLY |  |  |  |
| c           |                |    |      | angles                                | linear                           |                        |                                    |  |  |  |
|             |                |    |      | 0°±2°                                 |                                  | scale 5:1              | dwg no<br>10118744                 |  |  |  |
|             |                |    |      | dr                                    | J.ZHOU                           | 2011-07-20             |                                    |  |  |  |
|             |                |    |      | enr                                   | J.ZHOU                           | 2011-07-20             | sheet 3 of 7 size<br>A3            |  |  |  |
|             |                |    |      | chr                                   | J.ZHOU                           | 2011-07-20             |                                    |  |  |  |
|             |                |    |      | appd                                  | R.BIAN                           | 2011-07-20             | type Product Customer Drawing      |  |  |  |
| sheet index | revision sheet |    |      |                                       |                                  |                        |                                    |  |  |  |

PRODUCT NUMBER  
SEE TABLE



PLUG





|             |                |      |        |                                       |                                  |                          |                               |
|-------------|----------------|------|--------|---------------------------------------|----------------------------------|--------------------------|-------------------------------|
| mat'l. code |                |      |        | surface<br>ISO 1302                   | tolerance<br>ISO 406<br>ISO 1101 | projection               | product family<br>CONAN®      |
| ltr         | ecn no         | dr   | date   | tolerances unless otherwise specified |                                  | <br>INCH/MM<br>scale 5:1 | title                         |
| c           |                |      |        | angles                                | linear                           |                          | CONAN® CONNECTOR ASSEMBLY     |
|             |                |      |        | 0° ± 2'                               |                                  |                          |                               |
|             |                | dr   | J.ZHOU | 2011-07-20                            |                                  |                          | dwg no                        |
|             |                | enr  | J.ZHOU | 2011-07-20                            |                                  |                          | 10118744                      |
|             |                | chr  | J.ZHOU | 2011-07-20                            |                                  |                          | sheet 4 of 7 size A3          |
|             |                | appd | R.BIAN | 2011-07-20                            |                                  |                          | type Product Customer Drawing |
| sheet index | revision sheet |      |        |                                       |                                  |                          |                               |



FCIconnect.com

Copyright FCI

PRODUCT NUMBER  
SEE TABLERECOMMENDED  
PAD LAYOUT  
FOR PLUGRECOMMENDED  
STENCIL LAYOUT  
FOR PLUG

|             |        |                |        |                                       |  |                                  |  |                                                                                                     |  |                              |  |              |  |      |
|-------------|--------|----------------|--------|---------------------------------------|--|----------------------------------|--|-----------------------------------------------------------------------------------------------------|--|------------------------------|--|--------------|--|------|
| mat'l. code |        |                |        | surface<br>ISO 1302 ✓                 |  | tolerance<br>ISO 406<br>ISO 1101 |  | projection<br> |  | product family<br>CONAN®     |  |              |  |      |
| ltr         | ecn no | dr             | date   | tolerances unless otherwise specified |  |                                  |  |                                                                                                     |  | title                        |  |              |  |      |
| c           |        |                |        | angles                                |  | linear                           |  | INCH/MM                                                                                             |  | CONAN® CONNECTOR<br>ASSEMBLY |  |              |  |      |
|             |        |                |        |                                       |  | .XX±.01/.XX±0.3                  |  |                                                                                                     |  |                              |  |              |  |      |
|             |        |                |        |                                       |  | .XXX±.005/.XXX±0.13              |  |                                                                                                     |  |                              |  |              |  |      |
|             |        |                |        | 0°±2°                                 |  | .XXX±.0020/.XXX±0.051            |  | scale 5:1                                                                                           |  |                              |  |              |  |      |
|             |        | dr             | J.ZHOU | 2011-07-20                            |  |                                  |  |                |  | dwg no                       |  | sheet 5 of 7 |  | size |
|             |        | enr            | J.ZHOU | 2011-07-20                            |  |                                  |  |                                                                                                     |  | 10118744                     |  |              |  | A3   |
|             |        | chr            | J.ZHOU | 2011-07-20                            |  |                                  |  |                                                                                                     |  |                              |  |              |  |      |
|             |        | appd           | R.BIAN | 2011-07-20                            |  |                                  |  |                                                                                                     |  |                              |  |              |  |      |
| sheet index |        | revision sheet |        |                                       |  |                                  |  |                                                                                                     |  |                              |  |              |  |      |

| PRODUCT<br>NUMBER  | POS | DIM "A"       | DIM "C"       | DIM "D"       | DIM "E"         |
|--------------------|-----|---------------|---------------|---------------|-----------------|
| 10118744-TCWXY09LF | 9   | .366 [9.30]   | .157 [4.00]   | .118 [3.00]   | .1990 [5.055]   |
| -TCWXY11LF         | 11  | .406 [10.30]  | .197 [5.00]   | .157 [4.00]   | .2380 [6.045]   |
| -TCWXY15LF         | 15  | .484 [12.30]  | .276 [7.00]   | .236 [6.00]   | .3170 [8.052]   |
| -TCWXY21LF         | 21  | .602 [15.30]  | .394 [10.00]  | .354 [9.00]   | .4350 [11.049]  |
| -TCWXY25LF         | 25  | .681 [17.30]  | .472 [12.00]  | .433 [11.00]  | .5140 [13.056]  |
| -TCWXY31LF         | 31  | .800 [20.30]  | .591 [15.00]  | .551 [14.00]  | .6320 [16.053]  |
| -TCWXY41LF         | 41  | .996 [25.30]  | .787 [20.00]  | .748 [19.00]  | .8290 [21.057]  |
| -TCWXY51LF         | 51  | 1.193 [30.30] | .984 [25.00]  | .945 [24.00]  | 1.0260 [26.060] |
| -TCWXY69LF         | 69  | 1.547 [39.30] | 1.339 [34.00] | 1.299 [33.00] | 1.3800 [35.052] |

# NOTES:

## 1. MATERIALS:

RECEPTACLE HOUSING - LCP, UL-94V-0. COLOR: NATURAL.

RECEPTACLE TERMINALS - COPPER ALLOY,  
PLATED WITH GOLD OR GXT IN CONTACT AREA  
AND 100u"/2.54u Sn ON SOLDER LEGS WITH  
AN OVERALL 50u"/1.27u Ni UNDERPLATE.

PLUG HOUSING - LCP, UL-94V-0. COLOR: NATURAL.

PLUG TERMINALS - COPPER ALLOY,  
PLATED WITH GOLD OR GXT IN CONTACT AREA  
AND 100u"/2.54u Sn ON SOLDER LEGS WITH  
AN OVERALL 50u"/1.27u Ni UNDERPLATE.

RETENTION DEVICE - BRASS,  
PLATED WITH 100u"/2.54u Sn OVER NICKEL.

## 2. REFERENCE GS-12-0977 FOR PRODUCT PERFORMANCE AND ENVIRONMENTAL RESISTANCE DATA.

## 3. SEE TA-774 FOR FURTHER DESCRIPTION OF HOW THIS DIMENSION IS APPLIED.

## 4. RECOMMENDED SOLDER PASTE THICKNESS IS .006 TO .008 INCHES THICK.

## 5. THE TOE HEIGHT OF THE SOLDER TAIL SHALL BE MEASURED FROM THE LOWEST POINT OF THE .004 CO-PLANARITY GRAVITY PLANE. THIS MEASUREMENT IS NOT TO EXCEED A WINDOW OF .000 TO .007 INCHES.

## 6. THREE SLOTS MAY BE LOCATED AT EITHER END OF HOUSING.

## 7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 30 SECONDS IN A CONVECTION INFRA RED OR VAPOR PHASE REFLOW OVEN. SEE APPLICATION/PROCEDURES IF THEY ARE AVAILABLE

## 8. PRODUCT WITH "LF" AT THE END MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

|             |          |                     |      |                                       |        |                                                                                                     |  |                              |              |
|-------------|----------|---------------------|------|---------------------------------------|--------|-----------------------------------------------------------------------------------------------------|--|------------------------------|--------------|
| mat'l. code |          | surface<br>ISO 1302 |      | tolerance<br>ISO 406<br>ISO 1101      |        | projection<br> |  | product family<br>CONAN®     |              |
| ltr         | ecn no   | dr                  | date | tolerances unless otherwise specified |        | INCH/MM                                                                                             |  | title                        |              |
| c           |          |                     |      | angles                                | linear |                                                                                                     |  | CONAN® CONNECTOR<br>ASSEMBLY |              |
|             |          |                     |      | 0°±2°                                 |        | scale 5:1                                                                                           |  | dwg no                       |              |
|             |          |                     |      | dr                                    | J.ZHOU | 2011-07-20                                                                                          |  |                              | sheet 6 of 7 |
|             |          |                     |      | enr                                   | J.ZHOU | 2011-07-20                                                                                          |  |                              | size         |
|             |          |                     |      | chr                                   | J.ZHOU | 2011-07-20                                                                                          |  |                              | A3           |
|             |          |                     |      | appd                                  | R.BIAN | 2011-07-20                                                                                          |  |                              |              |
| sheet       | revision |                     |      |                                       |        |                                                                                                     |  |                              |              |
| index       | sheet    |                     |      |                                       |        |                                                                                                     |  |                              |              |

PRODUCT NUMBER  
SEE TABLE

# CONAN® ASSEMBLY PART NUMBER

10118744 - T C W 3 Y ZZ LF

LEAD FREE  
SEE NOTE 8

| TYPE                 | T |
|----------------------|---|
| PLUG WITH PEGS       | 1 |
| RECEPTACLE WITH PEGS | 3 |

| Y | PLUG HEIGHT   | RECEPTACLE HEIGHT                 | MATED HEIGHT<br>+.010<br>-.008<br>[+.25]<br>[-.20] |
|---|---------------|-----------------------------------|----------------------------------------------------|
| 1 | .034 [.86]    | .129 [3.28]                       | .163 [4.15]                                        |
| 2 | .048 [1.23]   | SEE Y=1<br>FOR ALL<br>RECEPTACLES | .177 [4.50]                                        |
| 3 | .068 [1.73]   |                                   | .197 [5.00]                                        |
| 4 | .107 [2.72]   |                                   | .236 [6.00]                                        |
| 5 | .1465 [3.721] |                                   | .276 [7.00]                                        |

| ZZ | NUMBER OF POSITIONS |
|----|---------------------|
| 09 | 9                   |
| 11 | 11                  |
| 15 | 15                  |
| 21 | 21                  |
| 25 | 25                  |
| 31 | 31                  |
| 41 | 41                  |
| 51 | 51                  |
| 69 | 69                  |

|                            |   |
|----------------------------|---|
| PICK AND PLACE CAP OR TAPE | C |
| WITH CAP                   | 1 |

|                             |   |
|-----------------------------|---|
| PACKAGING                   | W |
| PRESSURE SEALED TAPE & REEL | 3 |

EXAMPLE: 10118744-3131125LF  
IS A CONAN® RECEPTACLE ASSEMBLY,  
HAVING PEGS AND WITH A PICK AND PLACE CAP.  
IT IS .13 [3.2] HIGH AND 25 POSITIONS AND IS  
PACKAGED IN PRESSURE SEALED TAPE, REEL AND LEAD FREE.

|             |                |    |      |                                       |                                  |                                                                                                     |                                                                                       |                                  |  |            |
|-------------|----------------|----|------|---------------------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------|--|------------|
| mat'l. code |                |    |      | surface<br>ISO 1302 ✓                 | tolerance<br>ISO 406<br>ISO 1101 | projection<br> | product family<br>CONAN®                                                              |                                  |  |            |
| ltr         | ecn no         | dr | date | tolerances unless otherwise specified |                                  | INCH/MM<br>scale 5:1                                                                                | title<br>CONAN® CONNECTOR ASSEMBLY                                                    |                                  |  |            |
| C           |                |    |      | angles                                | linear                           |                                                                                                     |                                                                                       |                                  |  |            |
|             |                |    |      | 0°±2'                                 |                                  |                                                                                                     |                                                                                       |                                  |  |            |
|             |                |    |      | dr                                    | J.ZHOU                           | 2011-07-20                                                                                          |  |                                  |  |            |
|             |                |    |      | enr                                   | J.ZHOU                           | 2011-07-20                                                                                          |                                                                                       |                                  |  |            |
|             |                |    |      | chr                                   | J.ZHOU                           | 2011-07-20                                                                                          |                                                                                       |                                  |  |            |
|             |                |    |      | appd                                  | R.BIAN                           | 2011-07-20                                                                                          | dwg no<br>10118744                                                                    |                                  |  |            |
| sheet index | revision sheet |    |      |                                       |                                  |                                                                                                     |                                                                                       |                                  |  |            |
|             |                |    |      |                                       |                                  |                                                                                                     |                                                                                       | sheet 7 of 7                     |  | size<br>A3 |
|             |                |    |      |                                       |                                  |                                                                                                     |                                                                                       | type<br>Product Customer Drawing |  |            |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)