




LOC		DIST		REVISIONS					
AD		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				C		REVISED PER ECO-11-025276	22DEC11	KH	DY

- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30µ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.
6. KEYING PIN SHOWN IN POSITION A. SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 22DEC11	STE TE Connectivity	
DIMENSIONS:		CHK J. EABY 22DEC11		
mm		APVD J. EABY 22DEC11	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	IMPACT, 3 PAIR, 10 COLUMN, HEADER	
9 PLC ±.1		APPLICATION SPEC	LEFT GUIDED, RIGHT END WALL	
1 PLC ±0.25		WEIGHT	SIGNAL MODULE, 0.46 PTH	
2 PLC ±0.13		SIZE	A100779C=200778	
3 PLC ±.1		CAGE CODE	DRAWING NO	
4 PLC ±.1		RESTRICTED TO		
ANGLES ±.1		CUSTOMER DRAWING	SCALE 6:1 SHEET 1 OF 2 REV C	
FINISH SEE TABLE				

LOC		DIST		REVISIONS					
AD		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					-	SEE SHEET 1	-	-	-

	H	5.5	8-2007778-6
	H	4.9	8-2007778-5
	H	4.5	8-2007778-4
	H	5.5	8-2007778-3
	H	4.9	8-2007778-2
	H	4.5	8-2007778-1
	G	5.5	7-2007778-6
	G	4.9	7-2007778-5
	G	4.5	7-2007778-4
	G	5.5	7-2007778-3
	G	4.9	7-2007778-2
	G	4.5	7-2007778-1
	F	5.5	6-2007778-6
	F	4.9	6-2007778-5
	F	4.5	6-2007778-4
	F	5.5	6-2007778-3
	F	4.9	6-2007778-2
	F	4.5	6-2007778-1
	E	5.5	5-2007778-6
	E	4.9	5-2007778-5
	E	4.5	5-2007778-4
	E	5.5	5-2007778-3
	E	4.9	5-2007778-2
	E	4.5	5-2007778-1
	D	5.5	4-2007778-6
	D	4.9	4-2007778-5
	D	4.5	4-2007778-4
	D	5.5	4-2007778-3
	D	4.9	4-2007778-2
	D	4.5	4-2007778-1
	C	5.5	3-2007778-6
	C	4.9	3-2007778-5
	C	4.5	3-2007778-4
	C	5.5	3-2007778-3
	C	4.9	3-2007778-2
	C	4.5	3-2007778-1
	B	5.5	2-2007778-6
	B	4.9	2-2007778-5
	B	4.5	2-2007778-4
	B	5.5	2-2007778-3
	B	4.9	2-2007778-2
	B	4.5	2-2007778-1
	A	5.5	1-2007778-6
	A	4.9	1-2007778-5
	A	4.5	1-2007778-4
	A	5.5	1-2007778-3
	A	4.9	1-2007778-2
	A	4.5	1-2007778-1
	-	5.5	2007778-6
	-	4.9	2007778-5
	-	4.5	2007778-4
	-	5.5	2007778-3
	-	4.9	2007778-2
	-	4.5	2007778-1
FINISH	KEY POSITION	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

KEY POSITION
CHART

NONE

A

E

B

F

C

G

D

H

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	J. K. SHOBER	22DEC11	TE Connectivity			
DIMENSIONS:			CHK	J. EABY	22DEC11	NAME IMPACT, 3 PAIR, 10 COLUMN, HEADER LEFT GUIDED, RIGHT END WALL SIGNAL MODULE, 0.46 PTH			
mm			APVD	J. EABY	22DEC11				
			TOLERANCES UNLESS OTHERWISE SPECIFIED:			PRODUCT SPEC			
			9 PLC ±.1			APPLICATION SPEC			
MATERIAL			3 PLC ±0.25			SIZE			
-			5 PLC ±0.13			CAGE CODE			
-			6 PLC ±.1			DRAWING NO			
-			4 PLC ±.1			A100779			
-			ANGLES			C=2007778			
-			FINISH			RESTRICTED TO			
-			SEE TABLE			-			
-			-			CUSTOMER DRAWING			
						SCALE 5:1 SHEET 2 OF 2 REV C			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru