THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | M4 | ADD NEW DASH NUMBER 3-9 | 22JAN2016 | CZ | SZ |
| | M5 | REVISED 3-9 | 28JAN2016 | CZ | SZ |
| | M6 | ADDED NEW DASH NUMBER 4-0 | 01MAR2016 | CZ | SZ |










THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005
4 PLC ±.0020
ANGLES ±-

MATERIAL: TBD
FINISH: -

DWN D.RINGLER 28JUL2003
CHK M.CORRELL 28JUL2003
APVD -

PRODUCT SPEC: 108-2157
APPLICATION SPEC: 114-13112
WEIGHT -

TE Connectivity

NAME: PANEL MOUNT CABLE RECEPTACEL HOUSING WITH GUIDES MULTI-BEAM XL

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A1 | - | C-1600636 | - |

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 5 | REV M5

4805 (3/13)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | | | | |






SCALE 2:1




SCALE 2:1

1. DIM S IS CENTERLINE SPACING OF POWER MODULES ON RIGHT SIDE OF HOUSING.
2. DIM T IS CENTERLINE SPACING OF POWER MODULES ON LEFT SIDE OF HOUSING.
3. OPTIONAL CENTER MODULE.
4. COMPANY TRADEMARK, PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
5. MATERIAL: THERMO PLASTIC, UL94 V-0.
6. DATUM LOCATIONS AND BASIC DIMENSIONS TO BE ESTABLISHED BY THE CUSTOMER.
7. BULKHEAD THICKNESS RANGE: .031 - .100
8. CONNECTOR MATED TO PANEL FROM OPPOSITE SIDE.
9. NO BURRS ALLOWED ON OPPOSITE (MATING) SIDE.
10. CONNECTOR KEEP OUT ZONE.
11. MOUNT CONNECTOR WITH TYCO HARDWARE KIT (SEE TABLE) FOR .050 [1.27mm] MIN RADIAL FLOAT.
12. VARIABLE DIMENSIONS SHOWN ON VIEW (SHEET 3).
13. NOT RELEASE FOR PRODUCTION
14. HARDWARE KIT P/N SOLD SEPARATELY

| | KIT P/N (13) | CENTER MODULE | DIM W | DIM U | DIM T | DIM S | DIM R | DIM L | DIM K | DIM F | DIM E | DESCRIPTION | PART NUMBER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1600914-1 | NO | 2.375 | 4.300 | .300 | .250 | 3.575 | 4.650 | .450 | 5.700 | 5.210 | 8P + 44S + 3ACP | 4-1600636-0 |
| | 1600914-1 | NO | .625 | 1.200 | - | - | 1.000 | 1.450 | .450 | 2.500 | 2.010 | 1P + 12S + 1P | 3-1600636-9 |
| | 1600914-1 | NO | 1.425 | 2.500 | .250 | .250 | 2.150 | 2.850 | .450 | 3.900 | 3.410 | 4P + 24S + 2P | 3-1600636-8 |
| | 1600914-1 | NO | .675 | 1.700 | - | - | 1.600 | 2.050 | .450 | 3.100 | 2.610 | 1P + 32S + 1P | 3-1600636-7 |
| | 1600914-1 | NO | .875 | 1.700 | .250 | .250 | 1.350 | 2.050 | .450 | 3.100 | 2.610 | 2P + 16S + 2P | 3-1600636-6 |
| | 1600914-1 | NO | .675 | 1.100 | - | - | 1.000 | 1.450 | .450 | 2.500 | 2.010 | 1P + 8S + 1P | 3-1600636-5 |
| | 1600914-1 | NO | 1.325 | 3.000 | .250 | .300 | 1.650 | 3.350 | .475 | 4.400 | 3.910 | 3ACP + 8S + 6P | 3-1600636-4 |
| | 1600000-1 | NO | 1.325 | 3.000 | .300 | .300 | 2.275 | 3.350 | .475 | 4.400 | 3.910 | 3ACP + 32S + 3ACP | 3-1600636-3 |
| | 1600914-1 | NO | 1.725 | 3.250 | .300 | .250 | 2.075 | 3.600 | .450 | 4.650 | 4.160 | 7P + 8S + 3ACP | 2-1600636-9 |
| | 1600914-1 | NO | 1.025 | 1.800 | .300 | .300 | 1.375 | 2.150 | .475 | 3.200 | 2.710 | 2ACP + 8S + 2ACP | 2-1600636-8 |
| | 1600914-1 | NO | 1.325 | 3.250 | .250 | .300 | 1.650 | 3.600 | .475 | 4.650 | 4.160 | 3ACP + 8S + 7P | 2-1600636-7 |
| | 1600000-1 | NO | 1.325 | 3.000 | .300 | .300 | 2.275 | 3.350 | .475 | 4.400 | 3.910 | 3ACP + 32S + 3ACP | 2-1600636-6 |
| | 1600000-1 | NO | 1.025 | 2.200 | .300 | .300 | 1.775 | 2.550 | .475 | 3.600 | 3.110 | 2ACP + 24S + 2ACP | 2-1600636-5 |
| (13) | 1600914-1 | NO | 1.175 | 2.300 | .250 | .250 | 1.700 | 2.650 | .450 | 3.700 | 3.210 | 3P + 16S + 3P | 2-1600636-4 |
| | 1600914-3 | NO | 2.225 | 4.800 | .250 | .300 | 2.950 | 5.150 | .475 | 6.200 | 5.710 | 6ACP + 24S + 8P | 2-1600636-3 |
| (13) | 1600914-1 | NO | 1.425 | 3.200 | .250 | .250 | 2.350 | 3.550 | .450 | 4.600 | 4.110 | 4P + 32S + 4P | 2-1600636-2 |
| | 1600914-1 | NO | 1.925 | 3.400 | .300 | .250 | 2.675 | 3.750 | .450 | 4.800 | 4.310 | 6P + 24S + 3ACP | 2-1600636-1 |
| | 1600914-1 | NO | .725 | 2.500 | - | - | 2.375 | 2.850 | .475 | 3.900 | 3.410 | 1P + 60S + 1P | 2-1600636-0 |
| | 1600914-1 | NO | 1.875 | 3.450 | (12) | (12) | 2.775 | 3.800 | .425 | 4.850 | 4.380 | 6P + 32S + 3 ACP | 1-1600636-8 |
| | 1600914-1 | NO | 1.925 | 2.600 | .250 | .250 | 2.250 | 2.950 | .450 | 4.000 | 3.510 | 6P + 8S + 2P | 1-1600636-7 |
| | 1600914-3 | NO | 2.175 | 5.100 | .250 | .250 | 3.500 | 5.450 | .450 | 6.500 | 6.010 | 7P + 48S + 7P | 1-1600636-6 |
| | 1600914-1 | NO | 1.425 | 3.000 | .250 | .250 | 2.150 | 3.350 | .450 | 4.400 | 3.910 | 4P + 24S + 4P | 1-1600636-5 |
| | 1600914-1 | NO | 1.325 | 2.800 | .300 | .300 | 2.075 | 3.150 | .475 | 4.200 | 3.710 | 3ACP + 24S + 3ACP | 1-1600636-4 |
| | 1600914-1 | NO | .675 | 1.300 | - | - | 1.200 | 1.650 | .450 | 2.700 | 2.210 | 1P + 16S + 1P | 1-1600636-3 |
| | 1600914-1 | NO | 1.425 | 3.000 | .250 | .250 | 2.150 | 3.350 | .450 | 4.400 | 3.910 | 4P + 24S + 4P | 1-1600636-2 |
| | 1600914-1 | NO | .700 | 1.575 | - | - | 1.425 | 1.925 | .475 | 2.975 | 2.485 | 1P + 24S + 1P | 1-1600636-1 |
| | 1600914-1 | NO | .925 | 1.800 | .250 | .250 | 1.450 | 2.150 | .450 | 3.200 | 2.710 | 2P + 16S + 2P | 1-1600636-0 |
| | 1600914-1 | NO | .700 | 1.575 | - | - | 1.425 | 1.925 | .475 | 2.975 | 2.485 | 1P + 24S + 1P | 1600636-9 |
| | 1600914-1 | NO | 1.175 | 2.300 | .250 | .250 | 1.700 | 2.650 | .450 | 3.700 | 3.210 | 3P + 16S + 3P | 1600636-8 |
| | 1600914-1 | NO | 1.425 | 2.500 | .250 | .250 | 2.150 | 2.850 | .450 | 3.900 | 3.410 | 4P + 24S + 2P | 1600636-7 |
| | 1600914-3 | NO | 1.625 | 5.200 | .250 | .300 | 2.350 | 5.550 | .475 | 6.600 | 6.110 | 4ACP + 24S + 12P | 1600636-6 |
| OBSOLETE | | NO | 1.425 | 3.000 | .250 | .250 | 2.150 | 3.350 | .450 | 4.400 | 3.910 | 4P + 24S + 4P | 1600636-5 |
| | 1600914-1 | NO | .925 | 2.500 | .250 | .250 | 2.150 | 2.850 | .450 | 3.900 | 3.410 | 2P + 44S + 2P | 1600636-4 |
| | 1600914-1 | NO | .750 | 1.675 | - | - | 1.525 | 2.025 | .475 | 3.075 | 2.585 | 1P + 24S + 1P | 1600636-3 |
| | 1600914-1 | NO | .925 | 2.000 | .250 | .250 | 1.650 | 2.350 | .450 | 3.400 | 2.910 | 2P + 24S + 2P | 1600636-2 |
| | 1600914-3 | NO | 1.925 | 4.000 | .300 | .300 | 2.675 | 4.350 | .475 | 5.400 | 4.910 | 5ACP + 24S + 5ACP | 1600636-1 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005
4 PLC ±.0020
ANGLES ±-

MATERIAL: TBD (6) -
FINISH: - -

DWN D RINGLER 28JUL2003
CHK M CORRELL 28JUL2003
APVD -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME: PANEL MOUNT CABLE RECEPTACEL HOUSING WITH GUIDES MULTI-BEAM XL

SIZE A1 | CAGE CODE - | DRAWING NO C-1600636 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 5 | REV M5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | | | | |

| PART NUMBER | ROWS | POWER (L) | | | | | SIGNAL | | | | | | POWER (R) | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P10 | P9 | P8 | P7 | P6 | 6 | 5 | 4 | 3 | 2 | 1 | P5 | P4 | P3 | P2 | P1 |
| 1600636-1 | D C B A | RM | RM | RM | RM | RM | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RA | RA | RA | RA | RA |
| 5ACP + 24S + 5ACP | | | | | | | | | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | SIGNAL | | | | | | POWER (R) | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P4 | P3 | 6 | 5 | 4 | 3 | 2 | 1 | P2 | P1 |
| 1600636-2 | D C B A | RM | RM | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RA | RA |
| 2P + 24S + 2P | | | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | SIGNAL | | | | | | POWER (R) |
|---|---|---|---|---|---|---|---|---|---|
| | | P2 | 6 | 5 | 4 | 3 | 2 | 1 | P1 |
| 1600636-3 | D C B A | RA | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RA |
| 1P + 24S + 1P | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | SIGNAL | | | | | | | | | | | POWER (R) | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P4 | P3 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 | P2 | P1 |
| 1600636-4 | D C B A | RM | RA | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RA | RM |
| 2P + 44S + 2P | | | | | | | | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | | | SIGNAL | | | | | | POWER (R) | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P8 | P7 | P6 | P5 | 6 | 5 | 4 | 3 | 2 | 1 | P4 | P3 | P2 | P1 |
| 1600636-5 | D C B A | RM | RA | RM | RA | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RM | RA | RM | RA |
| 4P + 24S + 4P | | | | | | | | | | | | | | | |

OBSOLETE

| PART NUMBER | ROWS | POWER (L) | | | | | | | | | | | | SIGNAL | | | | | | POWER (R) | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P16 | P15 | P14 | P13 | P12 | P11 | P10 | P9 | P8 | P7 | P6 | P5 | 6 | 5 | 4 | 3 | 2 | 1 | P4 | P3 | P2 | P1 |
| 1600636-6 | D C B A | RA | RM | RA | RM | RA | RM | RA | RM | RA | RM | RA | RM | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RA | RM | RA | RM |
| 4ACP + 24S + 12P | | | | | | | | | | | | | | | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | SIGNAL | | | | | | POWER (R) | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P6 | P5 | 6 | 5 | 4 | 3 | 2 | 1 | P4 | P3 | P2 | P1 |
| 1600636-7 | D C B A | RA | RM | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RM | RA | RM | RA |
| 4P + 24S + 2P | | | | | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | | SIGNAL | | | | | | POWER (R) | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P6 | P5 | P4 | 6 | 5 | 4 | 3 | 2 | 1 | P3 | P2 | P1 |
| 1-1600636-4 | D C B A | RM | RM | RM | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RA | RA | RA |
| 3ACP + 24S + 3ACP | | | | | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | | SIGNAL | | | | | | POWER (R) | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P6 | P5 | P4 | 4 | 3 | 2 | 1 | P3 | P2 | P1 | | |
| 1600636-8 | D C B A | RA | RA | RA | E E E E | E E E E | E E E E | E E E E | RM | RM | RM | | |
| 3P + 16S + 3P | | | | | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | SIGNAL | | | | | | POWER (R) |
|---|---|---|---|---|---|---|---|---|---|
| | | P2 | 6 | 5 | 4 | 3 | 2 | 1 | P1 |
| 1600636-9 | D C B A | RA | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RM |
| 1P + 24S + 1P | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | SIGNAL | | | | POWER (R) | |
|---|---|---|---|---|---|---|---|---|---|
| | | P4 | P3 | 4 | 3 | 2 | 1 | P2 | P1 |
| 1-1600636-0 | D C B A | RA | RA | E E E E | E E E E | E E E E | E E E E | RM | RM |
| 2P + 16S + 2P | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | SIGNAL | | | | | | POWER (R) |
|---|---|---|---|---|---|---|---|---|---|
| | | P2 | 6 | 5 | 4 | 3 | 2 | 1 | P1 |
| 1-1600636-1 | D C B A | RM | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RA |
| 1P + 24S + 1P | | | | | | | | | |

| PART NUMBER | ROWS | POWER (L) | | | | SIGNAL | | | | | | POWER (R) | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | P8 | P7 | P6 | P5 | 6 | 5 | 4 | 3 | 2 | 1 | P4 | P3 | P2 | P1 |
| 1-1600636-2 | D C B A | RM | RA | RM | RA | E E E E | E E E E | E E E E | E E E E | E E E E | E E E E | RM | RA | RM | RA |
| 4P + 24S + 4P | | | | | | | | | | | | | | | |

| PART NUMBER | ROWS | P(L) | SIGNAL | | | | P(R) | |
|---|---|---|---|---|---|---|---|---|
| | | P2 | 4 | 3 | 2 | 1 | P1 | |
| 1-1600636-3 | D C B A | RA | E E E E | E E E E | E E E E | E E E E | RM | |
| 1P + 16S + 1P | | | | | | | | |

| CODE | DESCRIPTION |
|---|---|
| RM | STANDARD POWER CONTACT |
| RA | MFBL POWER CONTACT |
| E | SIGNAL CONTACT |

CONTACT TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± .005
4 PLC ± .0020
ANGLES ± -

MATERIAL TBD -
FINISH - -

DWN D.RINGLER 28JUL2003
CHK M.CORRELL 28JUL2003
APVD -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME PANEL MOUNT CABLE RECEPTACEL HOUSING WITH GUIDES MULTI-BEAM XL

SIZE A1 | CAGE CODE - | DRAWING NO C-1600636 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 5 | REV M5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | | | | |

| PART NUMBER | ROWS |
|---|---|
| 1-1600636-5 | D C B A |
| 4P + 24S + 4P | |




| PART NUMBER | ROWS |
|---|---|
| 1-1600636-6 | D C B A |
| 7P + 48S + 7P | |




| PART NUMBER | ROWS |
|---|---|
| 1-1600636-7 | D C B A |
| 6P + 8S + 2P | |




| PART NUMBER | ROWS |
|---|---|
| 2-1600636-2 | D C B A |
| 4P + 32S + 4P | |




| PART NUMBER | ROWS |
|---|---|
| 2-1600636-1 | D C B A |
| 6P + 24S + 3ACP | |




| PART NUMBER | ROWS |
|---|---|
| 2-1600636-0 | D C B A |
| 1P + 60S + 1P | |




| PART NUMBER | ROWS |
|---|---|
| 1-1600636-8 | D C B A |
| 6P + 32S + 3ACP | |







BULKHEAD LAYOUT 8 9

SCALE 2:1

| REFERENCE POWER WIRE CHART - RM & RA CONTACTS | | |
|---|---|---|
| HOUSING MODULE | CONTACT | INSULATION DIAMETER RANGE |
| .300 | 8-10 1600960 REF | [.176-.272] |
| .250 | 8-10 1600960 REF | [.176-.203] |
| | 12-14 1600961 REF | [.156-.176] |
| .200 | 12-14 1600961 REF | [.120-.156] |
| .100 | 22-26 531216-5 REF | [.036-.069] |

| CODE | DESCRIPTION |
|---|---|
| RM | STANDARD POWER CONTACT |
| RA | MFBL POWER CONTACT |
| E | SIGNAL CONTACT |

CONTACT TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± .005
4 PLC ± .0020
ANGLES ± -

MATERIAL TBD -

FINISH - -

DWN D.RINGLER 28JUL2003
CHK M.CORRELL 28JUL2003
APVD
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME PANEL MOUNT CABLE RECEPTACEL HOUSING WITH GUIDES MULTI-BEAM XL

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A1 | - | C- 1600636 | - |

CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 5 REV M5

4805 (3/13)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | | | | |











































THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± .005
4 PLC ± .0020
ANGLES ± -

MATERIAL: TBD
FINISH: -

DWN D.RINGLER 28JUL2003
CHK M.CORRELL 28JUL2003
APVD -
PRODUCT SPEC 108-2157
APPLICATION SPEC 114-13112
WEIGHT -

TE Connectivity

NAME: PANEL MOUNT CABLE RECEPTACEL HOUSING WITH GUIDES MULTI-BEAM XL

SIZE A1 | CAGE CODE - | DRAWING NO C- 1600636 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 5 | REV M5

4805 (3/13)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | - | SEE SHEET 1 | - | - | - |

| PART NUMBER | ROWS | | POWER | | | SIGNAL | | | | | | | | | | POWER | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | P11 | P10 | P9 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 | P8 | P7 | P6 | P5 | P4 | P3 | P2 | P1 |
| 4-1600636-0 | D | | RM | RM | RA | E | E | E | E | E | E | E | E | E | E | E | RA | RA | RA | RM | RM | RM | RM | RA |
| | C | | | | | E | E | E | E | E | E | E | E | E | E | E | | | | | | | | |
| | B | | | | | E | E | E | E | E | E | E | E | E | E | E | | | | | | | | |
| | A | | | | | E | E | E | E | E | E | E | E | E | E | E | | | | | | | | |
| 8P + 44S + 3ACP | | | | | | | | | | | | | | | | | | | | | | | | |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005
4 PLC ±.0020
ANGLES ±-

MATERIAL: TBD
FINISH: -

DWN D.RINGLER 28JUL2003
CHK M.CORRELL 28JUL2003
APVD -

PRODUCT SPEC: 108-2157
APPLICATION SPEC: 114-13112
WEIGHT -

TE Connectivity

NAME: PANEL MOUNT CABLE RECEPTACEL HOUSING WITH GUIDES MULTI-BEAM XL

SIZE A1 | CAGE CODE - | DRAWING NO C-1600636 | RESTRICTED TO -

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 5 | REV M5

4805 (3/13)

ООО «ЛайфЭлектроникс» “LifeElectronics” LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

*Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.*

*С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров*

*Мы предлагаем:*

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

*В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.*

*Конструкторский отдел помогает осуществить:*

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

*Тел: +7 (812) 336 43 04 (многоканальный)*
*Email: org@lifeelectronics.ru*

***www.lifeelectronics.ru***