

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B3	ECR-14-002339	20FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151634-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1385858
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385858

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1385858	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV B3



TERMINAL NAME: 2.8 FLAT RECEPTACLE						
SOCKET		PIN		AMP TERMINAL - AMP CRIMP SPECS		
968853		-				
968946		-		PAD LTH	CRIMP HEIGHT	WIRE SIZE
-		-		A	.089±.002[2.26±0.05mm]	4.0mm
-		-		B	-	-
-		-		C	-	-
-		-		D	-	-
-		-				
SEAL PN.		-		CRIMP	SIZE	TYPE RANGE
-		-		WIRE	.120 [3.05mm]	F 4.0mm
-		-		INSUL	.160 [4.06mm]	OVL -
WIRE STRIP LENGTH .216 -.231		TERM APPL SPEC 114-18148-1		FEED .570	APPL INSTRUCTIONS 408-8040	SET UP GAGE 458637-

DOC		01ST		REVISIONS					
A		66		P	LTR	DESCRIPTION	DATE	OWN	APVD
					A	RELEASED	20DEC2004	CMR	TE
					B	ECR-08-000079	02JAN2009	MY	GB
					B1	ECR-09-002024	26JAN2009	BH	BH
					B2	ECR-09-002909	09FEB2009	MY	TE



-	-	-	-	-	-	129
-	-	-	-	-	-	128
-	-	-	-	-	-	127
2	2	2	-	6-354778-1	PIN, WIRE DISC, .2800	126
1	1	1	-	986950-1	WASHER, FLAT PRECISION	125
1	1	1	-	217238-1	GENERAL INSTRUCTION PKG	124
1	1	1	-	4088040	SF APPL INST 408-8040	123
-	-	-	-	-	-	122
-	-	-	-	-	-	121
-	-	-	-	-	-	120
-	-	-	-	-	-	119
-	-	-	-	-	-	118
1	1	1	-	21024-5	WASHER, SPRG LOCK, REG NO 10	117
-	-	-	-	-	-	116
-	-	-	-	-	-	115
-	-	-	-	-	-	114
-	-	-	-	-	-	113
-	-	-	-	-	-	112
4	4	4	-	21024-4	WASHER, SPRG LOCK, REG NO 8	111
-	-	-	-	-	-	110
-	-	-	-	-	-	109
1	1	1	-	21018-5	NUT, HEX, REG 6-32	108
-	-	-	-	-	-	107
-	-	-	-	-	-	106
-	-	-	-	-	-	105
1	1	-	-	992031-1	PIN, CLEVIS	104
1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	103
2	2	2	-	21017-2	SCREW, DRIVE	102
-	-	-	-	-	-	101
1	1	1	-	461264-1	PLATE, IDENTIFICATION	100
-	-	-	-	-	-	99
1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	98
-	-	-	-	-	-	97
-	-	-	-	-	-	96
-	-	-	-	-	-	95
4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	94
2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	93
-	-	-	-	-	-	92
1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
-	-	-	-	-	-	90
1	1	-	-	7-21000-9	SCR, SKT HD CAP 4-40 X .188	89
-	-	-	-	-	-	88
2	2	2	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	87
1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	86
-	-	-	-	-	-	85
1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	84
-	-	-	-	-	-	83
-	-	-	-	-	-	82
1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	81
-	-	-	-	-	-	80
-	REF	-	-	455749-1	GUARD WINDOW	79
REF	-	-	-	679532-1	INSERT, GUARD	78
-	-	-	-	-	-	77
-	-	-	-	-	-	76
-	-	-	-	-	-	75
1	1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	74
-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO

1	1	1	1	-	23030-1	SCR, SKT HD CAP 6-32 x .25	73
-	-	-	-	...	-	-	72
-	-	-	-	...	-	-	71
-	-	-	-	...	-	-	70
-	-	-	-	...	-	-	69
-	-	-	-	...	-	-	68
-	-	-	-	...	-	-	67
-	-	-	-	...	-	-	66
-	-	-	-	...	-	-	65
-	-	-	-	...	-	-	64
-	-	-	-	...	-	-	63
-	-	-	-	...	-	-	62
-	-	-	-	...	-	-	61
-	-	-	-	...	-	-	60
-	-	-	-	...	-	-	59
-	-	-	-	...	-	-	58
-	-	-	-	...	-	-	57
1	1	1	1	-	458537-2	PAWL, FEED	56
-	-	-	-	...	-	-	55
-	-	-	-	...	-	-	54
-	-	-	-	...	-	-	53
-	-	-	-	...	-	-	52
1	1	1	1	-	811242-2	BUMPER, HOLD DOWN	51
1	1	1	1	-	690753-1	SPACER, TONKER	50
1	-	-	-	...	690602-6	CAM, PRE FEED, I 5/8	49
-	1	-	-	...	690602-5	CAM, PRE FEED, I 1/8	48
-	-	1	-	...	690501-4	CAM, POST-FEED I 5/8	47
1	1	1	1	-	459456-1	APPL. BASIC SUB ASSEMBLY	46
1	1	1	1	-	690191-1	PLUG, NYLON	45
1	1	1	1	-	455673-6	RAM	44
1	1	1	1	-	690125-1	SHIM SUB-ASSY	43
1	1	1	1	-	690124-1	WASHER, RAM (.115)	42
1	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
1	1	1	1	-	23241-6	BALL, STEEL	40
1	1	1	1	-	690170-1	SPRING, COMPRESSION	39
1	1	1	1	-	690142-1	DISC, INSULATION	38
1	1	1	1	-	354777-1	WIRE DISC, ASSEMBLY	37
1	1	1	1	-	22480-5	SPRING, COMPRESSION	36
1	1	1	1	-	690212-1	POST, RAM	35
1	1	1	1	-	3-690786-5	TERMINAL SUPPORT	34
-	-	-	-	...	-	-	33
-	-	-	-	...	-	-	32
-	-	-	-	...	-	-	31
1	1	1	1	-	1320908-3	SPACER, STRIP GUIDE	30
1	1	1	1	-	1633091-4	ASSEMBLY, STRIP GUIDE	29
1	1	1	1	-	1-455888-0	SPACER, CRIMPER	28
-	-	-	-	...	-	-	27
-	-	-	-	...	-	-	26
-	-	-	-	...	-	-	25
1	1	1	1	-	1320928-1	PLATE, STRIP GUIDE	24
-	-	-	-	...	-	-	23
-	-	-	1	-	690472-2	STRIPPER	22
-	-	-	-	...	-	-	21
1	1	1	-	...	679218-1	STRIPPER/ WIRE STOP ASSY	20
1	1	1	-	...	458949-1	STRIPPER, SIDE	19
-	-	-	-	...	-	-	18
-	-	-	-	...	-	-	17
1	1	1	1	-	318563-1	GUARD, FRONT CHIP	16
-	-	-	-	...	-	-	15
-	-	-	-	...	-	-	14
-	-	-	-	...	-	-	13
1	1	1	1	-	3-22280-3	SPRING, COMPRESSION	12
1	1	1	1	-	690461-1	STOP, SHEAR	11
1	1	1	1	-	690459-1	SHEAR HOLDER, FRONT	10
1	1	1	1	-	454276-1	FLOATING SHEAR, FRONT	9
1	1	1	1	-	1633113-1	ANVIL, COMBINATION .120	8
-	-	-	-	...	-	-	7
-	-	-	-	...	-	-	6
1	1	1	1	-	3-455889-6	DEPRESSOR, SHEAR	5
1	1	1	1	-	238011-2	BLOCK, CRIMPER SPACER	4
1	1	1	1	-	318903-3	CRIMPER, INSULATION OVERLAP	3
1	1	1	1	-	455888-9	SPACER, CRIMPER	2
1	1	1	1	-	456409-3	CRIMPER, WIRE .120 "F" PREMIUM	1



THIS IS A SAMPLE OF THE INFORMATION THAT SHOULD BE PROVIDED ON THE DRAWING. THE INFORMATION SHOULD BE CONTRACTED FOR THE LATEST REVISION.		DWN 3120204 C. REICHELDERFER		tyco Tyco Electronics Harrisburg, PA 17105-3668 Electronics		1710	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SIDE FEED HDM APPLICATOR		1710	
		0 P/LC ±.1 1 P/LC ±.01 2 P/LC ±.01 3 P/LC ±.001 4 P/LC ±.0001 ANGLE ±.1		PRODUCT SPEC - APPLICATION SPEC -		SIZE CASE CODE DRAWING NO A 00779 C=1385858	
MATERIAL -		FINISH -		WEIGHT -		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 3:5 SHEET 1 OF 1 REV B			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru