




LOC		DIST		REVISONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
A		REVISED PER ECO-14-018497		17DEC2014	AP	DG	
B		REVISED PER ECO-15-013876		19JUN2016	JY	SH	

1. MATERIALS
RECEPTACLE HOUSING, LCP, BLACK, UL94V-0 RATED
SHIELD ASSY: NICKEL-SILVER COPPER ALLOY
CONTACTS: COPPER ALLOY
EMI SPRING: COPPER ALLOY
THREADED NUT: BRASS
CHICKLETS: LCP, BLACK, UL 94V-0 RATED
LIGHTPIPE CLIP: STAINLESS STEEL
LIGHTPIPE: POLYCARBONATE

2. FINISH
EMI SPRING: TIN PLATE OVER NICKEL PLATE
NON-PLATED EDGES PERMISSABLE
THREADED NUT: NICKEL PLATE

3. CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION, 108-2462. BASED ON EIA/ECA-364-1000.01A. (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING END. TIN PLATED ON PCB TAIL

4. THREAD LENGTH OF FASTENER = PCB THICKNESS+1.45 MAX


5. RECOMMENDED TRACE KEEP OUT ZONE

LOWER HEIGHT	14.53	2180736-2
STANDARD HEIGHT	15.54	2180736-1
LIGHT PIPE	H HOLE HIGHT OF LP	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. KERLIN 25MAY2011	TE Connectivity	
DIMENSIONS:		CHK J. SECHRIST 25MAY2011		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC	NAME RECEPTACLE ASSEMBLY, MINI-SAS HD, 4X W/ LIGHT PIPES	
	0 PLC ±.25	108-2462		
	1 PLC ±0.13	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO A100779C=2180736	
	2 PLC ±.	114-13316		
	3 PLC ±.	WEIGHT	RESTRICTED TO	
	4 PLC ±.	FINISH		
MATERIAL		CUSTOMER DRAWING	SCALE 6:1 SHEET 1 OF 4 REV B	

2180736-1 AS SHOWN

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




2180736-1 AS SHOWN
SCALE 6:1



2180736-2 AS SHOWN
UNSPECIFIED DIMENSIOSNS ARE ASME AS 2180736-1
SCALE 6:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. KERLIN CHK J. SECHRIST APVD	25MAY2011 25MAY2011 -	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC	
				108-2462	
				APPLICATION SPEC	
				114-13316	
MATERIAL		WEIGHT		SIZE	
-		-		A100779	
-		Customer Drawing		CAGE CODE DRAWING NO	
				2180736	
				RESTRICTED TO	
				-	
				SCALE	
				6:1	
				SHEET	
				2	
				OF	
				4	
				REV	
				B	

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		-	-	SEE SHEET 1	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. KERLIN 25MAY2011	NAME RECEPTACLE ASSEMBLY, MINI-SAS HD, 4X W/ LIGHT PIPES	
		CHK J. SECHRIST 25MAY2011		
DIMENSIONS:		APVD -	PRODUCT SPEC	SIZE
mm			108-2462	CAGE CODE
			APPLICATION SPEC	DRAWING NO
			114-13316	
			WEIGHT	RESTRICTED TO
			-	-
			Customer Drawing	SCALE 5:1
				SHEET 3 OF 4
				REV B


LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
			-	SEE SHEET 1		-	-	-



RECOMMENDED I/O PANEL CUTOUT
SCALE=5:1



PANEL/PCB ASSEMBLY
SCALE 5:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. KERLIN 25MAY2011	 TE Connectivity	
		CHK J. SECHRIST 25MAY2011		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME	
mm			RECEPTACLE ASSEMBLY, MINI-SAS HD, 4X W/ LIGHT PIPES	
		0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	PRODUCT SPEC	
			108-2462	
MATERIAL		WEIGHT	APPLICATION SPEC	
-			114-13316	
-		Customer Drawing		RESTRICTED TO
		-		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B
		Customer Drawing		
		Customer Drawing		REV B

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru