







Tous droits strictement reserves. Reproduction ou communication a des tiers interdite
sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

All rights strictly reserved. Reproduction or issue to third parties in any form
whatever is not permitted without written authority from the proprietor.
Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

PRODUCT NO.
74056



P.C. BOARD LAYOUT

mat'l. code NOTE 1 & 2				tolerances unless otherwise specified				CUSTOMER COPY		 Electronics www.fciconnect.com									
ltr	ecn no	dr	date	linear	.X ±.30				projection 	title UNIV. SERIAL BUS RECEPTACLE WITH TOP MOUNT									
A	T70434	P P	10/15/97		.XX ±.20														
B	T90121	P P	03/22/99		.XXX ±.10														
C	T90244	P P	07/01/99	angles	0° ± 3°					product family USB size dwg no A4 74056									
D	T00043	P P	02/16/00	dr	PETER	10/15/97													
E	N04-0066	PH	10/13/04	enrg	R Y LIU	10/15/97													
				chr	R Y LIU	10/15/97													
				appd	J. TSAO	10/15/97		scale 2:1	sheet 1 of 2										
sheet index	revision sheet		E 1	D 2															

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de ©BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS INC.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of ©BERG ELECTRONICS Copyright BERG ELECTRONICS INC.

PRODUCT NO.
74056

PRODUCT NUMBER CODE

74056 - X X X X B LF

BASE PRODUCT NUMBER

HOUSING COLOR OPTIONS

- 0 - WHITE
- 1 - BLACK
- 3 - BLACK + NICKEL PLATING ONLY
- 5 - BLACK HSG PA46

SENSOR CONTACT OPTION

- 0 - WITHOUT SENSOR CONTACT

SHELL OPTIONS

- 1 - WITHOUT BACK SHIELD
- 2 - WITH BACK SHIELD

TERMINAL PLATING OPTION


- 0 - 50u" Ni UNDERPLATE
- 30u" GXT CONTACT AREA
- 100u" TIN/LEAD TAIL AREA WHEN WITHOUT "LF" MARK
- 100u" MATTE TIN TAIL AREA WHEN WITH "LF" MARK

PACKAGING OPTION

- B - TUBES

LEAD FREE MARK


PLEASE SEE TERMINAL PLATING OPTION
PLEASE USE 74056-50X0BLF AS 74056-10X0BLF



SECTION A-A

NOTES:

- MATERIAL:
CONTACTS: PHOSPHOR BRONZE
SHIELD: PHOSPHOR BRONZE
HOUSING: UL 94V-0 THERMOPLASTIC, COLOR: WHITE
- PLATING: CONTACTS: GOLD FLASH OVER
PALLADIUM NICKEL (0.76um MINIMUM) IN CONTACT AREA; 2.54 um TIN-LEAD OR TIN MINIMUM IN SOLDER TAIL AREA. 1.27 um MINIMUM NICKEL UNDERPLATE OVER ALL SURFACES.
SHIELD: 2.54 um MINIMUM TIN/LEAD OVER 1.27 um MINIMUM NICKEL UNDERPLATE
- DATUMS & BASIC DIMENSIONS TO BE DETERMINED BY CUSTOMER.
- RECOMMENDED BOARD THICKNESS IS 0.8~1.2 mm.
- MAXIMUM PANEL THICKNESS TO BE 2.67 mm IF MOUNTED BEHIND PANEL.
- If lead free p/n, a lead free label will appear at packing
- If lead free p/n, the housing will withstand exposure to 260° peak temperature for 40 seconds in a convection, infra-red or vapor phase reflow oven
- If lead free p/n, the product meets the requirements of the European Union Directive of Restrictions for Hazardous Substances (Directive 2002/95/EC) and can be processed in the process conditions for which the product is developed. FCI, its subsidiaries and affiliates ("FCI") provides the above data and information in good faith based upon current knowledge and experience, but makes no warranty that such data or information is free from error, is complete or is sufficient for user's intended purpose EVEN IF MADE KNOWN TO FCI. FCI specifically disclaims any warranty, express or implied, and assumes no liability with respect to the effectiveness or safety of the products listed above. Each user must make its own determination as to the suitability of FCI's products and materials for its own particular purposes, and must assure that its products fabricated from FCI's products and materials are safe and lawful. It is the user's responsibility to assure proper use and disposal of FCI's products and materials, the safety and health of user's employees and customers, and user's compliance with applicable laws and regulations

mat'l. code NOTE 1 & 2				tolerances unless otherwise specified			CUSTOMER COPY		 Electronics FCI www.fciconnect.com										
ltr	ecn no	dr	date	linear	.X ±.30			projection 	title UNIV. SERIAL BUS RECEPTACLE WITH TOP MOUNT										
E					.XX ±.20														
					.XXX ±.10														
				angles	0° ± 3°			 mm	product family USB size dwg no A4 74056										
				dr	PETER	10/15/97													
				engr	R Y LIU	10/15/97													
				chr	R Y LIU	10/15/97													
				appd	J. TSAO	10/15/97													
sheet index		revision sheet																	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru