




20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1





CARRIER VIEW



SELECT GOLD LOCATION





WINDING DETAIL A



NOTES:

1. MATERIAL:
(0.20)/.008 THICK PHOS BRONZE
2. FINISH:
222 - OVERALL MATTE TIN: (0.00254)/.000100 MIN. TIN OVER
(0.00127)/.000050 MIN NICKEL
P909 - OVERALL HOT TIN DIP: (0.00254)/.000100 MIN.
231 - SELECT GOLD: (0.00127)/.000050 MIN.
SELECT MATTE TIN: (0.00254)/.000100 MIN.
OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
550 - SELECT GOLD: (0.00038)/.000015 MIN.
OVERALL GOLD FLASH: (0.00005)/.000002 MIN.
OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
555- SELECT GOLD (0.00038)/.000015 MIN.
OVERALL NICKEL UNDERPLATE: (0.00076)/.000030
558 - SELECT GOLD: (0.00076)/.000030 MIN.
OVERALL GOLD FLASH: (0.00005)/.000002 MIN.
OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
561- SELECT GOLD (0.00076)/.000030 MIN.
OVERALL NICKEL UNDERPLATE: (0.00127)/.000050
3. PRODUCT SPEC: PS-10-07
4. PACKAGING SPECIFICATION: LOOSE TERMINALS: PER PK-2759-001
CHAIN FORM TERMINALS: NONE
5. CRIMP IS FOR 22-30 GA WIRE WITH (157)/.062 DIA INSULATION MAX.
6. INSERTION FORCE OF TERMINAL INTO (2.54)/.100 CENTERLINE CONNECTOR IS 2.5 LBS. MAX
7. TERMINAL RETENTION IN HOUSING IS 26.7N / 6LBS MIN. WHEN PULLED AT THE RATE OF (25.4MM)/ 1 INCH PER MINUTE.
8. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
9. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002



6459-(***)*
FORM
L=LOOSE
A=CHAIN PER DETAIL A
PLATING
SEE NOTE 2

REMOVED 208 PLT EC NO. UCP2012-2810 DRAWN: JAGUILAR 2012/02/27 CHKD: MATT KIPPER 2012/02/27 APPR: F. SMITH 2012/03/20	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION			
				MM/IN			INCH				
						TITLE					
G	DESCRIPTION	▽=0		DRAWN BY		DATE		MATERIAL NO.	DOCUMENT NO.	SHEET NO.	
		4 PLACES ± --- ± ---		SAMIEC		01/21/92					
		3 PLACES ± --- ± .005		CHECKED BY		DATE					
		2 PLACES ± 0.13 ± .010		PATEL		01/21/92					
		1 PLACE ± 0.25 ± .010		APPROVED BY		DATE					
REV		ANGULAR ± 1/2°		FSMITH		2012/03/20			MOLEX INCORPORATED	SD-6459	1 OF 2
		DRAFT WHERE APPLICABLE		SEE CHART							
		MUST REMAIN									
		WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																		
M	6459-(***)*																					M																																																																																
	PART NO.			ENG. NO.																																																																																																		
L		08-52-0101				6459-(P909)															L																																																																																	
		08-52-0123				6459-(P909)L																																																																																																
K		08-65-0801				6459-(561)															K																																																																																	
						6459-(561)L																																																																																																
J		08-52-0118				6459-(222)															J																																																																																	
						6459-(222)L																																																																																																
		08-65-0811				6459-(558)																																																																																																
I		08-65-0812				6459-(558)L															I																																																																																	
		08-65-0815				6459-(555)																																																																																																
		08-65-0816				6459-(555)L																																																																																																
H		08-65-0813				6459-(550)															H																																																																																	
		08-65-0814				6459-(550)L																																																																																																
G		08-65-0817				6459-(231)															G																																																																																	
		08-65-0818				6459-(231)L																																																																																																
F																				F																																																																																		
E																				E																																																																																		
D																				D																																																																																		
C																						C																																																																																
B																						B																																																																																
A																						A																																																																																
<table><tr><td rowspan="5">REMOVE 6459-(208) EC NO: UCP2012-2810 G</td><td rowspan="5">DESCRIPTION REV</td><td>QUALITY SYMBOLS</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE</td><td>SCALE</td><td>DESIGN UNITS</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4">▽=0 ▽=0 ▽=0</td><td colspan="2"></td><td>MM/IN</td><td>1:1</td><td>INCH</td><td colspan="2"></td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY</td><td>DATE</td><td colspan="2">TITLE</td></tr><tr><td>4 PLACES ± --- ± ---</td><td>SAMIEC</td><td>01/21/92</td><td colspan="2">KK (2.54)/.100 CRIMP</td></tr><tr><td>3 PLACES ± --- ± .005</td><td>CHECKED BY</td><td>DATE</td><td colspan="2">TERMINAL, 22-30 GA WIRE</td></tr><tr><td>2 PLACES ± 0.13 ± .010</td><td>PATEL</td><td>01/21/92</td><td colspan="2">SAME AS 2759 EXCEPT MATL</td></tr><tr><td>1 PLACE ± 0.25 ± ---</td><td>APPROVED BY</td><td>DATE</td><td colspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="3">ANGULAR ±1/2°</td><td>MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-6459</td><td colspan="2">2 OF 2</td></tr><tr><td colspan="3"></td><td>SIZE D</td><td colspan="14">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																					REMOVE 6459-(208) EC NO: UCP2012-2810 G	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		▽=0 ▽=0 ▽=0			MM/IN	1:1	INCH				mm	INCH	DRAWN BY	DATE	TITLE		4 PLACES ± --- ± ---	SAMIEC	01/21/92	KK (2.54)/.100 CRIMP		3 PLACES ± --- ± .005	CHECKED BY	DATE	TERMINAL, 22-30 GA WIRE		2 PLACES ± 0.13 ± .010	PATEL	01/21/92	SAME AS 2759 EXCEPT MATL		1 PLACE ± 0.25 ± ---	APPROVED BY	DATE	MOLEX INCORPORATED		ANGULAR ±1/2°			MATERIAL NO.	DOCUMENT NO.		SHEET NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		SD-6459		2 OF 2					SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
REMOVE 6459-(208) EC NO: UCP2012-2810 G	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																																																																												
		▽=0 ▽=0 ▽=0			MM/IN	1:1	INCH																																																																																															
				mm	INCH	DRAWN BY	DATE	TITLE																																																																																														
			4 PLACES ± --- ± ---	SAMIEC	01/21/92	KK (2.54)/.100 CRIMP																																																																																																
			3 PLACES ± --- ± .005	CHECKED BY	DATE	TERMINAL, 22-30 GA WIRE																																																																																																
2 PLACES ± 0.13 ± .010	PATEL	01/21/92	SAME AS 2759 EXCEPT MATL																																																																																																			
1 PLACE ± 0.25 ± ---	APPROVED BY	DATE	MOLEX INCORPORATED																																																																																																			
ANGULAR ±1/2°			MATERIAL NO.	DOCUMENT NO.		SHEET NO.																																																																																																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		SD-6459		2 OF 2																																																																																															
			SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																		
	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																			

REMOVE 6459-280 IEC NO: UCP2012-2810 DRAWN: JAGUILAR 2012/02/27 CHECKED: KIPPER 2012/02/27 APPROVED: FSMITH 2012/03/20	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
				mm	INCH					
		4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE KK (2.54)/.100 CRIMP TERMINAL, 22-30 GA WIRE SAME AS 2759 EXCEPT MATL			
		3 PLACES	± ---	± .005	CHECKED BY	DATE				
		2 PLACES	± 0.13	± .010	PATEL	01/21/92	APPROVED BY DATE 2012/03/20  MOLEX INCORPORATED			
		1 PLACE	± 0.25	± ---	APPROVED BY	DATE				
		ANGULAR ±1/2°			FSMITH					
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART			SD-6459		
					SIZE D			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
								SHEET NO.		2 OF 2

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru