




REV NC DRC16-24S \* E-P013

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
NC	NEW RELEASE PER E.O. P17716	4-10-02	RDR




- 8. MATING TORQUE REQUIREMENT: 25-28 IN-LB [2.82-3.13 Nm].
  - 7. SEE SHEET 2 FOR OTHER KEY ARRANGEMENTS.
  - 6. MATERIAL- PLUG: PLASTIC; SEAL/GROMMET: RUBBER; RETAINING BOLT: STEEL.
  - 5. THIS PLUG MATES WITH DRC10-24P\*-\*\*\*\*; DRC12-24P\*-\*\*\*\*; DRC13-24P\*-\*\*\*\*; AND DRC14-24P\*-\*\*\*\* RECEPTACLE. (\*=A,B,C,D KEYS; \*\*\*\*=ALL MODIFICATIONS). CONSULT FACTORY FOR MODS.
  - 4. FOR CONTACTS AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS, SEE ENVELOPE DRAWING 0425-015-0000.
  - 3. PLUG SUPPLIED WITH DUST CAP. (NOT SHOWN).
  - 2. DIMENSION TOLERANCE: ±.025 [.64].
  - 1. DIMENSIONS ARE IN INCHES [mm].
- NOTES: UNLESS OTHERWISE SPECIFIED

MIN. INSUL. O.D.	MAX. INSUL. O.D.	WIRE RANGE [mm <sup>2</sup> ] REF ONLY
.053 [1.35]	.120 [3.05]	14-20 AWG [2.0-0.50]


9. PART MODIFICATION: INTERFACE SEALS ARE BONDED TO PLUG.

SIGNATURE & DATE		<b>PLUG</b> <b>24 SIZE 16</b> <b>KEYS: A,B,C,D</b> <b>'E' SEAL</b> <b>COLOR: BLACK</b> <b>DRC SERIES</b> <b>ENVELOPE</b>	CP	MATL. CODE
DR	D. MEYER 04/08/02		<b>The Deutsch Company</b> DEUTSCH I.P.D. 3850 INDUSTRIAL AVE. HEMET, CALIF. 92545	
CHK	<i>[Signature]</i> 4/9/02		<b>B DRC16-24S*E-P013</b>	
PE	<i>[Signature]</i> 4/8/02		DWG SIZE	CODE 11139 SHEET 1 OF 2
APPD	R. Reed 4-10-02	SCALE NONE	WT	


REV	DRC16-24S * E-P013	REVISIONS			
NC		SYM	DESCRIPTION	DATE	APPROVED
			SEE SHEET 1	4-10-02	RDR




**DRC16-24SAE-P013**  
KEY: -A-







**DRC16-24SBE-P013**  
KEY: -B-



**DRC16-24SCE-P013**  
KEY: -C-



**DRC16-24SDE-P013**  
KEY: -D-



NOTES:

SIGNATURE & DATE		<b>PLUG</b> 24 SIZE 16 KEYS: A, B, C, D 'E' SEAL COLOR: BLACK DRC SERIES ENVELOPE	CP	MATL. CODE
DR	D. MEYER 04/08/02		<b>The Deutsch Company</b> DEUTSCH I. P. D. 3850 INDUSTRIAL AVE. HEMET, CALIF. 92545	
CHK	Paul Bell 4/9/02		<b>B DRC16-24S*E-P013</b>	
PE	D. Meyer 4/8/02			
APPD	R. Reed 4-10-02	DWG SIZE	CODE 11139	SHEET 2 OF 2
SCALE	NONE	WT		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)