




TECHNICAL CHARACTERISTICS

MATERIAL

INSULATOR MATERIAL: GLASS FILED NYLON

FLAMMABILITY RATING UL94-V0

COLOUR: BLACK

CONTACT MATERIAL: COPPER ALLOY

CONTACT TYPE: STAMPED

CONTACT PLATING: SELECTIVE GOLD

SHIELDING: BRONZE NI PLATED

QUALITY CLASS: - 3" INCH GOLD --> CONTACT AREA

□ - 100" INCH TIN --> SOLDER TAIL

ENVIRONMENTAL

OPERATING TEMPERATURE: -25 °C UP TO 85 °C

COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL

CURRENT RATING: 1.5 A

WORKING VOLTAGE: 120 VAC

INSULATION RESISTANCE: >500 MOHM

DIELECTRIC WITHSTANDING VOLTAGE: 1 000 VAC/MN

CONTACT RESISTANCE: 20 mOHM MAX


SOLDERING


REFLOW PROCESS - 1TIME

TEMPERATURE PROFILE IDENTICAL TO JEDEC PROFILE


PACKAGING

TRAY

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15		DESCRIPTION: HORIZONTAL SHIELDED SMT WITH LED AND EMI PANEL FINGER 8P8C MODULAR JACK TAB UP WERI PART NO: 634 008 137 521	SIZE A4
G								
F								
E								
D				APPROVAL: RJ	UNIT: MM	SCALE:	SHEET: 1/3	DRAW: JOE
C	28-NOV-12	TKP	GG					
B	05-JAN-10	PACKAGING	JC					
A	12-NOV-09	NEW DRAW PIN & LAY.	JP					
REV	DATE	FILE	BY					



RoHS Compliant			
G			
F			
E			
D			
C			
B			
A			
REV	DATE	FILE	BY



APPROVAL: RJ

GENERAL TOLERANCE
.X = +/- 0.2
.XX = +/- 0.15

UNIT: MM

SCALE:

SHEET: 2/3

DRAW: PEARL




DESCRIPTION: HORIZONTAL SHIELDED SMT WITH LED AND EMI PANEL
FINGER 8P8C MODULAR JACK TAB UP

WERI PART NO: 634 008 137 521_TPK

SIZE



A4

1 2 3 4 5




MATERIALS:

- REEL-2mm THICK PLASTIC WHEEL.
- CARRIER-PS (0.50mm THICK TAPE).
- COVER TAPE-PE (0.045~0.12mm THICK TAPE).



NOTES:

- THE DIRECTION OF JACKS PUT INTO CARRIER.
- 10 EMPTY CAVITIES FOR BOTH OF TOP AND BOTTOM OF THE CARRIER.
- 200 PCS PRODUCTS BE PACKAGED ONE REEL.
- CARTON SIZE: 395(L)X390(W)X315(H)
6 REEL/CARTON
TOTAL: 1200 PCS

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = $\pm$ 0.2 .XX = $\pm$ 0.15			
G								
F								
E								
D								
C				APPROVAL: RJ	UNIT: MM	DESCRIPTION: HORIZONTAL SHIELDED SMT WITH LED AND EMI PANEL FINGER 8P8C MODULAR JACK TAB UP		SIZE A4
B					SCALE:			
A					SHEET: 3/3			
REV	DATE	FILE	BY		DRAW: PEARL			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru