

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

4

3

2

1

PG/M THREAD-1

PG/M螺纹孔-1

45

79

106.5

4X SW8

4X M5

71

4X M3 THREAD

4X M3 螺纹孔

27

56

60

77.5

TYPE 1:HI6B EMC HOOD,SIDE ENTRY,HIGH CONSTRUCTION,SCREW CONNECTION

类型1:HI6B屏蔽上壳,侧出,高结构,螺丝连接

SCALE 4:5

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: ALUMINIUM ALLOY
SURFACE: CONDUCTIVE PAINTING AFTER SAND BLASTING
DEGREE OF PROTECTION: IP67 (MATED)

注释:
1. 技术参数:
上壳材料: 铝合金
表面处理: 喷砂后再喷导电漆
防护等级: IP67(配合)

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	16APR2016	QY	CW
	A1	ECR-18-008950	10JUL2018	KW	CW

TI130165216-000	HI6B-TGH-EMCS-2PG16	HI6B EMC HOOD,TOP ENTRY 2PG16,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出2PG16,高结构,螺丝连接	PG16	PG16	TYPE 3 类型3
TI130165221-000	HI6B-TGH-EMCS-2PG21	HI6B EMC HOOD,TOP ENTRY 2PG21,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出2PG21,高结构,螺丝连接	PG21	PG21	
TI130165220-000	HI6B-TGH-EMCS-2M20	HI6B EMC HOOD,TOP ENTRY 2M20,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出2M20,高结构,螺丝连接	M20	M20	
TI130165225-000	HI6B-TGH-EMCS-2M25	HI6B EMC HOOD,TOP ENTRY 2M25,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出2M25,高结构,螺丝连接	M25	M25	TYPE 2 类型2
TI130165121-000	HI6B-TGH-EMCS-PG21	HI6B EMC HOOD,TOP ENTRY PG21,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出PG21,高结构,螺丝连接	-	PG21	
TI130165129-000	HI6B-TGH-EMCS-PG29	HI6B EMC HOOD,TOP ENTRY PG29,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出PG29,高结构,螺丝连接	-	PG29	
TI130165125-000	HI6B-TGH-EMCS-M25	HI6B EMC HOOD,TOP ENTRY M25,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出M25,高结构,螺丝连接	-	M25	
TI130165132-000	HI6B-TGH-EMCS-M32	HI6B EMC HOOD,TOP ENTRY M32,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出M32,高结构,螺丝连接	-	M32	
TI130165140-000	HI6B-TGH-EMCS-M40	HI6B EMC HOOD,TOP ENTRY M40,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,顶出M40,高结构,螺丝连接	-	M40	TYPE 1 类型1
TI120165121-000	HI6B-TSH-EMCS-PG21	HI6B EMC HOOD,SIDE ENTRY PG21,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,侧出PG21,高结构,螺丝连接	PG21	-	
TI120165129-000	HI6B-TSH-EMCS-PG29	HI6B EMC HOOD,SIDE ENTRY PG29,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,侧出PG29,高结构,螺丝连接	PG29	-	
TI120165125-000	HI6B-TSH-EMCS-M25	HI6B EMC HOOD,SIDE ENTRY M25,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,侧出M25,高结构,螺丝连接	M25	-	
TI120165132-000	HI6B-TSH-EMCS-M32	HI6B EMC HOOD,SIDE ENTRY M32,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,侧出M32,高结构,螺丝连接	M32	-	
TI120165140-000	HI6B-TSH-EMCS-M40	HI6B EMC HOOD,SIDE ENTRY M40,HIGH CONSTRUCTION,SCREW HI6B屏蔽上壳,侧出M40,高结构,螺丝连接	M40	-	
ASSEMBLY PART NUMBER 成品料号	ASSEMBLY PART DESCRIPTION 成品描述		PG/M THREAD-1 PG/M螺纹孔-1	PG/M THREAD-2 PG/M螺纹孔-2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

MATERIAL

-

-

DWN
QIANG YUAN
CHK
KYLE ZENG
APVD
CHRIS WANG

16APR2016

16APR2016

16APR2016

PRODUCT SPEC

108-137015

APPLICATION SPEC

114-137015

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME
HI6B-TSH/TGH-EMCS-PG/M

SIZE
A2

CAGE CODE
00779

DRAWING NO
C-TI1X0165XXX000

RESTRICTED TO

SCALE
1:1

SHEET
1




OF
3

REV
A1


1471-9 (3/13)

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



NOTES:
SEE SHEET 1



TYPE 2:HI6B EMC HOOD,TOP ENTRY,HIGH CONSTRUCTION,SCREW CONNECTION
类型2:HI6B屏蔽上壳,顶出,高结构,螺丝连接

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN QIANG YUAN CHK KYLE ZENG APVD CHRIS WANG	16APR2016 16APR2016 16APR2016	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH		NAME HI6B-TSH/TGH-EMCS-PG/M	
MATERIAL - -		PRODUCT SPEC 108-137015 APPLICATION SPEC 114-137015 WEIGHT -		SIZE A2	CAGE CODE 00779
		CUSTOMER DRAWING		DRAWING NO C-T11X0165XXX000	RESTRICTED TO
				SCALE 1:1	SHEET 2 OF 3
				REV A1	

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

D

D

C




C

B


B

A

A



NOTES:
SEE SHEET 1



TYPE 3: H16B EMC HOOD, TOP ENTRY WITH TWO HOLE, HIGH CONSTRUCTION, SCREW CONNECTION
类型3: H16B屏蔽上壳, 顶出2孔, 高结构, 螺丝连接

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN QIANG YUAN CHK KYLE ZENG APVD CHRIS WANG	16APR2016 16APR2016 16APR2016	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H16B-TSH/TGH-EMCS-PG/M	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		±- ±- ±- ±- ±- ±- ±-		PRODUCT SPEC 108-137015 APPLICATION SPEC 114-137015 WEIGHT -	
MATERIAL - -		CUSTOMER DRAWING		SIZE A2	CAGE CODE 00779
				DRAWING NO C-T11X0165XXX000	RESTRICTED TO
				SCALE 1:1	SHEET 3 OF 3
				REV A1	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru