


SECTION A-A

NOTES:

1. MATERIAL:

HOUSING: THERMAL PLASTIC, G.F., UL94V-0, COLOR: BLACK
COVER: THERMAL PLASTIC, COLOR: BLACK
TERMINAL: COPPER ALLOY
METAL LATCH: STAINLESS STEEL

2. TERMINAL PLATING:

CONTACT AREA: GOLD PLATED
IDT TAIL: PLATE TIN, 1.9 MICRONS MINIMUM
UNDER PLATE: PLATE NICKEL 1.25 MICRONS MINIMUM

3. PACKAGING: TRAY


4. PRODUCT SPECIFICATION REFER TO PS-67490-001

5. ASSEMBLY WITH COVER 679260040/0041 AFTER WIRE TERMINATION




6. MATING PART 87679

7. RECOMMENDED TERMINATING WIRE SIZE: SEE TABLE

8. PRODUCT COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV DIRECTIVE 2000/53/EC



WITH LATCH TYPE



REMOVE PART NUMBER

EC NO: SH2012-0062
DRWN:XQZHANG 2012/01/18
CHKD:XQZHANG 2012/01/30
APPR:AYIN 2012/02/02

QUALITY SYMBOLS
F_A=0
F_G=0
F_P=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± 0.25	± 0.010
3 PLACES	± 0.25	± 0.010
2 PLACES	± 0.25	± 0.010
1 PLACE	± 0.30	± 0.012

ANGULAR ± 1°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY	DATE
GRATE MA	2004/01/17
CHECKED BY	DATE
YAJUN	2004/01/17
APPROVED BY	DATE
SAM	2004/01/17

MATERIAL NO.
SEE SHEET 3

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
4:1	METRIC	

SERIAL ATA
POWER CONNECTOR
IDT TYPE

MOLEX INCORPORATED

DOCUMENT NO. SD-67926-001

SHEET NO. 1 OF 3

10 9 8 7 6 5 4 3 2 1

F



E

D


C

B

A




WITHOUT LATCH TYPE




Detail2


SCALE 20:1



SECTION B-B



See Detail2



NOTES:
OTHER INFORMATION REFER TO SHEET 1

SEE SHEET 1 EC NO: SH2012-0062 DRAWN:XQZHANG CHKD:XQZHANG APPR:AYIN	REV	DESCRIPTION	QUALITY SYMBOLS ▽_F=0 ▽_F=0 ▽_F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	TITLE SERIAL ATA POWER CONNECTOR IDT TYPE MOLEX INCORPORATED		
				4 PLACES	mm	INCH	DRAWN BY GRATE MA	DATE 2004/01/17	DOCUMENT NO. SD-67926-001					SHEET NO. 2 OF 3	
					3 PLACES	± ---	± ---	CHECKED BY YAJUN							DATE 2004/01/17
					2 PLACES	± 0.25	± ---	APPROVED BY SAM							DATE 2004/01/17
					1 PLACE	± 0.30	± ---	MATERIAL NO. SEE SHEET 3							
ANGULAR ± 1 °				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

P/N	RECOMMENDED WIRE SIZE	PLATE TYPE	REMARK
67926-0001	18AWG	GOLD FLASH	WITH LATCH, WITHOUT BUMP
67926-0401	22AWG		
67926-0002	18AWG		
67926-0302	20AWG	0.76 MICRON GOLD PLATED	
67926-0402	22AWG		
67926-0005	18AWG		
67926-0305	20AWG	0.38 MICRON GOLD PLATED	
67926-0405	22AWG		
67926-0021	18AWG		GOLD FLASH
67926-0321	20AWG		
67926-0421	22AWG		
67926-0022	18AWG	0.76 MICRON GOLD PLATED	WITH LATCH, WITH BUMP
67926-0322	20AWG		
67926-0422	22AWG		
67926-0025	18AWG	0.38 MICRON GOLD PLATED	
67926-0425	22AWG		
67926-0011	18AWG	GOLD FLASH	WITHOUT LATCH,WITH BUMP
67926-0311	20AWG		
67926-0411	22AWG		
67926-0012	18AWG	0.76 MICRON GOLD PLATED	
67926-0412	22AWG		
67926-0015	18AWG	0.38 MICRON GOLD PLATED	
67926-0315	20AWG		
67926-0415	22AWG		

SEE SHEET 1 EC NO: SH2012-0062 2012/01/18 DRWN:XQZHANG CHKD:XQZHANG 2012/01/30 APPR:AYIN 2012/02/02	DESCRIPTION REV	QUALITY SYMBOLS F_A=0 F_G=0 F_P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY GRATE MA	DATE 2004/01/17	TITLE SERIAL ATA POWER CONNECTOR IDT TYPE				
			4 PLACES	± ---	± ---	CHECKED BY YAJUN	DATE 2004/01/17					
			3 PLACES	± ---	± ---	APPROVED BY SAM	DATE 2004/01/17				MOLEX INCORPORATED	
			2 PLACES	± 0.25	± ---	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-67926-001			SHEET NO. 3 OF 3	
			1 PLACE	± 0.30	± ---	SIZE A3						
			ANGULAR ± 1 °			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru