



SECTION A-A

NOTES:

1. MATERIAL:
   HOUSING: THERMAL PLASTIC, G.F., UL94V-0, COLOR: BLACK
   COVER: THERMAL PLASTIC, COLOR: BLACK
   TERMINAL: COPPER ALLOY
   METAL LATCH: STAINLESS STEEL
2. TERMINAL PLATING:
   CONTACT AREA: GOLD PLATED
   IDT TAIL: PLATE TIN, 1.9 MICRONS MINIMUM
   UNDER PLATE: PLATE NICKEL 1.25 MICRONS MINIMUM
3. PACKAGING: TRAY
4. PRODUCT SPECIFICATION REFER TO PS-67490-001
5. ASSEMBLE WITH COVER 679260040/0041 AFTER WIRE TERMINATION
6. MATING PART 87679
7. RECOMMENDED TERMINATING WIRE SIZE: SEE TABLE
8. PRODUCT COMPLIANT TO RoHS DIRCTIVE 2002/95/EC AND ELV DIRECTIVE 2000/53/EC



WITH LATCH TYPE







REMOVE PART NUMBER EC NO: SH2012-0062 DRWN:XQZHANG 2012/01/18 CHKD:XQZHANG 2012/01/30 APPR:AYIN 2012/02/02 REV H	DESCRIPTION	QUALITY SYMBOLS FA=0 FC=0 FP=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm / INCH 4 PLACES ± --- / ± --- 3 PLACES ± --- / ± --- 2 PLACES ± 0.25 / ± --- 1 PLACE ± 0.30 / ± --- ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE: MM ONLY DRAWN BY: GRATE MA DATE: 2004/01/17 CHECKED BY: YAJUN DATE: 2004/01/17 APPROVED BY: SAM DATE: 2004/01/17 MATERIAL NO.: SEE SHEET 3 SIZE: A3	SCALE: 4:1 DESIGN UNITS: METRIC THIRD ANGLE PROJECTION TITLE: SERIAL ATA POWER CONNECTOR IDT TYPE molex MOLEX INCORPORATED DOCUMENT NO.: SD-67926-001 SHEET NO.: 1 OF 3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION





WITHOUT LATCH TYPE





Detail2

SCALE 20:1



SECTION B-B





See Detail2



NOTES:

OTHER INFORMATION REFER TO SHEET 1

SEE SHEET 1	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
EC NO: SH2012-0062		mm / INCH	MM ONLY	4:1	METRIC		
DRWN:XQZHANG 2012/01/18		4 PLACES ± --- / ± ---	DRAWN BY GRATE MA DATE 2004/01/17	TITLE SERIAL ATA POWER CONNECTOR IDT TYPE			
CHKD:XQZHANG 2012/01/30		3 PLACES ± --- / ± ---	CHECKED BY YAJUN DATE 2004/01/17				
APPR:AYIN 2012/02/02		2 PLACES ± 0.25 / ± ---	APPROVED BY SAM DATE 2004/01/17	molex MOLEX INCORPORATED			
DESCRIPTION		1 PLACE ± 0.30 / ± ---					
REV		ANGULAR ± 1 °	MATERIAL NO. SEE SHEET 3	DOCUMENT NO. SD-67926-001	SHEET NO. 2 OF 3		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

P/N	RECOMMENDED WIRE SIZE	PLATE TYPE	REMARK
67926-0001	18AWG	GOLD FLASH	WITH LATCH, WITHOUT BUMP
67926-0401	22AWG		
67926-0002	18AWG	0.76 MICRON GOLD PLATED	
67926-0302	20AWG		
67926-0402	22AWG		
67926-0005	18AWG	0.38 MICRON GOLD PLATED	
67926-0305	20AWG		
67926-0405	22AWG		
67926-0021	18AWG	GOLD FLASH	WITH LATCH, WITH BUMP
67926-0321	20AWG		
67926-0421	22AWG		
67926-0022	18AWG	0.76 MICRON GOLD PLATED	
67926-0322	20AWG		
67926-0422	22AWG		
67926-0025	18AWG	0.38 MICRON GOLD PLATED	
67926-0425	22AWG		
67926-0011	18AWG	GOLD FLASH	WITHOUT LATCH,WITH BUMP
67926-0311	20AWG		
67926-0411	22AWG		
67926-0012	18AWG	0.76 MICRON GOLD PLATED	
67926-0412	22AWG		
67926-0015	18AWG	0.38 MICRON GOLD PLATED	
67926-0315	20AWG		
67926-0415	22AWG		

SEE SHEET 1
EC NO: SH2012-0062 2012/01/18
DRWN:XQZHANG 2012/01/30
CH'KD:XQZHANG 2012/02/02
APPR:AYIN
H
REV DESCRIPTION

QUALITY SYMBOLS
F/A=0
F/C=0
F/P=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.25	± ---
1 PLACE	± 0.30	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM ONLY
SCALE: 4:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: GRATE MA DATE: 2004/01/17
CHECKED BY: YAJUN DATE: 2004/01/17
APPROVED BY: SAM DATE: 2004/01/17

TITLE: SERIAL ATA POWER CONNECTOR IDT TYPE

molex MOLEX INCORPORATED

MATERIAL NO.: SEE TABLE
DOCUMENT NO.: SD-67926-001
SHEET NO.: 3 OF 3
SIZE: A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

ООО «ЛайфЭлектроникс» “LifeElectronics” LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru