






KEYING OPTIONS
SCALE 2:1


OPTION "H"



OPTION "K"





OPTION "M"




SCALE 1:1

NOTE(S):

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



SCALE 2:1



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IF IT IS SUBMITTED TO ANY OTHER ORGANIZATION, THE ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DATE 14NOV2006 BY A HOLT CHK W WELLINSKY 4NOV2006 APP W WELLINSKY 4NOV2006		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.010 1 PLC ±.010 2 PLC ±.010 ID 3 PLC ±.010 4 PLC ±.010 ANGLES ±.3°		NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		APPLICATION SPEC		SIZE CAGE CODE DRAWING NO	
MATERIAL SEE CHART 2		WEIGHT SEE NOTE 5		A 1 00779 C=1924170	
FINISH -		CUSTOMER DRAWING		SCALE 3:1 SHEET 1 OF 5 REV F	

[illegible][illegible]

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																									0-1924170-1	G					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-3	G	
							7	8	9	10	11	12	13	14	15	16																			35	36	37	38	39	40	0-1924170-4	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14																					35	36						0-1924170-6	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16								24							29	30				35	36						0-1924170-7	G
							7	8	9	10	11	12												24											35	36	37	38	39	40	0-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12																						35	36	37	38	39	40	0-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16												27	28	29	30					35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G	
1	2	3	4			7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2					7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22												35	36	37	38	39	40	1-1924170-4	G		
1	2	3	4			7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	1-1924170-5	G	
1	2					7	8	9	10	11	12						17	18		21	22												35	36	37	38	39	40	1-1924170-6	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18									27	28	29	30					35	36	37	38	39	40	1-1924170-8	G	
						7	8	9	10	11	12																														1-1924170-9	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24	25	26	27	28	29	30				35	36	37	38	39	40	2-1924170-0	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				21	22						27	28	29	30								39	40			2-1924170-1	G	
						7	8	9	10	11	12	13	14	15	16																						39	40			2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																			39	40			2-1924170-3	G			
1	2					7	8	9	10	11	12						17	18		21	22	23	24	25	26								35	36	37	38	39	40	2-1924170-4	G			
1	2					7	8	9	10	11	12						17	18		21	22	23	24										35	36	37	38	39	40	2-1924170-5	G			
						7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	2-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16	17	18								26									35	36	37	38	39	40	2-1924170-7	G		
						7	8	9	10	11	12	13	14	15	16	17	18																			39	40			2-1924170-8	G		
			3	4		7	8	9	10	11	12	13	14	15	16												27	28	29	30		32					37	38	39	40	2-1924170-9	G	
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30			32			37	38	39	40	3-1924170-0	G		
1	2					7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16				21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G		
1	2					7	8	9	10	11	12								21	22							27	28	29	30					35	36	37	38	39	40	3-1924170-4	G	
1	2					7	8	9	10	11	12	13	14	15	16				21	22														35	36	37	38	39	40	3-1924170-5	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22						27	28	29	30					35	36	37	38	39	40	3-1924170-6	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16				21	22			24										35	36	37	38	39	40	3-1924170-7	G			
1	2					7	8	9	10	11	12								21	22			24										35	36	37	38	39	40	3-1924170-8	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24				27	28	29	30	31	32	33	34	35	36	37	38	39	40	3-1924170-9	G	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29	30							37	38	39	40	4-1924170-0	G	
1	2				5	6	7	8	9	10	11	12	13	14	15	16			19	20							27	28	29														

LOC	DIST	REVISIONS						
FX	00	F	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																										
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																										
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																										
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40			
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18					23	24		26								35	36	37	37	39	40	6-1924170-7	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30					35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24											35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G	
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30					35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G	
											11	12											24																		7-1924170-4	G
1	2										11	12	13	14	15	16						24																			7-1924170-5	G
											11	12																				32					37	38	39	40	7-1924170-6	G
											11	12							19	20			24																	7-1924170-7	G	
											11	12							19	20													33	34						7-1924170-8	G	
						7	8	9	10	11	12								19	20			24																	7-1924170-9	G	
						7	8	9	10	11	12								19	20													33	34						8-1924170-0	G	
						7	8	9	10	11	12																				31	32				37	38	39	40	8-1924170-1	G	
								9	10	11	12						17	18	19	20	21	22		24		26							33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																					37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20																37	38	39	40	8-1924170-4	G	
						7	8	9	10	11	12	13	14	15	16			19	20																		37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G	
1	2					7	8	9	10			13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38			9-1924170-1	G	
		3	4	5	6					11	12												24												35	36	37	38	39	40	9-1924170-2	G
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G
										11	12												24												35	36	37	38	39	40	9-1924170-4	G
		3	4	5	6					11	12								19	20																	39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G	
						7	8	9	10	11	12	13	14	15	16			19	20				24										33	34			37	38	39	40	9-1924170-7	G
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	9-1924170-8	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40	0-1924171-1	G		
										11	12							19	20																					0-1924171-2	G	
		3	4	5	6	7	8	9	10	11	12							19	20				24														39	40	0-1924171-3	G		
						7	8	9	10	11	12																						33	34						0-1924171-4	G	
										11	12																													0-1924171-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G	
						7	8	9	10	11	12												24												35	36					0-1924171-7	G
										11	12	13	14	15	16								24																	0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G	
1	2	3	4																																							

LOC	DIST	REVISIONS					
		F	LTR	DESCRIPTION	DATE	DWN	APVD
FX	00	-	-	SEE SHEET 1	-	-	-

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																				ASSEMBLY PART NUMBER	KEYING OPTION						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36			37	38	39	40		
											11	12																												0-1924172-1	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22							27	28	29	30					35	36	37	38	39	40	0-1924172-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-3	G
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924172-4	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924172-5	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22			24				27	28	29	30					35	36	37	38	39	40	0-1924172-6	G
							7	8	9	10	11	12					17	18																		35	36	37	38	39	40	0-1924172-7	G
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	0-1924172-8	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30					35	36	37	38	39	40	0-1924172-9	G	
							7	8	9	10	11	12												24												35	36	37	38	39	40	1-1924172-0	G
							7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	1-1924172-1	G
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	1-1924172-2	G		
1	2					7	8	9	10	11	12						17	18			21	22													35	36	37	38	39	40	1-1924172-3	G	
			3	4	5	6					11	12												24											35	36	37	38	39	40	1-1924172-4	G	
			3	4	5	6																		24											35	36	37	38	39		1-1924172-5	G	
			3	4	5	6					11	12												24											35	36	37	38	39		1-1924172-6	G	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER	KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
											11	12																											0-1924173-1	H			
							7	8	9	10	11	12							19	20				24													37	38	39	40	0-1924173-2	H	
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24				27	28	29	30							37	38	39	40	0-1924173-3	H
1	2	3	4						9	10	11	12	13	14	15	16					21	22					27	28	29	30									39	40	0-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22	23	24	25	26	27	28	29	30	31	32	33	34				37	38	39	40	0-1924173-5	H	
									9	10	11	12																											39	40	0-1924173-6	H	
							7	8	9	10	11	12												24												35	36	37	38	39	40	0-1924173-7	H
							7	8	9	10	11	12												24																	0-1924173-8	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				20	21	22						27	28	29	30	31	32					37	38	39	40	0-1924173-9	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22						27	28	29	30	31	32					37	38	39	40	1-1924173-0	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-1	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30						37	38	39	40	1-1924173-2	H		
									9	10	11	12						17	18	19	20	21	22		24		26						33	34	35	36	37	38	39	40	1-1924173-3	H	
1	2						7	8	9	10	11	12	13	14	15	16					21	22					27	28	29	30	31	32					37	38	39	40	1-1924173-4	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		17	18			21	22					27	28	29	30					35	36	37	38	39	40	1-1924173-5	H	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38		1-1924173-6	H		
1	2						7	8	9	10	11	12	13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	1-1924173-7	H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21		23		25	26	27	28	29	30	31	32	33	34			37	38	39	40	1-1924173-8	H		
			3	4	5	6					11	12							19	20																		39	40	1-1924173-9	H		
			3	4	5	6					11	12							19	20					24													39	40	2-1924173-0	H		
			3	4	5	6					11	12							19	20					24													39	40	2-1924173-1	H		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru