THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-16-012641	12SEP2016	BS	CW
	A2	ECR-18-009192	13JUL2018	KW	CW



TYPE 1: LOW CONSTRUCTION + STAINLESS STEEL DOUBLE LOCKING
类型1： 低结构壳体+不锈钢双扣



TYPE 2: LOW CONSTRUCTION + METAL DOUBLE LOCKING
OTHER SPEC REFER TO TYPE 1
类型2： 低结构壳体+彩锌双扣，其他规格参照类型1

NOTES:
1. TECHNICAL CHARACTERISTICS:
HOUSING MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE TREATMENT: POWDER COATED, GRAY
DEGREE OF PROTECTION: IP65 (MATED)

注释：
1. 技术参数：
壳体材料： 铝合金
表面处理： 灰色粉末喷涂
防护等级： IP65(配合)

PART NUMBER 料号	PART DESCRIPTION 描述	PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	TYPE 类型
T1710161116-000	H16B-TBFS-PG16	PG16	-	TYPE 1
T1710161120-000	H16B-TBFS-M20	M20	-	
T1710161121-000	H16B-TBFS-PG21	PG21	-	
T1710161125-000	H16B-TBFS-M25	M25	-	
T1710162113-000	H16B-TBF-PG13.5	PG13.5	-	TYPE 2
T1710162129-000	H16B-TBF-PG29	PG29	-	
T1710162121-000	H16B-TBF-PG21	PG21	-	
T1710162125-000	H16B-TBF-M25	M25	-	
T1710162132-000	H16B-TBF-M32	M32	-	
T1710161632-000	H16B-TBF-M32/M16	M32	M16	TYPE 3
T1710162032-000	H16B-TBF-M32/M20	M32	M20	
T1730163121-000	H16B-TBF-LB-PG21	PG21	-	TYPE 4
T1730163125-000	H16B-TBF-LB-M25	M25	-	
T1730163132-000	H16B-TBF-LB-M32	M32	-	

H16B HOUSING, CABLE-TO-CABLE, STAINLESS STEEL DOUBEL LOCKING, TOP ENTRY PG16, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，不锈钢双扣，顶出PG16，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, STAINLESS STEEL DOUBEL LOCKING, TOP ENTRY M20, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，不锈钢双扣，顶出M20，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, STAINLESS STEEL DOUBEL LOCKING, TOP ENTRY PG21, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，不锈钢双扣，顶出PG21，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, STAINLESS STEEL DOUBEL LOCKING, TOP ENTRY M25, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，不锈钢双扣，顶出M25，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY PG13.5, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌双扣，顶出PG13.5，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY PG29, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌双扣，顶出PG29，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY PG21, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌双扣，顶出PG21，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY M25, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌双扣，顶出M25，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY M32, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌双扣，顶出M32，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY M32 AND M16, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌双扣，顶出M32和M16，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY M32 AND M20, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌双扣，顶出M32和M20，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL SINGLE LOCKING, TOP ENTRY PG21, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌单扣，顶出PG21，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL SINGLE LOCKING, TOP ENTRY M25, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌单扣，顶出M25，低结构，灰色粉末喷涂

H16B HOUSING, CABLE-TO-CABLE, METAL SINGLE LOCKING, TOP ENTRY M32, LOW CONSTRUCTION, POWDER COATED, GRAY
H16B下壳，电缆对接，彩锌单扣，顶出M32，低结构，灰色粉末喷涂





TYPE 3: LOW CONSTRUCTION + METAL DOUBLE LOCKING
2 ENTRY HOLE
OTHER SPEC REFER TO TYPE 2
类型3： 低结构壳体+彩锌双扣，2个进线孔，其他规格参照类型2



TYPE 4: LOW CONSTRUCTION + METAL SINGLE LOCKING
OTHER SPEC REFER TO TYPE 1
类型4： 低结构壳体+彩锌单扣，其他规格参照类型1

THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN DAVID.LI 06JUL2015	TE Connectivity	
	CHK CHRIS.WANG 06JUL2015	NAME H16B-TBFS/TBF/TBF-LB-PG/M	
DIMENSIONS: mm	APVD KJANG.XU 06JUL2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±, 1 PLC ±, 2 PLC ±, 3 PLC ±, 4 PLC ±, ANGLES ±	PRODUCT SPEC 108-137013		
	APPLICATION SPEC 114-137013	SIZE A1 / CAGE CODE - / DRAWING NO C-T17X016XXXX000	RESTRICTED TO
MATERIAL TBD -	FINISH - -	WEIGHT -	CUSTOMER DRAWING
		SCALE 1:1	SHEET 1 OF 2 REV A2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

NOTES:
SEE SHEET 1.
注释：
见第 1 页

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 5: HIGH CONSTRUCTION + STAINLESS STEEL DOUBLE LOCKING
类型5： 高结构壳体+不锈钢双扣



TYPE 6: HIGH CONSTRUCTION + METAL DOUBLE LOCKING
OTHER SPEC REFER TO TYPE 5
类型6： 高结构壳体+彩锌双扣，其他规格参照类型5



TYPE 7: HIGH CONSTRUCTION + METAL DOUBLE LOCKING
2 ENTRY HOLE
OTHER SPEC REFER TO TYPE 6
类型7： 高结构壳体+彩锌双扣，2个进线孔，其他规格参照类型6



TYPE 8: HIGH CONSTRUCTION + METAL DOUBLE LOCKING
2 ENTRY HOLE
OTHER SPEC REFER TO TYPE 6
类型8： 高结构壳体+彩锌双扣，2个进线孔，其他规格参照类型6



TYPE 9: HIGH CONSTRUCTION + METAL SINGLE LOCKING
OTHER SPEC REFER TO TYPE 5
类型9： 高结构壳体+彩锌单扣，其他规格参照类型5

PART NUMBER 料号	PART DESCRIPTION 描述	PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	TYPE 类型
TI750161121-000	HI6B-TBFHS-PG21	PG21	-	TYPE 5
TI750161129-000	HI6B-TBFHS-PG29	PG29	-	
TI750161132-000	HI6B-TBFHS-M32	M32	-	
TI750162121-000	HI6B-TBFH-PG21	PG21	-	TYPE 6
TI750162125-000	HI6B-TBFH-M25	M25	-	
TI750162129-000	HI6B-TBFH-PG29	PG29	-	
TI750162132-000	HI6B-TBFH-M32	M32	-	
TI750162140-000	HI6B-TBFH-M40	M40	-	
TI750162221-000	HI6B-TBFH-2PG21	PG21	PG21	TYPE 7
TI750162225-000	HI6B-TBFH-2M25	M25	M25	
TI750164040-000	HI6B-TBFH-2M40	M40	M40	TYPE 8
TI770162121-000	HI6B-TBFH-LB-PG21	PG21	-	TYPE 9
TI770162129-000	HI6B-TBFH-LB-PG29	PG29	-	
TI770162132-000	HI6B-TBFH-LB-M32	M32	-	

PART NUMBER 料号	PART DESCRIPTION 描述	PG/M THREAD-1 PG/M 螺纹孔-1	PG/M THREAD-2 PG/M 螺纹孔-2	TYPE 类型
TI750161121-000	HI6B HOUSING, CABLE-TO-CABLE, STAINLESS STEEL DOUBEL LOCKING, TOP ENTRY PG21, HIGH CONSTRUCTION, POWDER COATED, GRAY HI6B下壳，电缆对接，不锈钢双扣，顶出PG21，高结构，灰色粉末喷涂	PG21	-	TYPE 5
TI750161129-000	HI6B HOUSING, CABLE-TO-CABLE, STAINLESS STEEL DOUBEL LOCKING, TOP ENTRY PG29, HIGH CONSTRUCTION, POWDER COATED, GRAY HI6B下壳，电缆对接，不锈钢双扣，顶出PG29，高结构，灰色粉末喷涂	PG29	-	
TI750161132-000	HI6B-TBFHS-M32	M32	-	
TI750162121-000	HI6B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY PG21, HIGH CONSTRUCTION, POWDER COATED, GRAY HI6B下壳，电缆对接，彩锌双扣，顶出PG21，高结构，灰色粉末喷涂	PG21	-	TYPE 6
TI750162125-000	HI6B-TBFH-M25	M25	-	
TI750162129-000	HI6B-TBFH-PG29	PG29	-	
TI750162132-000	HI6B-TBFH-M32	M32	-	
TI750162140-000	HI6B-TBFH-M40	M40	-	
TI750162221-000	HI6B-TBFH-2PG21	PG21	PG21	TYPE 7
TI750162225-000	HI6B-TBFH-2M25	M25	M25	
TI750164040-000	HI6B HOUSING, CABLE-TO-CABLE, METAL DOUBLE LOCKING, TOP ENTRY M40, SIDE ENTRY M40, HIGH CONSTRUCTION, POWDER COATED, GRAY HI6B下壳，电缆对接，彩锌双扣，顶出M40，侧出M40，高结构，灰色粉末喷涂	M40	M40	TYPE 8
TI770162121-000	HI6B HOUSING, CABLE-TO-CABLE, METAL SINGLE LOCKING, TOP ENTRY PG21, HIGH CONSTRUCTION, POWDER COATED, GRAY HI6B下壳，电缆对接，彩锌单扣，顶出PG21，高结构，灰色粉末喷涂	PG21	-	TYPE 9
TI770162129-000	HI6B HOUSING, CABLE-TO-CABLE, METAL SINGLE LOCKING, TOP ENTRY PG29, HIGH CONSTRUCTION, POWDER COATED, GRAY HI6B下壳，电缆对接，彩锌单扣，顶出PG29，高结构，灰色粉末喷涂	PG29	-	
TI770162132-000	HI6B-TBFH-LB-M32	M32	-	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm
TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-
MATERIAL: TBD -
FINISH: - -

DWN DAVID.LI 06JUL2015
CHK CHRIS.WANG 06JUL2015
APVD XIANG.XU 06JUL2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity
NAME HI6B-TBFS/TBF/TBF-LB-PG/M
SIZE A1 | CAGE CODE - | DRAWING NO C-TI7X016XXXX000 | RESTRICTED TO
CUSTOMER DRAWING | SCALE 1:1 | SHEET 2 OF 2 | REV A2

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru