





10		9		8		7		6		5		4		3		2		1		
Molex					Customer:Bostom					DRAWING										
DRAWING NO.	REV.	ECN NO.	DATE	P/N	P/N.		3D REV	2D REV	LOCATION	CHANGE DESCRIPTION								AFFECTED DEPT		
SD-47950-411	A	ABU2014-0051	2014/02/21	479504011	-		-	-	ALL	Simply assy dims for SD drawings								AQP/ME/RF/PE/POP		
SD-47950-411	B	ABU2016-0025	2015/09/10	479504011						Add Connector information,change PSA material from 3M966 to 3M9077								AQP/ME/RF/PE/POP		



A		ENTER DESCRIPTION EC NO:ABU2016-0025 DRWN:ZLRAO 2015/09/10 CHKD:Jack Shi 2015/09/10 APPR:Chris Yu 2015/09/10	DESCRIPTION	QUALITY SYMBOLS F_A =0 F_E =0 F_P =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE 5:1	DESIGN UNITS MM	THIRD ANGLE PROJECTION 					
					4 PLACES	mm	INCH	DRAWN BY	DATE	TITLE 2.4/5GHz stand alone 16mm Ant						
						±	±	ZLRAO	2015/09/10							
						3 PLACES	±	±	CHECKED BY	DATE	MOLEX INCORPORATED					
							2 PLACES	±	±	Jack Shi						
					1 PLACE	±	±	APPROVED BY	DATE	molex						
					ANGULAR ± °		Chris Yu	2015/09/10								
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.					
							see the table of sheet2		SD-47950-411		1 OF 2					
							SIZE A3				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



NOTE:
1.The dimesndion with tolerance in box should be controled by flex supplier and tolerance of other dimension:±0.3MM.
2.The cable line can not be rotated with the weld point for more than 60 degrees.
3. For pull test, can not lift up in the vertical direction

ITEM	CABLE TYPE	THE LENGHT OF DIMENSION "L"
1	CABLE1(300mm)	290.88MM

ITEM	PART NAME	PN
1	CABLE1 for 2.4/5GHz stand alone (300mm)	479500008
2	FLEX1 for 2.4/5GHz stand 16mm	479500012
3	2.4/5GHz stand alone 16mm assy(CABLE300MM)	479504011

Connector: RFK OD1.13 RF 2.5H Plug

ENTER DESCRIPTION EC NO:ABU2016-0025 DRWN:ZLRAO 2015/09/10 CHKD:Jack Shi 2015/09/10 APPR:Chris Yu 2015/09/10 B		DESCRIPTION REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE 5:1	DESIGN UNITS MM	THIRD ANGLE PROJECTION				
					mm	INCH	DRAWN BY ZLRAO		DATE 2015/09/10		TITLE 2.4/5GHz stand alone 16mm Ant			
				4 PLACES	±	±	CHECKED BY Jack Shi		DATE 2015/09/10					
				3 PLACES	±	±	APPROVED BY Chris Yu		DATE 2015/09/10		molex MOLEX INCORPORATED			
				2 PLACES	±	±	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-47950-411				SHEET NO. 2 OF 2	
				1 PLACE	±	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
				ANGULAR ± °										

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru