THIS DRAWING IS A CONTROLLED DOCUMENT.

| LOC | DIST |
|---|---|
| HJ | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | B12 | New IM46CGR, IMF68HR | 19OCT2011 | UKo | JB |
| | B13 | ECR-12-014500 (IMD obsolete) | 18DEC2012 | UKo | AK |
| | B14 | ECR-12-021486 (Marking C to Q) | 20DEC2012 | UKo | JB |
| | C | ECR-13-014508 (TE-Logo) / PN-No updated | 13JUN2013 | UKo | AK |




| Relay-Typ | Mark 1) | Mark 2) | PN (GR) | PN (JR) | PN (TS) | PN (KS/NS) |
|---|---|---|---|---|---|---|
| IM00.. | 00 | 1.5 | 3-1462037-7 | *3-1462037-9 | 3-1462037-5 | |
| IM00NS | 00N | 1.5 | | | | *1-1462038-0 |
| IM01.. | 01 | 3 | 1462037-1 | 4-1462037-0 | 1462037-4 | |
| IM01..L | 01 | 3 | | | *4-1462039-4 | |
| IM01B.. | 01B | 3 | 4-1462039-5 | | | |
| IM01B.. | 01B | 3 | *7-1462039-1 | | | |
| IM01C.. | 01C | 3 | 1462038-4 | | *9-1462038-6 | |
| IM01NS | 01N | 3 | | | | 1-1462038-1 |
| IM01N..L | 01N | 3 | | | | 4-1462039-3 |
| IM02.. | 02 | 4.5 | 1462037-9 | 1-1462037-1 | 1-1462037-3 | 6-1462039-4 |
| IM02.. | 02 | 4.5 | 8-1462039-1 | | | |
| IM02..L | 02 | 4.5 | 2-1462039-3 | | | |
| IM02C.. | 02C | 4.5 | 1462038-1 | | | |
| IM02D.. | 02D | 4.5 | 9-1462038-8 | | | |
| IM02H.. | 02H | 4.5 | 1-1462039-1 | | | |
| IM02NS | 02N | 4.5 | | | | 1-1462038-2 |

*obsolete

DRAWING ALIAS: IM0C-DOK17

THIS DRAWING IS UNPUBLISHED. © COPYRIGHT 2000 ALL RIGHTS RESERVED. RELEASED FOR PUBLICATION 2000

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m

| | |
|---|---|
| 0 PLC | ±- |
| 1 PLC | ±- |
| 2 PLC | ±- |
| 3 PLC | ±- |
| 4 PLC | ±- |
| ANGLES | ±- |

DWN HD 9121 21FEB2003
CHK HD 9121 21FEB2003
APVD HD 9121 21FEB2003
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

MATERIAL -
FINISH -

TE Connectivity

NAME: IM-Relay Marking

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A4 | 00779 | C 1462037-1 | - |

CUSTOMER DRAWING

SCALE 10:1 SHEET 1 OF 6 REV C

THIS DRAWING IS A CONTROLLED DOCUMENT.

| LOC | DIST |
|---|---|
| HJ | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | See sheet 1 | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Relay-Typ | Mark 1) | Mark 2) | PN (GR) | PN (JR) | PN (TS) | PN (KS/NS) |
|---|---|---|---|---|---|---|
| IM02NS..L | 02N | 4.5 | | | | 2-1462039-4 |
| IM02P.. | 02P | 4.5 | *5-1462039-4 | | | |
| IM02PNS | 02P | 4.5 | | | | 5-1462039-8 |
| IM03.. | 03 | 5 | 1-1462037-4 | 1-1462037-6 | 1-1462037-8 | *6-1462039-2 |
| IM03..L | 03 | 5 | 2-1462039-5 | | | |
| IM03..X | 03 | 5 | 8-1462039-6 | | | |
| IM03C.. | 03C | 5 | 1462038-2 | | 4-1462039-7 | |
| IM03D.. | 03D | 5 | 9-1462038-9 | 3-1462039-3 | 8-1462039-3 | |
| IM03NS | 03N | 5 | | | | 1-1462038-3 |
| IM03P.. | 03P | 5 | 5-1462039-5 | *6-1462039-6 | | |
| IM03PNS | 03P | 5 | | | | 5-1462039-9 |
| IM04.. | 04 | 6 | 4-1462037-2 | 4-1462037-4 | 4-1462037-1 | |
| IM04B.. | 04B | 6 | 6-1462039-5 | | | |
| IM04NS | 04N | 6 | | | | 1-1462038-4 |
| IM05.. | 05 | 9 | 3-1462037-4 | 4-1462037-5 | 2-1462037-2 | |
| IM05B.. | 05B | 9 | 5-1462039-3 | | | |
| IM05C.. | 05C | 9 | 1462038-3 | | | |
| IM05D.. | 05D | 9 | 1-1462039-7 | | | |
| IM05NS | 05N | 9 | | | | 1-1462038-5 |
| IM06.. | 06 | 12 | 2-1462037-3 | 4-1462037-6 | 2-1462037-7 | |
| IM06..L | 06 | 12 | *5-1462039-1 | | | |
| IM06C.. | 06C | 12 | 9-1462037-9 | 3-1462039-4 | 4-1462037-9 | |
| IM06D.. | 06D | 12 | 1-1462039-8 | 7-1462039-0 | 3-1462039-8 | |
| IM06I.. | 06I | 12 | *1462047-2 | | | |
| IM06NS | 06N | 12 | | | | 1-1462038-6 |
| IM06NSL | 06N | 12 | | | | *4-1462039-9 |
| IM06P.. | 06P | 12 | 5-1462039-6 | | | |
| IM06PNS | 06P | 12 | | | | 6-1462039-0 |
| IM07.. | 07 | 24 | 4-1462037-7 | 4-1462037-8 | 3-1462037-0 | |

*obsolete

DRAWING ALIAS: IM0C-DOK17

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
© COPYRIGHT 2000 ALL RIGHTS RESERVED.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m

| | |
|---|---|
| 0 PLC | ±- |
| 1 PLC | ±- |
| 2 PLC | ±- |
| 3 PLC | ±- |
| 4 PLC | ±- |
| ANGLES | ±- |

DWN HD 9121 21FEB2003
CHK HD 9121 21FEB2003
APVD HD 9121 21FEB2003
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

MATERIAL -
FINISH -

TE Connectivity

NAME IM-Relay Marking

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A4 | 00779 | C- 1462037-1 | - |

CUSTOMER DRAWING

SCALE 10:1 SHEET 2 OF 6 REV C

| LOC | DIST |
|---|---|
| HJ | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | See sheet 1 | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Relay-Typ | Mark 1) | Mark 2) | PN (GR) | PN (JR) | PN (TS) | PN (KS/NS) |
|---|---|---|---|---|---|---|
| IM07C.. | 07C | 24 | 1462039-2 | | 1462039-1 | |
| IM07D.. | 07D | 24 | | 7-1462039-4 | 7-1462039-2 | |
| IM07NS | 07N | 24 | | | | 1-1462038-7 |
| IM08.. | 08 | 2.4 | *6-1462039-3 | | | |
| IM08I.. | 08I | 2.4 | | | 1462047-3 | |
| IM11.. | 11 | 3 | 9-1462038-5 | | | |
| IM12.. | 12 | 4.5 | 1462039-3 | | | |
| IM13.. | 13 | 5 | 1462039-4 | | | |
| IM15.. | 15 | 9 | 8-1462039-5 | | | |
| IM16.. | 16 | 12 | 1462039-5 | | | |
| IM17.. | 17 | 24 | 1462039-6 | | 4-1462039-6 | |
| IM17C.. | 17C | 24 | *1462039-7 | | | |
| IM21.. | 21 | 3 | 2-1462039-6 | | 1-1462039-5 | |
| IM22.. | 22 | 4.5 | 2-1462039-7 | | 2-1462039-8 | |
| IM22D.. | 22D | 4.5 | | | 7-1462039-6 | |
| IM23.. | 23 | 5 | 2-1462039-9 | | 3-1462039-0 | 6-1462039-7 |
| IM25.. | 25 | 9 | 3-1462039-5 | | | |
| IM26.. | 26 | 12 | 3-1462039-1 | | 3-1462039-2 | |
| IM32H.. | 32H | 4.5 | *2-1462039-0 | | | |
| IM40.. | 40 | 1.5 | 5-1462037-1 | *5-1462037-2 | *5-1462037-0 | |
| IM40D.. | 40D | 1.5 | 8-1462039-4 | | | |
| IM40NS | 40N | 1.5 | | | | 1-1462038-8 |
| IM41.. | 41 | 3 | 5-1462037-4 | 5-1462037-5 | 5-1462037-3 | |
| IM41C.. | 41C | 3 | 4-1462039-2 | | | |
| IM41D.. | 41D | 3 | 6-1462039-8 | | | |
| IM41NS | 41N | 3 | | | | 1-1462038-9 |
| IM42.. | 42 | 4.5 | 3-1462037-1 | 5-1462037-7 | 5-1462037-6 | |
| IM42C.. | 42C | 4.5 | 4-1462039-1 | | | |
| IM42D.. | 42D | 4.5 | 1-1462039-9 | | | |

*obsolete

DRAWING ALIAS: IM0C-DOK17

RELEASED FOR PUBLICATION 2000

THIS DRAWING IS UNPUBLISHED. © COPYRIGHT 2000 ALL RIGHTS RESERVED.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m

| | |
|---|---|
| 0 PLC | ±- |
| 1 PLC | ±- |
| 2 PLC | ±- |
| 3 PLC | ±- |
| 4 PLC | ±- |
| ANGLES | ±- |

DWN HD 9121 21FEB2003
CHK HD 9121 21FEB2003
APVD HD 9121 21FEB2003

PRODUCT SPEC: -

APPLICATION SPEC: -

WEIGHT -

MATERIAL -

FINISH -

TE Connectivity

NAME: IM-Relay Marking

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A4 | 00779 | C- 1462037-1 | - |

CUSTOMER DRAWING

SCALE 10:1 SHEET 3 OF 6 REV C

| LOC | DIST |
|---|---|
| HJ | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | See sheet 1 | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Relay-Typ | Mark 1) | Mark 2) | PN (GR) | PN (JR) | PN (TS) | PN (KS/NS) |
|---|---|---|---|---|---|---|
| IM42DNS | 42D | 4.5 | | | | 1-1462039-6 |
| IM42NS | 42N | 4.5 | | | | 2-1462038-0 |
| IM42P.. | 42P | 4.5 | 5-1462039-7 | | | |
| IM42PNS | 42P | 4.5 | | | | 7-1462039-8 |
| IM42R.. | 42R | 4.5 | *6-1462039-9 | | | |
| IM43.. | 43 | 5 | 5-1462037-9 | 6-1462037-0 | 5-1462037-8 | |
| IM43C.. | 43C | 5 | 9-1462038-7 | | | |
| IM43NS | 43N | 5 | | | | 2-1462038-1 |
| IM43P | 43P | 5 | *7-1462039-3 | | | |
| IM44.. | 44 | 6 | 6-1462037-2 | 6-1462037-3 | 6-1462037-1 | |
| IM44NS | 44N | 6 | | | | 2-1462038-2 |
| IM45.. | 45 | 9 | 6-1462037-4 | 6-1462037-5 | 3-1462037-2 | |
| IM45I.. | 45I | 9 | 1462047-5 | | | |
| IM45NS | 45 | 9 | | | | 2-1462038-3 |
| IM46.. | 46 | 12 | 6-1462037-7 | 6-1462037-8 | 6-1462037-6 | |
| IM46..L | 46 | 12 | *5-1462039-2 | | | |
| IM46C.. | 46C | 12 | 8-1462039-0 | | | |
| IM46NS | 46N | 12 | | | | 2-1462038-4 |
| IM46NSL | 46N | 12 | | | | *5-1462039-0 |
| IM46PNS | 46P | 12 | | | | 6-1462039-1 |
| IM47.. | 47 | 24 | 7-1462037-0 | *7-1462037-1 | 6-1462037-9 | |
| IM47D.. | 47D | 24 | | 7-1462039-5 | | |
| IM47NS | 47N | 24 | | | | 2-1462038-5 |
| IM48.. | 48 | 2.4 | 1462039-8 | | | |
| IM48D.. | 48D | 2.4 | 1462039-9 | | | |
| IM48I.. | 48I | 2.4 | 1462047-1 | | | |
| IM49D.. | 49D | 2 | *2-1462039-2 | | | |
| IM49I.. | 49I | 2 | 1462047-4 | | | |
| | | | | | | |

*obsolete

DRAWING ALIAS: IM0C-DOK17

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2000
© COPYRIGHT 2000 ALL RIGHTS RESERVED.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m

| | |
|---|---|
| 0 PLC | ±- |
| 1 PLC | ±- |
| 2 PLC | ±- |
| 3 PLC | ±- |
| 4 PLC | ±- |
| ANGLES | ±- |

DWN HD 9121 21FEB2003
CHK HD 9121 21FEB2003
APVD HD 9121 21FEB2003
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

MATERIAL -
FINISH -

TE Connectivity

NAME: IM-Relay Marking

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A4 | 00779 | C- 1462037-1 | - |

CUSTOMER DRAWING

SCALE 10:1 SHEET 4 OF 6 REV C

| LOC | DIST |
|---|---|
| HJ | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | See sheet 1 | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Relay-Typ | Mark 1) | Mark 2) | PN (GR) | PN (JR) | PN (TS) | PN (KS/NS) |
|---|---|---|---|---|---|---|
| IM51D.. | 51D | 3 | *1-1462039-4 | *1-1462039-3 | | |
| IM61.. | 61 | 3 | 7-1462039-7 | | | |
| IM68.. | 68 | 2.4 | 8-1462039-2 | | | |
| | | | | | | |
| | | | | | | |
| IMA01C.. | A01C | 3 | 1462040-1 | | 1462040-5 | |
| IMA02C.. | A02C | 4.5 | 1462040-2 | | 1462040-6 | |
| IMA03C.. | A03C | 5 | 1462040-3 | | 1462040-7 | |
| IMA06C.. | A06C | 12 | 1462040-4 | | 1462040-8 | |
| | | | | | | |
| | | | | | | |
| IMB01C.. | B01C | 3 | 1462041-1 | | 1462041-4 | |
| IMB02C.. | B02C | 4.5 | 1462041-2 | | 1462041-5 | |
| IMB03C.. | B03C | 5 | 1462041-7 | | 1462041-8 | |
| IMB03C..E | B03C | 5 | 1-1462041-8 | | | |
| IMB04C.. | B04C | 6 | 1462041-9 | | 1-1462041-1 | |
| IMB05C.. | B05C | 9 | 1-1462041-0 | | 1-1462041-2 | |
| IMB06C.. | B06C | 12 | 1462041-3 | | 1462041-6 | |
| IMB07C.. | B07C | 24 | 1-1462041-3 | | 1-1462041-4 | |
| | | | | | | |
| | | | | | | |
| IMB32B.. | B32B | 4.5 | 2-1462041-0 | | | |
| IMB33B.. | B33B | 5 | 1-1462041-9 | | | |
| IMB41C.. | B41C | 3 | 1-1462041-7 | | | |
| IMB42C.. | B42C | 4.5 | 1-1462041-6 | | 1-1462041-5 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

*obsolete

DRAWING ALIAS: IM0C-DOK17

RELEASED FOR PUBLICATION 2000
ALL RIGHTS RESERVED.
© COPYRIGHT 2000
THIS DRAWING IS UNPUBLISHED.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m

| | |
|---|---|
| 0 PLC | ±- |
| 1 PLC | ±- |
| 2 PLC | ±- |
| 3 PLC | ±- |
| 4 PLC | ±- |
| ANGLES | ±- |

DWN HD 9121 21FEB2003
CHK HD 9121 21FEB2003
APVD HD 9121 21FEB2003
PRODUCT SPEC -
APPLICATION SPEC -
WEIGHT -

MATERIAL -
FINISH -

TE Connectivity

NAME: IM-Relay Marking

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A4 | 00779 | C 1462037-1 | - |

CUSTOMER DRAWING

SCALE 10:1 SHEET 5 OF 6 REV C

| LOC | DIST |
|---|---|
| HJ | - |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | | See sheet 1 | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| Relay-Typ | Mark 1) | Mark 2) | PN (GR) | PN (JR) | PN (TS) | PN (KS/NS) |
|---|---|---|---|---|---|---|
| IMC01.. | C01 | 3 | 1462042-1 | | 1462042-4 | |
| IMC02.. | C02 | 4.5 | 1462042-2 | | 1462042-5 | |
| IMC03.. | C03 | 5 | 1462042-8 | | 1462042-7 | |
| IMC06.. | C06 | 12 | 1462042-3 | | 1462042-6 | |
| IMC07.. | C07 | 24 | 1-1462042-1 | | 1-1462042-2 | |
| | | | | | | |
| IMC02C.. | C02C | 4.5 | 1-1462042-0 | | | |
| IMC03C.. | C03C | 5 | 1-1462042-5 | | | |
| IMC06C.. | C06C | 12 | 1462042-9 | | 1-1462042-4 | |
| IMC41C.. | C41C | 3 | | | 1-1462042-3 | |
| | | | | | | |
| | | | | | | |
| IMD01.. | D01 | 3 | *1462044-1 | | *1462044-5 | |
| IMD02.. | D02 | 4.5 | *1462044-2 | | *1462044-6 | |
| IMD03.. | D03 | 5 | *1462044-3 | | *1462044-7 | |
| IMD06.. | D06 | 12 | *1462044-4 | | *1462044-8 | |
| | | | | | | |
| | | | | | | |
| IME01.. | E01 | 3 | 1462043-1 | | 1462043-5 | |
| IME02.. | E02 | 4.5 | 1462043-2 | | 1462043-6 | |
| IME03.. | E03 | 5 | 1462043-3 | | 1462043-7 | |
| IME06.. | E06 | 12 | 1462043-4 | | 1462043-8 | |
| | | | | | | |
| IMF61.. | F61 | 3 | 1462048-3 | | | |
| IMF68.. | F68 | 2.4 | 1-1462048-0 | | | |
| | | | | | | |
| IMG03C.. | G03C | 5 | | | 2-1462045-5 | |
| IMG42C.. | G42C | 4.5 | | | 2-1462045-6 | |
| | | | | | | |

*obsolete

DRAWING ALIAS: IM0C-DOK17

THIS DRAWING IS UNPUBLISHED. © COPYRIGHT 2000 ALL RIGHTS RESERVED. RELEASED FOR PUBLICATION 2000

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m

| | |
|---|---|
| 0 PLC | ±- |
| 1 PLC | ±- |
| 2 PLC | ±- |
| 3 PLC | ±- |
| 4 PLC | ±- |
| ANGLES | ±- |

DWN HD 9121 21FEB2003
CHK HD 9121 21FEB2003
APVD HD 9121 21FEB2003

PRODUCT SPEC: -

APPLICATION SPEC: -

WEIGHT -

MATERIAL -

FINISH -

TE Connectivity

NAME: IM-Relay Marking

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A4 | 00779 | C 1462037-1 | - |

CUSTOMER DRAWING

SCALE 10:1 SHEET 6 OF 6 REV C

LifeElectronics
Живое партнерство

**ООО «ЛайфЭлектроникс»** **“LifeElectronics” LLC**

*ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703*

*Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.*

*С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров*

*Мы предлагаем:*

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

*В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.*

*Конструкторский отдел помогает осуществить:*

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

*Тел: +7 (812) 336 43 04 (многоканальный)*
*Email: org@lifeelectronics.ru*

***www.lifeelectronics.ru***