





20 19 18 17 16 15 14 13 12 11 74509 9 8 7 6 5 4 3 2 1



SEE TABLE

LENGTH (**edited**)

- NOTES:
1. MATERIAL
HOUSING - ZINC DIE CAST
CONTACTS - Au FLASH OVER Ni PLATING
CABLE - SEE MOLEX SD-71153-****
 2. CHARACTERISTIC IMPEDANCE 100 OHMS DIFFERENTIALLY
 3. JACKSCREW VERSION AVAILABLE



SCALE 4:1

EC NO: USY2006-0196 IDRM/KPHILLIPS 2006/01/03 CHKD:DDOYE 2006/01/17 APPR:DDOYE 2006/01/17	QUALITY SYMBOLS ▽-0 ▽-0	GENERAL TOLERANCES (UNLESS SPECIFIED) DIMENSION STYLE MM ONLY	SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY	TITLE 12X INFINIBAND CABLE ASSEMBLY	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-74509-001	SHEET NO. 1 OF 2
REV	DESCRIPTION	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	APPROVED BY DDOYE	DATE 03/09/16	APPROVED BY JRESENDE	DATE 03/09/16	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

WIRING DIAGRAM			
PLUG 1		PLUG 2	
PIN NUMBER	SIGNAL	PIN NUMBER	SIGNAL
G1-G25	SIGNAL GROUND	G1-G25	SIGNAL GROUND
S1	Tx0+	S48	Rx0+
S2	Tx0-	S47	Rx0-
S3	Tx1+	S46	Rx1+
S4	Tx1-	S45	Rx1-
S5	Tx2+	S44	Rx2+
S6	Tx2-	S43	Rx2-
S7	Tx3+	S42	Rx3+
S8	Tx3-	S41	Rx3-
S9	Tx4+	S40	Rx4+
S10	Tx4-	S39	Rx4-
S11	Tx5+	S38	Rx5+
S12	Tx5-	S37	Rx5-
S13	Tx6+	S36	Rx6+
S14	Tx6-	S35	Rx6-
S15	Tx7+	S34	Rx7+
S16	Tx7-	S33	Rx7-
S17	Tx8+	S32	Rx8+
S18	Tx8-	S31	Rx8-
S19	Tx9+	S30	Rx9+
S20	Tx9-	S29	Rx9-
S21	Tx10+	S28	Rx10+
S22	Tx10-	S27	Rx10-
S23	Tx11+	S26	Rx11+
S24	Tx11-	S25	Rx11-
S25	Rx11-	S24	Tx11-
S26	Rx11+	S23	Tx11+
S27	Rx10-	S22	Tx10-
S28	Rx10+	S21	Tx10+
S29	Rx9-	S20	Tx9-
S30	Rx9+	S19	Tx9+
S31	Rx8-	S18	Tx8-
S32	Rx8+	S17	Tx8+
S33	Rx7-	S16	Tx7-
S34	Rx7+	S15	Tx7+
S35	Rx6-	S14	Tx6-
S36	Rx6+	S13	Tx6+
S37	Rx5-	S12	Tx5-
S38	Rx5+	S11	Tx5+
S39	Rx4-	S10	Tx4-
S40	Rx4+	S9	Tx4+
S41	Rx3-	S8	Tx3-
S42	Rx3+	S7	Tx3+
S43	Rx2-	S6	Tx2-
S44	Rx2+	S5	Tx2+
S45	Rx1-	S4	Tx1-
S46	Rx1+	S3	Tx1+
S47	Rx0-	S2	Tx0-
S48	Rx0+	S1	Tx0+

MATERIAL NUMBER	DESCRIPTION	LENGTH±0.06M
74509-0001	12X CABLE ASSEMBLIES (28 AWG)	0.50M±0.03M
74509-0002	12X CABLE ASSEMBLIES (28 AWG)	1.00M±0.03M
74509-0003	12X CABLE ASSEMBLIES (28 AWG)	3.00M
74509-0004	12X CABLE ASSEMBLIES (26 AWG)	5.00M
74509-0005	12X CABLE ASSEMBLIES (24 AWG)	7.00M
74509-0006	12X CABLE ASSEMBLIES (28 AWG)	2.00M
74509-1101	12X EQUALIZED CABLE ASSEMBLIES/28 AWG	6.00M
74509-1102	12X EQUALIZED CABLE ASSEMBLIES/26 AWG	8.00M
74509-1103	12X EQUALIZED CABLE ASSEMBLIES/24 AWG	10.00M
74509-1106	12X EQUALIZED CABLE ASSEMBLIES/28 AWG	2.00M
74509-1107	12X EQUALIZED CABLE ASSEMBLIES/28 AWG	3.00M

EC NO: USY2006-0196
DRW:KPHILLIPS 2006/01/03
CHKD:DDOYE 2006/01/17
APPR:DDOYE 2006/01/17

REV
DESCRIPTION

QUALITY SYMBOLS
▽ 0
▽ 0

GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± --- ± ---
1 PLACE ± --- ± ---
ANGULAR ±1/2°
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

SCALE 1:1
DESIGN UNITS METRIC
DIMENSION STYLE MM ONLY
DRAWN BY JRESENDE DATE 03/09/16
CHECKED BY JRESENDE DATE 03/09/16
APPROVED BY DDOYE DATE 03/09/16

THIRD ANGLE PROJECTION
REVISE ON CAD ONLY
TITLE 12X INFINIBAND CABLE ASSEMBLY
MOLEX INCORPORATED
MATERIAL NO. SEE TABLE
DOCUMENT NO. SD-74509-001
SHEET NO. 2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru