



## Main

Range	TeSys
Product name	TeSys LK
Product or component type	Disconnect Switch
Disconnecter device type	Non-fusible disconnect switch
Suitability for isolation	Yes

## Complementary

Poles description	3P
Network type	AC DC
Network frequency	50/60 Hz
[Ie] rated operational current	600 A conforming to CSA 600 A conforming to UL 200 A (AC-23A) at 690 V AC conforming to IEC 200 A (AC-23A) at 690 V AC conforming to IEC 630 A (AC-22A) at 400 V AC conforming to IEC 630 A (AC-23A) at 400 V AC conforming to IEC 500 A (AC-22A) at 690 V AC conforming to IEC
System Voltage	600 V AC 50/60 Hz
[Ui] rated insulation voltage	1000 V
Control type	Rotary handle
Type of operating handle	External frontal External right side
Mounting support	Plate
[Uimp] rated impulse withstand voltage	12 kV conforming to IEC
Rated power in W	185 kW at 690 V 185 kW at 690 V 355 kW at 400 V 450 kW at 500 V
Rated power in hp	350 hp at 600 V 336 A AC 350 hp at 600 V 336 A AC 20 hp at 125 V 148 A DC 50 hp at 250 V 173 A DC 200 hp at 240 V 480 A AC 400 hp at 480 V 477 A AC
[Icw] rated short-time withstand current	48 kA
Mechanical durability	6000 cycles
Electrical durability	1000 cycles
Connections - terminals	Bars 2 x 30 x 5 mm Lugs-ring terminals 2 cable(s) 34 mm <sup>2</sup>
Height	11.81 in (300 mm)
Width	11.02 in (280 mm)
Depth	5.51 in (140 mm)

## Environment

standards	IEC 60947-3 CSA C22.2 No 4 UL98
-----------	---------------------------------------

product certifications

CE  
CSA  
UL

---

### Offer Sustainability

---

Green Premium product	Green Premium product
Compliant - since 1240 - Schneider Electric declaration of conformity	Compliant - since 1240 - Schneider Electric declaration of conformity
Reference not containing SVHC above the threshold	Reference not containing SVHC above the threshold
Available	Available
Available	Available
WARNING: Cancer - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>	WARNING: Cancer - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

---

### Contractual warranty

---

Warranty period	18 months
-----------------	-----------

---

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)